http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

## DRDO SET 2008 - Mechanical Engg. Question Paper

Time: 10.00 to 13.00 hrs	Name of the Candidate:	
Registration No.:		
Signature of Candidate		Signature of Invigilator

## Please read the following instructions carefully

- 1. Verify that this question paper booklet contains 32 pages (including 5 blank pages for rough work) and 150 questions.
- 2. There are two sections in this question paper Section A with 100 questions and Section B with 50 questions.
- 3. This question paper booklet has a paper code either X or Y. If your question paper code is X, then you must have an Objective Response Sheet (ORS) with code X. If your question paper code is Y, then you must have an Objective Response Sheet (ORS) with code Y. If there is a mismatch exchange the booklet.
- 4. All answers are to be marked only on the Objective Response Sheet (ORS).
- 5. Every question has 4 choices (A), (B), (C) and (D) for the answer and only **ONE** of them is the most appropriate answer. Darken only one bubble, which you consider to be the correct answer, from among the four choices.
- 6. The question booklet along with the ORS must be handed over to the Invigilator before leaving the examination hall.
- 7. Blank papers, clip boards, log tables, slide rules, calculators, cellular phones, pagers and electronic gadget in any form are **NOT** allowed.
- 8. Write your Name and Registration Number and put your signature in the space provided above.
- 9. Using a good quality Blue/Black pen, write your Registration Number, Subject Code and Question Booklet Code in the boxes provided on the ORS answer sheet and darken the appropriate bubble under each digit with HB Pencil.
- 10. Write your Name and put your signature in the appropriate boxes of ORS. Do NOT write these anywhere else.

## Marking Scheme

- (a) In Section A, you will be awarded (+4) marks for each correct answer and (-1) mark for each wrong answer. In Section B, you will be awarded (+2) marks for every correct answer and (-1/2) mark for each wrong answer.
- (b) In case you have not darkened any bubble for a question you will be awarded Zero (0) marks for that question.

08-ME-Y-1/32

N U U U

SEAL

### Section - A

- 1. In the case of a curved beam subjected to pure bending, which of the following is true?
  - (A) Neutral axis coincides with the centroidal axis.
  - (B) Neutral axis lies between the centroidal axis and the center of curvature.
  - (C) Location of neutral axis depends upon the magnitude of bending moment.
  - (D) There is no neutral axis.
- 2. A 10 m radius thin spherical tank is to be used to store gas. If the wall thickness of the tank is 10 mm and the allowable tensile stress for the material of the tank is 125 MPa, the maximum possible gas pressure (neglecting radial stress) is
  - (A) 0.25 MPa
- (B) 0.125 MPa (C)
  - (C) 0.5 MPa
- (D) 1 MPa
- Natural frequency (rad/s) of mass M on the free end of a cantilever beam of negligible mass, length L and flexural rigidity EI (Fig.Q3) is




Fig.Q3

- (A)  $\sqrt{\frac{EI}{3MI^3}}$
- (B)  $\frac{1}{3}\sqrt{\frac{EI}{ML^3}}$
- (C)  $\sqrt{\frac{3EI}{ML^3}}$
- (D)  $3\sqrt{\frac{EI}{ML^3}}$
- 4. For the system shown in Fig.Q4, the angular displacement  $\theta$  is measured from the static equilibrium position. Assuming small  $\theta$ , the undamped natural frequency of the system in rad/s is





Fig.Q4

- (A)  $\frac{a}{b}\sqrt{\frac{k}{m}}$
- (B)  $\frac{b}{a}\sqrt{\frac{k}{n}}$
- C)  $\sqrt{\frac{ak}{bm}}$
- (D)  $\sqrt{\frac{bk}{am}}$

08-ME-Y-3/32

### http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

- 5. For a one degree of freedom system described by the differential equation  $10\ddot{x} + 200\dot{x} + 810x = 0$  (units as per SI system), which of the following is true?
  - (A) The system is under damped.
  - (B) The system is over damped.
  - (C) The system is critically damped.
  - (D) The system has no damping.
- 6. Spur gears are used for
  - (A) connecting two intersecting shafts
  - (B) transmitting power between two intersecting shafts
  - (C) transmitting power between two parallel shafts
  - (D) transmitting power between two inline shafts
- 7. A 6 mm fillet weld is 50 mm long and carries a steady load of 12000 N along the weld as shown in Fig.Q7. The weld metal has yield strength of 360 MPa. The value of factor of safety is



- (A) 1.59
- (B) 3.18
- (C) 4.18
- (D) 6.36
- 8. Which of the following bearings are termed as antifriction bearings?
  - (A) Journal bearings

- (B) Gas lubricated bearings
- (C) Ball and roller bearings
- (D) Air bearings
- 9. In a slider-crank mechanism, the crank is rotating with an angular velocity of 20 rad/s in counterclockwise direction. At the instant when the crank is perpendicular to the direction of the piston movement, velocity of the piston is 2 m/s. Radius of the crank is
  - (A) 100 cm
- (B) 10 cm
- (C) 1 cm
- (D) 0.1 cm

08-ME-Y-4/32

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

10.	Two parallel shafts whose axes are separated by a distance of 75 mm are to be connected by a spur gear set so that the output shaft rotates at 50% of the speed of
	the input shaft. Which of the following could be the possible pitch circle diameters of the gears?

(A) 25 mm and 50 mm

- (B) 30 mm and 60 mm
- (C) 50 mm and 100 mm

(D) 60 mm and 120 mm

11. A square key is used to key a gear to a 40 mm diameter shaft. The hub length of the gear is 50 mm. Both shaft and the key are made of same material having allowable shear strength of 50 MPa. If a torque of 500 N-m is to be transmitted, what is the minimum value of the dimension of the sides of the square key?

- (A) 20 mm
- (B) 10 mm
- (C) 5 mm
- (D) 1 mm

12. A 250 mm radius brake drum contacts a single shoe as shown in Fig.Q12 and sustains a torque of 300 N-m at 500 rpm. Coefficient of friction is 0.3. Force F required for braking in the case of counterclockwise rotation of the brake drum is




Fig.Q12

- (A) 1152 N
- (B) 1248 N
- (C) 4000 N
- (D) 2000 N

13. The motion of a pulley (Fig.Q13) is controlled by cable C which has a constant acceleration of 0.225 m/s<sup>2</sup>. The magnitude of angular acceleration of the pulley is




Fig.Q13

- (A)  $3 \text{ rad/s}^2$
- (B)  $4 \text{ rad/s}^2$
- (C) 225 rad/s<sup>2</sup>
- (D)  $6 \text{ rad/s}^2$

08-ME-Y-5/32

1ttp://w 14.	Www.orkut.co.in/Main#Community.aspx?cmm=8/0/6690  Which of the following is a flexible coupling?				
	(A) Muff coupling (B) Marine coupling (C) Protected type flange coupling (D) Oldham coupling				
15.	Two concentric helical springs with spring constants 200 N/mm and 160 N/mm when subjected to a load of 1800 N will deflect by				
	(A) 5 mm (B) 10 mm (C) 20.25 mm (D) 40.5 mm				
16.	Tearing efficiency of a double riveted lap joint having a pitch of 60 mm and rivet hole diameter of 18 mm is				
	(A) 30% (B) 35% (C) 60% (D) 70%				
17.	For a fly wheel operating between maximum and minimum speeds of $\omega_1$ and $\omega_2$ respectively, coefficient of fluctuation of speed is				
	(A) $\omega_1 - \omega_2$ (B) $\frac{2(\omega_1 - \omega_2)}{\omega_1 + \omega_2}$ (C) $\frac{\omega_1 - \omega_2}{2(\omega_1 + \omega_2)}$ (D) $\frac{\omega_1 - \omega_2}{\omega_1}$				
18.	A 20 kg car moving at a speed of 20 m/s to the right collides with a 35 kg car which is at rest. After the collision the 35 kg car is moving towards right at a speed of 10 m/s. The speed of the 20 kg car is				
	(A) 2.5 m/s (B) -2.5 m/s (C) 50 m/s (D) 0				
19.	Endurance limit of a component				
	<ul> <li>(A) increases as the surface roughness increases</li> <li>(B) decreases as the surface roughness increases</li> <li>(C) initially increases with the increase in surface roughness and then decreases</li> <li>(D) does not depend upon the surface roughness</li> </ul>				
20.	A thin cylindrical pressure vessel with mean diameter 10 m and wall thickness 20 mm is subjected to an internal fluid pressure of 0.4 MPa. If the yield strength of the material of the cylinder is 200 MPa, the factor of safety according to maximum shear stress theory (neglecting radial stress) is				
	(A) 0.5 (B) 1 (C) 1.5 (D) 2				
21.	A discontinuity or jump in the shear force diagram occurs whenever a beam is loaded by				
	(A) a distributed moment (B) a distributed force (C) a concentrated moment (D) a concentrated force				
	08-ME-Y-6/32				

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

22. For the beam loaded as shown in Fig.Q22 the magnitude of bending moment at the roller support is





Fig.Q22

- (A) 100 N-m
- (B) 1000 N-m
- (C) 0
- (D) 2000 N-m
- 23. A rod of variable cross-section (areas  $A_1$  and  $A_2$ ) fixed at one end is subjected to an axial force P as shown in Fig.Q23. If the allowable normal stress in tension is 100 MPa then the maximum allowable load P (neglecting stress concentration) is



- (A) 100 MN
- (B) 200 MN
- (C) 50 MN
- (D) 50 N
- 24. When a solid circular shaft is in pure torsion and deforms elastically, the shearing stress in the shaft
  - (A) is inversely proportional to the shear modulus of elasticity
  - (B) varies linearly with the radial distance from the axis of the shaft
  - (C) varies linearly with length of the shaft
  - (D) is inversely proportional to the diameter of the shaft
- 25. At a point in a body the normal stresses are  $\sigma_x = \sigma$  and  $\sigma_y = \sigma$ . E is the Young's modulus and  $\nu$  is the Poisson's ratio of the material of the body. Assuming the material to be linearly elastic and isotropic, for plane stress condition the ratio of  $\sigma_x$  to  $\varepsilon_x$  is
  - (A)  $\frac{E}{(1-\nu)}$
- (B) E
- (C)  $\frac{E}{V}$
- (D)  $\frac{E}{(1+\nu)}$

08-ME-Y-7/32

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

26. A cantilever beam has the cross-section of an isosceles triangle and is loaded as shown in Fig.Q26. If the moment of inertia of the cross-section  $I_{zz} = \frac{1}{36} \text{m}^4$ , then the maximum tensile bending stress is




Fig.Q26

- (A) 1/16 MPa
- (B) 72 MPa
- (C) 36 MPa
- (D) 1/36 MPa
- 27. A long, slender column is pin-supported at the ends and compressed by an axial load P as shown in Fig.Q27. If  $I_{11} = 100 \text{ cm}^4$ ,  $I_{22} = 200 \text{ cm}^4$  and Young's modulus of elasticity = 100 GPa, then the critical load for buckling is




Fig.Q27

- (A) 500 kN
- (B) 200 kN
- (C) 100 kN
- (D) 1000 GN
- 28. The linear relation between the stress and strain of a material is valid until
  - (A) fracture stress
  - (B) elastic limit
  - (C) ultimate stress
  - (D) proportional limit
- 29. Which of the following can be the measure of ductility of a material?
  - (A) Area under engineering stress-strain curve
  - (B) Percent reduction in area in tension test
  - (C) Yield stress
  - (D) Ultimate stress

08-ME-Y-8/32

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

- 30. At the point of contraflexure of a beam
  - (A) the shear force is zero
  - (B) sign of curvature in the deflection curve changes
  - (C) the bending moment reaches maximum value
  - (D) maximum deflection occurs
- A material has a Poisson's ratio of 0.5. If a body is made of this material and 31. subjected to external forces (within the elastic limit) then the final volume of the body is
  - (A) thrice that of the initial volume of the body
  - (B) twice that of the initial volume of the body
  - (C) zero
  - (D) equal to the initial volume of the body
- If at a point in a body  $\sigma_x = 70$  MPa,  $\sigma_y = 60$  MPa and  $\tau_{xy} = -5$  MPa then the 32. radius of the Mohr's circle is equal to
- (A)  $5\sqrt{5}$  MPa (B)  $2\sqrt{5}$  MPa (C)  $5\sqrt{2}$  MPa
- (D) 25 MPa
- A rectangular area is shown in Fig.Q33. The value of product of inertia  $I_{xy}$  is 33.




Fig.Q33

- (A)  $12 \text{ m}^4$
- (B) 16 m<sup>4</sup>
- 9 m4 (C)

- Hinge support is not capable of resisting 34.
  - (A) horizontal force
  - (B) moment
  - vertical force
  - (D) both horizontal and vertical forces

08-ME-Y-9/32

35. The axial force in the member BD of a steel truss shown in Fig.Q35 is




Fig.Q35

- (A) 250 kN
- (B) -250 kN
- (C) 0
- (D) 125 kN

36. The motion of a particle is defined by the relation  $x = \frac{5}{2}t^2 - 20t + 10$ , where x and t are expressed in meters and seconds respectively. The position x of the particle at zero velocity is

(A) 30 m

(C)

- (B) -30 m
- (C) -20 m
- (D) 50 m

37. For any process, the second law of thermodynamics requires that the entropy change of the system be

- (A) positive or zero
  - negative or zero

- (B) zero
- (D) positive, zero or negative, but does not say which

38. A system is changed from a single initial equilibrium state to the same final equilibrium state by two different processes, one reversible and the other irreversible. Which of the following is true, where  $\Delta S$  refer to the change in entropy of the system?

- (A)  $\Delta S_{irr} = \Delta S_{rev}$
- (C)  $\Delta S_{irr} < \Delta S_{rev}$

- (B)  $\Delta S_{irr} > \Delta S_{rev}$
- (D) either (B) or (C) depending on the nature of the process

39. An inventor claims to have devised an engine that produces 2000 kJ of work while receiving 1900 kJ of heat from a single reservoir during a complete cycle of the engine. Such an engine would violate

- (A) only the first law of thermodynamics and no other laws
- (B) only the second law of thermodynamics and no other laws
- (C) both the first and the second laws of thermodynamics
- (D) neither the first nor the second laws of thermodynamics

08-ME-Y-10/32

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

40.	The	COP of a Carr	not hea	t pump operation	ng betw	een -3°C and	27°C i	s
	(A)	10.0	(B)	9.0	(C)	0.111	(D)	0.10
41.	1 =	essel of volume 47°C. The m 4 J/kmol-K)	e 1 m <sup>3</sup> ass of	contains oxyge oxygen in the	en (mol	ecular weight is (take univ	= 32) versal	at $p = 1$ bar and gas constant as
	(A)	40.0 kg	(B)	3.0 kg	(C)	1.2 kg	(D)	1.0 kg
42.	For	water boiling a	t const	ant pressure of	1 bar, t	he specific he	at is	
	(A) (C)	zero negative			(B) (D)	very small be infinitely lar		tive
43.	singl	nventor claims e reservoir whi device violates	ile abs	eve constructed orbing 300 kJ	d a dev	ice that reject during a sing	ts 300 gle cyc	kJ of heat to a le of the device.
	(A) (B) (C) (D)	only the second both the first a	nd law and the	thermodynamic of thermodyna e second laws of the second law	mics ar	nd no other lav	ws	
44.	A ma mode	an sits on the to	floor ber main	y a fire burnir	ng at so	man receiving	at the g heat	same level. The
	(A)	conduction	(B)	convection	(C)	radiation	(D)	advection
45.		herical body winner surface A						ner hollow body
	(A)	0.0	(B)	0.5	(C)	1.0	(D)	π
46.	incide		knesse	es of the velo				at plate at zero
	(A)	$\delta_t > \delta$	(B)	$\delta_t = \delta$	(C)	$\delta_t < \delta$	(D)	$0.5 \le \delta_i/\delta \le 1.5$
47.	As the	e thickness of transfer from th	insula ne cond	tion around a h luctor	neated c	cable gradually	y incre	ases from zero,
	(A) (B) (C) (D)	goes on decrea goes on increa first increases first decreases	sing m	nonotonically en decreases				
				08-ME-Y-	11/32			

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

Arrangement of silver, air, aluminium and lead in the order of increasing thermal 48. conductivity at room temperature yields

(A) air, aluminium, silver, lead

air, aluminium, lead, silver (B)

(C) lead, air, aluminium, silver

air, lead, aluminium, silver (D)

For a 2D rotational flow the Laplacian of the stream-function at any point in the 49. flow-field

(A) is always very large

(B) is always very small

(C) equals zero

(D) equals vorticity

In passing through a standing normal shock-wave, a subsonic flow cannot turn 50. supersonic as it will not satisfy the

(A) continuity equation

(B) momentum equation

(C) energy equation

- (D) second law of thermodynamics
- In the fully developed laminar flow through a horizontal pipe of constant cross-51. section
  - (A) static pressure remains constant in the direction of flow
  - (B) Bernoulli equation holds along the axis of the pipe
  - (C) static pressure increases in the direction of flow
  - (D) static pressure decreases in the direction of flow
- 52. For a 1D compressible flow through a stream-tube, if  $\rho$ , u and A denote density, velocity and cross-sectional area respectively, the continuity equation can be written as

(A)  $\ln \rho + \ln A + \ln u = 0$ 

(B)  $\frac{d\rho}{\rho} + \frac{dA}{A} + \frac{du}{u} = 0$ 

(C)  $\frac{d\rho}{\rho} + \frac{dA}{A} + \frac{du}{u} \ge 0$ 

- (D)  $\rho A u^2 = a \text{ constant}$
- A pitot static tube is to measure the velocity of air-stream in a pipe. If the 53. difference between the stagnation and static pressures as indicated by a vertical tube manometer is 12.5 cm of water, the velocity of the air-stream is (take  $\rho_{\text{air}} = 1 \text{ kg/m}^3$ ,  $\rho_{\text{water}} = 1000 \text{ kg/m}^3 \text{ and } g = 10 \text{ m/s}^2$ )

(A)  $5\sqrt{10}$  m/s (B) 50 m/s

- (C) 400 m/s
- (D) 500 m/s

08-ME-Y-12/32

54.	The flight Mach number of an aircraft flying at an altitude where the temperature is $-48^{\circ}$ C is 0.7. The speed of the aircraft is (take $\gamma = 1.4$ , $R = 287$ J/kg-K)
	(A) 100 m/s (B) 140 m/s (C) 210 m/s (D) 250 m/s
55.	A cylindrical vessel of large diameter is filled with water to the brim. If a small hole is made in the wall of the vessel at a depth of 1.25 m, the velocity of outflow through the orifice is (take $g = 10 \text{ m/s}^2$ )
	(A) 3.5 m/s (B) 5.0 m/s (C) 15.0 m/s (D) 25.0 m/s
56.	The SI unit of the term $u^2/2g$ that appears in the Bernoulli equation is
	(A) $N/m^2$ (B) m (C) $J/m^3$ (D) bar
57.	For a cylindrical wooden block completely submerged under water, the only correct statement among the following is
	<ul> <li>(A) Buoyancy is the largest when the axis is horizontal</li> <li>(B) Buoyancy is the largest when the axis is vertical</li> <li>(C) Buoyancy increases with the depth at which the body is kept</li> <li>(D) Buoyancy is independent of the vertical position and orientation</li> </ul>
58.	In the converging part of a horizontal venturi meter
	<ul> <li>(A) static pressure gradually decreases</li> <li>(B) static pressure gradually increases</li> <li>(C) axial velocity gradually decreases</li> <li>(D) both the static pressure and axial velocity gradually decreases</li> </ul>
59.	A steady flow of fluid crossing a normal shock-wave undergoes a sudden rise in
	<ul> <li>(A) stagnation pressure</li> <li>(B) stagnation temperature</li> <li>(C) static pressure accompanied by a fall in static temperature</li> <li>(D) both static pressure and static temperature</li> </ul>
60.	Cavitation is a phenomenon observed
	<ul> <li>(A) only in centrifugal pumps</li> <li>(B) only in hydraulic reaction turbines like Francis and Kaplan</li> <li>(C) only in marine propellers</li> <li>(D) in all of centrifugal pumps, hydraulic reaction turbines and marine propellers</li> </ul>
61.	For an axial-flow turbine rotor with mass flow rate 10 kg/s, a change in whirl of 60 m/s and a blade speed of 30 m/s, the Euler equation of turbomachines gives that the specific work done by
	<ul> <li>(A) the fluid on the rotor is 1800 J/kg</li> <li>(B) the fluid on the rotor is 18000 W</li> <li>(C) the turbine rotor on the fluid is 18000 J/kg</li> <li>(D) the turbine rotor on the fluid is 18000 W</li> </ul>
	08-ME-Y-13/32

CONTRACTOR OF THE PARTY OF	
62.	In a variable speed SI engine
	<ul> <li>(A) both the torque and power are maximum at the same speed</li> <li>(B) maximum torque occurs at a speed higher than that at which maximum power</li> </ul>
	occurs (C) maximum torque occurs at a speed lower than that at which maximum power
	occurs  (D) power goes on increasing monotonically with speed
63.	In an SI engine very high compression ratio cannot be used because
	<ul> <li>(A) the engine efficiency would be unmanageably high</li> <li>(B) the power required for compression would be high</li> <li>(C) cylinders will require very thick walls</li> <li>(D) self-ignition may take place before the spark occurs</li> </ul>
	In a centrifugal compressor the stagnation temperature across the impeller
64.	(D) decreases
	(A) increases (C) does not show a monotonic trend (D) remains constant
65.	When moist air in a closed vessel is heated the specific humidity
	(A) increases (C) remains constant (B) decreases (D) may increase or decrease
66.	The ideal cycle for a steam power plant is the Rankine cycle instead of the Carnot cycle because
	(A) the Rankine cycle has higher efficiency
	<ul><li>(B) the Rankine cycle efficiency equals the Carnot cycle efficiency</li><li>(C) the Rankine cycle has higher work ratio and is easier to implement</li></ul>
	(D) the Carnot cycle gives lower turbine work
67.	The only correct statement related to hydraulic turbines among the following is
	<ul><li>(A) Pelton wheel and Francis turbine are impulse turbines</li><li>(B) The adjustable blade Kaplan turbine has a higher part-load efficiency</li></ul>
	compared to a Francis turbine  (C) A draft tube can improve the performance of a Pelton wheel
	(D) Cavitation occurs at the entry to a Francis turbine
68.	Clothes dry relatively easily in an environment where the
	(A) relative humidity is high (C) relative humidity is low (B) specific humidity is high (D) relative humidity fluctuates
	08-ME-Y-14/32

Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod rue stress in the rod depends on the type of material of the rod, by the rod stress in the rod does not depend on the type of material of the rod rod rod stress in the rod does not depend on the type of material of the rod
a uniaxial tensile load is applied to a rod fixed at one end,  oth engineering stress and true stress in the rod depend on the type material of the rod ingineering stress in the rod depends on the type of material of the rod, be must stress in the rod does not depend on the type of material of the rod must stress in the rod depends on the type of material of the rod must stress in the rod depends on the type of material of the rod, be must material stress in the rod does not depend on the type of material of the mod on the engineering stress and true stress in the rod does not depend on the type of material of the rod ets are used in the mold for enhancing the rate of solidification providing additional metal to the casting as it shrinks carrying off gases produced during casting providing support to the core  on the surface area constant, if the volume of a casting is doubled by  the surface area constant, if the volume of a casting is doubled by  the surface area constant, if the volume of a casting is doubled by  the surface area constant, if the volume of a casting is doubled by  the surface area constant, if the volume of a casting is doubled by  the surface area constant, if the volume of a casting is doubled by  the surface area constant.
a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, be the stress in the rod does not depend on the type of material of the rod true stress in the rod depends on the type of material of the rod true stress in the rod depends on the type of material of the rod, be the ngineering stress in the rod does not depend on the type of material of the tod tod toth engineering stress and true stress in the rod does not depend on the type of material of the rod tests are used in the mold for tenhancing the rate of solidification toroviding additional metal to the casting as it shrinks tearrying off gases produced during casting
educes the depth of hardening by a factor of √2  a uniaxial tensile load is applied to a rod fixed at one end,  oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, be true stress in the rod does not depend on the type of material of the rod true stress in the rod depends on the type of material of the rod, be ngineering stress in the rod does not depend on the type of material of the tod oth engineering stress and true stress in the rod does not depend on the type of material of the rod  ets are used in the mold for  enhancing the rate of solidification providing additional metal to the casting as it shrinks
educes the depth of hardening by a factor of √2  a uniaxial tensile load is applied to a rod fixed at one end,  oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, b rue stress in the rod does not depend on the type of material of the rod rue stress in the rod depends on the type of material of the rod, b ngineering stress in the rod does not depend on the type of material of the rod oth engineering stress and true stress in the rod does not depend on the type of material of the rod  ets are used in the mold for  enhancing the rate of solidification providing additional metal to the casting as it shrinks
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod rue stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod retained in the mold for enhancing the rate of solidification
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod rue stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod rue stress in the rod depends on the type of material of the rod, by the rod graph stress in the rod does not depend on the type of material of the rod rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth engineering stress and true stress in the rod does not depend on the type of material of the rod roth en
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod rue stress in the rod depends on the type of material of the rod, by the rod stress in the rod does not depend on the type of material of the rod rod rod stress in the rod does not depend on the type of material of the rod
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod ngineering stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod rue stress in the rod depends on the type of material of the rod, by the rod graph of the rod does not depend on the type of material of the rod, by the rod graph of the rod does not depend on the type of material of the rod.
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod angineering stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod are stress in the rod depends on the type of material of the rod, by the stress in the rod depends on the type of material of the rod, by
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type daterial of the rod angineering stress in the rod depends on the type of material of the rod, by the stress in the rod does not depend on the type of material of the rod.
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod depends on the type of graphs of the rod, by
Educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type naterial of the rod
educes the depth of hardening by a factor of $\sqrt{2}$ a uniaxial tensile load is applied to a rod fixed at one end, oth engineering stress and true stress in the rod depend on the type
educes the depth of hardening by a factor of $\sqrt{2}$
acreases the depth of hardening by a factor of $\sqrt{2}$
alves the depth of hardening
oubles the depth of hardening
ng the frequency of current in an induction hardening process
exagonal close-packed (D) body-centered tetragonal
ody-centered cubic (B) face-centered cubic
acture of austenite is
e stage state entrarpy drop is equally shared by the fotor and state
e stage static enthalpy drop is equally shared by the rotor and stator
e static enthalpy rise in the stator is greater than that in the rotor
e static enthalpy rise in the rotor is greater than that in the rotor
e static enthalpy drop in the stator is greater than that in the rotor
% reaction stage of a gas turbine
crease the effective head across the turbine

76.	When the molten metal is poured in a mold, it may pass through the following items in sequence:
	(A) sprue, runner, gate, top riser (C) top riser, runner, sprue, gate (B) runner, sprue, gate, top riser (D) gate, sprue, top riser, runner
77.	The shear yield stress of a ductile metal in plane-strain state is $k$ . If the maximum shear stress in the material becomes $k$ , the metal yields according to
	<ul> <li>(A) Tresca criterion, but not according to von Mises criterion</li> <li>(B) von Mises criterion, but not according to Tresca criterion</li> <li>(C) von Mises as well as Tresca criteria</li> <li>(D) Tresca criterion, but not according to maximum distortion energy criterion</li> </ul>
78.	Which of the following statements is true for a cold flat rolling process?
	<ul> <li>(A) Both front and back tension reduce the roll force.</li> <li>(B) Front tension increases the roll force and back tension reduces the roll force.</li> <li>(C) Both front and back tension increase the roll force.</li> <li>(D) Back tension increases the roll force and front tension reduces the roll force.</li> </ul>
79.	If the extrusion ratio is 20, the percentage reduction in the cross-sectional area of the billet after the extrusion will be
	(A) 98% (B) 95% (C) 20% (D) 5%
80.	In a straight turning operation, if the depth of cut is doubled, then uncut chip thickness will
	(A) get doubled (B) get halved (C) remain same (D) get quadrupled
81.	For a single-pass turning process for which the tool life decreases with increase in cutting speed, the optimum cutting speed for maximum production rate is
	<ul> <li>(A) always less than the optimum cutting speed for minimum cost per piece</li> <li>(B) always more than the optimum cutting speed for minimum cost per piece</li> <li>(C) always equal to the optimum cutting speed for minimum cost per piece</li> <li>(D) less than the optimum cutting speed for minimum cost per piece, if the tool cost is very high</li> </ul>
82.	The process in which the material removal rate is governed by Faraday's law is
	(A) electro-chemical machining (C) abrasive jet machining (B) electro-discharge machining (D) laser beam machining
83.	20 H7-g6 is a
	(A) clearance fit (B) transition fit (C) interference fit (D) push fit
	08-ME-Y-16/32

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

84.	An optical flat measures the flatness of a surface by using the principle of
	(A) dispersion of light (B) interference (C) total internal reflection of light (D) optical contour projection
85.	The peak to valley surface roughness in a machining operation is 32 µm. Assuming that the surface roughness profile is triangular, the center-line average surface roughness is
	(A) 4 μm (B) 8 μm (C) 16 μm (D) 32 μm
86.	Which of the following is a correct statement about spot welding, seam welding, friction welding and roll bonding?
	<ul> <li>(A) All are fusion welding processes.</li> <li>(B) All are solid-state welding processes.</li> <li>(C) Seam welding is a fusion welding process and other three are solid-state welding processes.</li> <li>(D) Roll bonding is a fusion welding process and other three are solid-state welding processes.</li> </ul>
87.	The temperatures employed in brazing are
	(A) below the melting point of the metals to be joined (B) above the melting point of the metals to be joined (C) below the melting point of the filler metal (D) same as those employed in soldering
88.	When two plates are butt welded, residual stresses get generated in the welded structure. The residual stresses are
	<ul> <li>(A) tensile at the butt joint and compressive away from the joint</li> <li>(B) compressive at the butt joint and tensile away from the joint</li> <li>(C) tensile everywhere</li> <li>(D) compressive in one plate and tensile in other plate</li> </ul>
89.	In the context of computer-aided design (CAD), STEP means
	<ul> <li>(A) Standard for the Exchange of Product Model Data</li> <li>(B) Solid Three-dimensional Engineering Product</li> <li>(C) Solid Technology and Engineering Product</li> <li>(D) Standard Three-dimensional Engineering Package</li> </ul>
	08-ME-Y-17/32
	UO-IVIL-1-1/132

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

90.	Determine the correctness or otherwise of the following Assertion [a] and the Reason [r]:  Assertion: The generative system of computer-aided process planning is more complex than the variant system.  Reason: The generative system has the capability of creating a new plan instead of using and modifying the existing plan. This system has to use some type of expert system.
	<ul> <li>(A) Both [a] and [r] are true and [r] is the correct reason for [a]</li> <li>(B) Both [a] and [r] are true, but [r] is not the correct reason for [a]</li> <li>(C) Both [a] and [r] are false</li> <li>(D) [a] is true but [r] is false</li> </ul>
91.	Which of the following is not a feedback device of a CNC machine?
	(A) Tachogenerator (C) Linear scale  (B) Encoder (D) Comparator
92.	In orthogonal machining process, the shear angle decreases if the
	<ul> <li>(A) rake angle decreases</li> <li>(B) rake angle increases</li> <li>(C) friction at the tool-chip interface decreases</li> <li>(D) friction at the tool-work interface decreases</li> </ul>
93.	MRP-II means
	(A) Materials Requirement Planning (B) Manufacturing Resource Planning (C) Man Requirement Planning (D) Money Requirement Planning
94.	According to the simple exponential smoothing model of forecasting: $S_t = \alpha D_t + (1 - \alpha)S_{t-1},$
	where $D_t$ is the demand in period $t$ , $S_t$ is the estimated mean demand including all data up to period $t$ and the parameter $\alpha$ is the proportion of weight of the most recent observation. If we choose $\alpha = 0.3$ for the monthly forecast, then for the estimation of mean demand up to March 2008, the weightage of data of January 2008 is
	(A) 0.3 (B) 0.09 (C) 0.027 (D) 0.147
95.	In basic economic order quantity model, for the optimal order quantity,
	<ul> <li>(A) holding cost is more than ordering cost</li> <li>(B) holding cost is less than ordering cost</li> <li>(C) holding cost is equal to ordering cost</li> <li>(D) holding cost is two times the ordering cost</li> </ul>
	08-ME-Y-18/32

### http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

96. The probability distribution for the sale of a product is as follows:

Sale quantity	Probability
1	0.3
2	0.4
3	0.3

On the sale of an item the profit is Rs. 500. The expected profit is

- (A) Rs. 1000
- (B) Rs. 500
- Rs. 250 (C)
- (D) Rs. 200

The expected demand of a product is 150 per day. The lead time is 10 days. An 97. order is placed when the inventory falls to 4000 units. The safety stock is

- (A) 1500 units
- (B) 2500 units
- 3000 units (C)
- 4000 units (D)

In a linear programming problem, if a constraint is inactive, then the unit worth of 98. resource corresponding to that constraint is

- (A) zero
- (B) a high value
- negative (C)
- undefined (D)

Patients arrive at a doctor's clinic according to the Poisson distribution. Check up 99. time by the doctor follows an exponential distribution. If on an average, 9 patients/hr arrive at the clinic and the doctor takes on an average 5 minutes to check a patient, the number of patients in the queue will be

- (A) 1
- (B) 1.25
- (C) 2.25
- (D) 3.25

The pessimistic, most likely and optimistic times for an activity are 5 days, 3 days 100. and I day respectively. Assuming Beta distribution, the expected duration of the activity is

- (A) 3 days (B) 3.5 days (C) 4 days
- (D) 5 days

08-ME-Y-19/32

http://www.orkut.co.in/Main#Community.aspx?cmm=87076690

# "" All the best guys ""