

I flex technical Paper 2

35 multiple choice Questions in 35 minutes

1. In the `init(ServletConfig)` method of Servlet life cycle, what method can be used to access the `ServletConfig` object ?

- (a) `getServletInfo()`
- (b) `getInitParameters()`
- (c) `getServletConfig()`

ANS: (c)

2. The Page directive in JSP is defined as follows:

```
<%@ page language="Java" session="false" isErrorPage="false" %>
```

Then which of the implicit objects won't be available ?

- (a) session, request
- (b) exception, request
- (c) exception, config
- (d) session, exception

ANS: I think answer is (d)

3. `ejbCreate()` method of CMP bean returns

- (a) null
- (b) Primary Key class
- (c) Home Object
- (d) Remote Object

ANS: (a)

4. Explanation: `ejbCreate()` method of BMP bean returns the Primary Key, where as `ejbCreate()` method of CMP bean returns null.

5. How can a EJB pass its reference to another EJB ?

6. Which of the following is correct syntax for an Abstract class ?

- (a) `abstract double area() { }`
- (b) `abstract double area()`
- (c) `abstract double area();`
- (d) `abstract double area(); { }`

ANS: (c)

7. A JSP page is opened in a particular Session. A button is present in that JSP page on click of which a new Window gets opened.

- (a) The Session is not valid in the new Window
- (b) The Session is valid in the new Window

ANS: I think the answer is (b)

8. Which of the following JSP expressions are valid ?

- (a) `<%= "Sorry"+"for the"+"break" %>`
- (b) `<%= "Sorry"+"for the"+"break"; %>`
- (c) `<%= "Sorry" %>`

(d) <%= "Sorry"; %>

ANS:

9. A class can be converted to a thread by implementing the interface ____

- (a) Thread
- (b) Runnable

ANS: (b)

10 . What is the output of following block of program ?

```
boolean var = false;
if(var = true) {
System.out.println("TRUE");
} else {
System.out.println("FALSE");
}
```

- (a) TRUE
- (b) FALSE
- (c) Compilation Error
- (d) Run-time Error

ANS: (a)

EXPLANATION: The code compiles and runs fine and the 'if' test succeeds because 'var' is set to 'true' (rather than tested for 'true') in the 'if' argument.

11. Which is not allowed in EJB programming ?

- (a) Thread Management
- (b) Transient Fields
- (c) Listening on a Socket

ANS:

12. What happens if Database Updation code is written in ejbPassivate() method and if this method is called ?

- (a) Exception is thrown
- (b) Successfully executes the Database Updation code
- (c) Compilation error occurs indicating that Database Updation code should not be written in ejbPassivate()
- (d) ejbStore() method is called

ANS:

13. A Vector is declared as follows. What happens if the code tried to add 6 th element to this Vector
new vector(5,10)

- (a) The element will be successfully added
- (b) ArrayIndexOutOfBoundsException Exception
- (c) The Vector allocates space to accommodate up to 15 elements

ANS: (a) and (c)

EXPLANATION: The 1 st argument in the constructor is the initial size of Vector and the 2 nd argument in the constructor is the growth in size (for each allocation)

This Vector is created with 5 elements and when an extra element (6 th one) is tried to be added, the vector grows in size by 10.

14. Which is the data structure used to store sorted map elements ?

- (a) HashSet
- (b) Hashmap
- (c) Map
- (d) TreeMap

ANS: I think the answer is (d)

15. SessionListener defines following methods

- (a) sessionCreated, sessionReplaced
- (b) sessionCreated, sessionDestroyed
- (c) sessionDestroyed, sessionReplaced

ANS:

16. Which of the following is true ?

- (a) Stateless session beans doesn't preserve any state across method calls
- (b) Stateful session beans can be accessed by multiple users at the same time

ANS: (a)

17. Stateful Session beans contain

- (a) Home Interface
- (b) Remote Interface
- (c) Bean Class
- (d) All

ANS: (d)

18. What is the Life Cycle of Session bean ?

Stateless session bean is instantiated by

- (a) newInstance()
- (b) create()

ANS:

19. A servlet implements Single Thread model

```
public class BasicServlet extends HttpServlet implements SingleThreadModel {
```

```
int number = 0;
public void service(HttpServletRequest req, HttpServletResponse res) {
}
}
```

20. Which is thread safe ?

- (a) Only the variable num
- (b) Only the HttpServletRequest object req
- (c) Both the variable num & the HttpServletRequest object req

If you are trying to call an EJB that is timed out, what will happen ?

- (a) Exception
- (b) It gets executed

21. A method is defined in a class as :

```
void processUser(int i) { }
```

If this method is overridden in a sub class, _

- (a) the new method should return int
- (b) the new method can return any type of values
- (c) the argument list of new method should exactly match that of overridden method
- (d) the return type of new method should exactly match that of overridden method

ANS: (c) & (d)

22. In a JSP page, a statement is declared as follows:

```
<%! String strTemp = request.getParameter("Name"); %>
```

And below that, an _expression appears as:

```
<% System.out.println("The Name of person is: "+strTemp); %>
```

What is the output of this _expression,

- (a) The Name of person is: Chetana
- (b) The Name of person is:
- (c) The Name of person is: null
- (d) None

ANS: (a) Java Language Multiple Choice Questions for technical written test for IT, computer science - cse, electronics - ece b.tech branch engineers / freshers /it graduates

23. Without the use of Cartesian product, how many joining conditions are required to join 4 tables ?

- (a) 1
- (b) 2
- (c) 3
- (d) 4

ANS:

24. What is the output of following piece of code ?

```
int x = 2;  
switch (x) {  
case 1: System.out.println("1");  
case 2:  
case 3: System.out.println("3");  
case 4:  
case 5: System.out.println("5");  
}
```

- (a) No output
- (b) 3 and 5
- (c) 1, 3 and 5
- (d) 3

ANS: (b)