29.	Mat	ting of closely related anim	aÌs in a pa	rticular species	intensifi	es speci	fic
	cha	racters and it is called		1.			
	A)	Line breeding	B)	Close breedin	g		
20	C)	Inbreeding	D)	Grading.	v:::*		
30.	BLU	JP is a method, used for eval	uation of	8F		39	
	A) -	Cross-breeding programme	B)	Sire			
	C)	Cows	D)	Exotic blood l	evel.	*	
31.	The	pig requires cubic fe	et in the sty.		er a		
8	A)	200	В)	800			
	C)	80	D)	40.			
32.	The	e average milk production in	India during	1995 to 2000 is	approxim	ately	
270 (120)	A)	64-7 million tons			,		
	23		4.0.				
	B)	68-3 million tons	F. 6	0.8			
	C)	74.3 million tons		-		9 51	
+	D)	80·0 million tons.			2 2		
33.	Wh	ich animals have strongest is	nstinct to ren	nain in a group	when thre	atened ?	
	A)	Sheep	B)	Goats			
	C)	Pigs	D)	Cattle.			
34.	Sch	neme to provide income gene	rating activit	ies to rural won	nen of fan	ilies belo	w
	pov	erty line is					
	A)	TRYSEM	B)	DWCRA	93	-	
	C)	NREP	D)	RLEGP.			
35.	Rat	io of calcium and phosphoru	s in bone is				
	A)	1:1	. В)	1:2			
	C)	2:1	D)	2:3.	100		
110	m		[5001]		95	Turn ov	er

					-		
36.	Pall	letising the feed supplied to	a cow h	elps i	n		
	I.	reducing water consumpti	on	. B			1
	11.	destroying antimetabolites	in the	feed			
	ш.	increasing vitamin A conte	nt in m	ilk			
	iv.	avoiding preferential feeding	ng.				
	Of t	the statements					
	A)	(I) and (II) are correct		B)	(III) and (IV) a	re correct	
	C)	(II) and (IV) are correct	,	D)	(I) and (III) are	correct.	
37.	Mai	ze is deficient in	£1	70		2	
	A)	Ca		B)	. P	8) 53	
	C)	к		D)	Na.		
38.	Mea	at meal can be supplemented	d in pou	ltry d	let at		
	A)	3 % level	70	B)	8 % level		
	C)	12 % level		D)	should not be	included.	1
39.	Foo	d intake in chicks decrea	ases wi	th in	crease in temp	erature and	hence
	sup	plemented with	•				
	A)	Calcium		B)	Sodium		
	C)	Vitamin E	33	D)	None of these.	K.	
40.	Cal	cium in layer mash should r	not exce	ed			
	A)	2.5 %	5	B)	1 %		
	C)	5 %		D)-	none of these.	580	9
41.	The	nutritive value of paddy st	raw is	enhan	ced by urea tre	atment which	is due
	to	+	100				
	A)	softening of the straw lead	ing to ir	ncreas	ed microbial inv	raston	
	B)	increase in the nitrogen co	ntent ir	the p	oaddy straw	to (**)	
	C)	breakage of lingo-cellulose	bond le	eading	to release of ce	llulose -	
	D)	increase in nitrogen conte	nt as we	ell as l	oreakage of lingo	-cellulose bo	nd.
x 10	1		500	<b>1</b>		87	

| Turn over

		46 -					
2.	The	e optimal level of c	rude protein in	the diet	of broiler chicks	is	
	A)	24 - 27 %	· 20	B)	20 - 23 %		
	C)	16 - 19 %		D)	12 - 15 %.		
3.	Ma	ximum permissibl	e level of lead in	drinkin	g water is		
	A)	0-4 ppm		B)	'0-8 ppm	100	
	C)	0·1 ppm		D)	0-3 ppm.		
4.	Pho	osphorus deficienc	y leads to	10		95 B	
	A)	fluorosis		B)	ptca	70 July 15	n a
	C)	osteomalacia		D)	rickets.	251	
5.	Me	thodical and unin	terrupted excha	nge of fre	esh air for foul a	ir is	
		air flow	5 4	B)	ventilation		
	C)	radiation		D)	sanitation.		377
6.			milk to consid	ered ide	al for consumpt	on by com	ralescind
0.	7130		ged people.	crea nace	n ioi consumpt	ion by con-	acocing
	Res	ason (R): Goat	milk has finer f	at dobul	es which can ea	elly be dige	sted
							J.C.
9	Nov	w select your answ	er according to	the codi	ng scheme given	below:	
	A)	Both (A) and (R)	are false				8
	B)	Both (A) and (R)	are correct				
	C)	(A) alone is corr	ect		4		
250	·D)	(R) alone is corr					
7.	Ges	tation period of go	oat is			9 9	
1	A)	145 days		B)	100 days		23
	C)	180 days		D)	90 days.		
3.	Chl	orine is used in th	e dairy industr	y as a		.,	
	A)	sanitiser		B)	detergent		
	C)	wetting agent	/	D)	softener.		
		V. 9			41	100	

49.	The	milk s	ugar is	3	25			
	A)	lacto	se			B)	glucose	
	C)	galac	tose			D)	sucrose.	10
50.	Acco	ording	to PFA	milk p	owder shall	contain		18
	A)	not n	nore th	an 1% 1	noisture	B)	less than 26% fat	
	C)	not n	nore th	an 5% 1	noisture	D)	more than 10% fat	a a 10
51.	Anti	oxidar	ıt used	in ghe	e is		8	
	A)	Buty	ated h	ydroxya	ınisole	B)	внс	125
	C)	DDT			41	Ď)	Chlorine.	
52.			ed mea	0.00	act, the ma	ximum pe	rmissible level of so	dium nitrite and
	A)	250 r	ng/kg	9		B)	200 mg/kg	
32	C)	300 r	ng/kg			D)	100 mg/kg.	
53.	Acce	ording	to Jew	ish law	, meat whic	h is not fi	t for consumption is	known as
	A)	kosh	er			. B)	porged	×.
21	C)	. terep	ha			D)	talmund.	20
54.	Mat		t I wit	h <b>List</b> i	I correctly.	and selec	t your answer using	the codes given
			List	I			List II	82.1
		a)	Meas	sly pork		1.	€ara beef	E
35		<b>b</b> )	Buffa	alo mea	t ·	2.	Taenia solium	
		c)	Your	ng calf		3.	Taenia saginata	绿
		d)	Mea	sly beef		4.	Veal ·	
	Cod	les :				55	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
		a	b	c	đ			
	A)	2	1	4	3			
	B)	3	2	1	4			
	C	4	3	2	1			

3

2.

55.	The	ratio of bone to meat is more favou	rable i	in .	
	A)	Buffaloes	B)	Pigs	
THE STATE OF THE S	C)	Cattle	D)	None of these.	
6.	Wh	ich one of the following is correctly	match	ed ?	
	A)	Goat	-	Chevon	
21	B)	Sheep	_	Pork	
	C)	Pig	-	Beef	
4	D)	Cattle	_	Mutton.	
57.	Key	village unit covers an area compris	ing ab	out ,	
15.	A)	5 square miles	B)	50 square miles	
	C)	1000 breedable cows, buffaloes	D)	10000 households.	-
58.	NA	BARD extends direct loans for			
	A)	Agriculture	B)	Industry	
901	C)	Fisheries	D)	None of these.	
59.	Sta	ndardized milk should have FAT an	d SNF	percentage as per PFA	
	A)	5·5 and 8·5 %	B)	4·5 and 8·5 %	
	C)	4·5 and 7·5 %	D)	5·0 and 9·0 %.	
50.	Mei	iosis is a process of cell division enc	ounter	red in	
	A)	keratinocytes	B)	spermatozoa	
	C)	tumour cells	D)	all of these.	
31.	The	somatic chromosome number of sh	neep is		
	A)	38	·, B)	42	
, ,	C)	54	D)	60.	
52.	The	average semen volume per ejacular	te of a	boar is	
	A)	10 ml	B)	50 ml	
	C)	250 ml	D)	600 ml.	
TAN	n	(SOO	•	( Turn ove	

63.	In India exotic breed suitable for rural area is the								
	A)	Jersey	B)	Holstein Friesian					
	C)	Brown Swiss	D)	Red Dane.					
64.	The	largest sheep breed in India is							
	A)	Madras red	B)	Marwari					
	C)	Lohi	. D)	Kutchi.					
65.	Hig	hly heritable trait in chicken is							
100	A)	Hatchability	B)	Body weight					
60	C)	Egg production	D)	Feed efficiency.					
66.	Rat	e of genetic change depends on							
	A)	Heritability	B)	Selection differential					
	C)	Generation interval	D)	All of these.					
67.	The	chemical name for vitamin E is	,						
	A)	phylloquinine	B)	retinol					
	C)	cholecalciferol	D)	tocoferol.					
68.	The	DCP content of paddy straw po	ercentage i						
	A)	0	B)	1.0					
	C)	10	D)	5.					
69.	If a	feed contains over 18% crude p	protein, it s	hould be regarded as a ( an					
	A)	mineral supplement	B)	energy supplement					
	C)	feed additive	D)	protein supplement.					
70.	Wh	ich one of the following is corre	ctly match	ed ?					
	A)	Vitamin B	_	Night blindness					
	B)	Vitamin C	_	Leg weakness					
	C)	Vitamin A	-:	Carotene					
	D)	Vitamin D	<del>.</del>	Pyridoxine.					
			575						

[ Turn over

71.	Fer	mentation of cellulase in rumen re	sults in	formation of
	A)	Acetic acid	B)	Propionic acid
*/	C)	Butyric acid	D)	All of these.
72.	A c	hick requires in its ration		
	A)	20% protein	B)	less than 20% protein
	C)	more than 20% protein	D)	more than 40% protein.
73.	Hig	h fat poultry diets cause reduced a	absorpti	ion of
	A)	Vitamin A	B)	Potassium
	C)	Calcium	D)	None of these.
74.	Wh	ite muscle disease can be prevente	d by	
	A)	Cobalt	B)	Iron
	C)	Zinc	D)	Selenium.
75.	Pre	mixes in poultry diet include usua	Шу	a next
	A)	Vitamins	B)	Coccidiostats
	C)	Antibiotics	D)	all of these.
76.		orse under average stable feeding drink about	conditi	on and doing moderately hard work
-	A)	35 lit/day	B)	15 lit/day
	C)	45 lit/day	D)	20 lit/day.
77.	Har	dness of water is due to the presen	nce of	
	A)	iron and silicate	B)	zinc and phosphate
	C)	calcium and magnesium salts	D)	chlorine and fluorine.
78.	Whi	ch one of the following pairs is not	correc	tly matched ?
	A)	Goat	-	Kidding
-	B)	Dog	-	Whelping
	C)	Cattle	_	Foaling
	D)	Pig	_	Furrowing.
		A 1995		5.00

5001

before

79.		aring of wool from sheep breech,	tail,	back and hind legs	done
	incl	ement weather is		2 9	٠.
	A)	Dagging	B) :	Crutching	
	C)	Snipping	D)	None of these.	
80.	Mar	ndya sheep of South India is a			e
	A)	mutton breed	B)	wool breed	
	C)	both wool and mutton breeds	D)	none of these.	
81.	Slat	ted housing for goats is common in		F 19	
	A)	Dry areas	B)	Humid areas	
	C)	Semi-arid areas	D)	None of these.	
82.	Don	nestic animal with an extremely broa	d hat	bitat spectrum is	
	A)	Sheep	B)	Goat	
	C)	Pig	D)	Cow.	
83.	Jus	t before furrowing, sow may demons	trate		
	A)	nest building	B)	self-mutilation	
	C)	tail biting	D)	piglet stealing.	
84.	Egg	drop syndrome is especially importa	ant to		
	A)	Commercial egg producers	B)	Broiler producers	
	C)	Duck producers	D)	Turkey producers.	
85.	Vita	amin D content in milk can be increa	sed b	ру	
	A) .	irradiation	B)	ion exchange	
	C)	cooling	D)	heating.	
86.	The	pH of milk is			
	A)	7.0	B)	6.5	53
	C}	4.5	D)	6-6.	
x 10	1		ŋ		

87.		nes of the species are arranged tent in milk. Identify the correct or	145	egard to an increasing order of fat
(0)	A)	Cow. goat, sheep, buffalo	ac.	
9	B)	Goat, cow, buffalo, sheep		
	C)	Sheep, cow, goat, buffalo		NI CONTRACTOR OF THE PROPERTY
	D)	Goat, sheep, cow, buffalo.		
88.	Wh	en the milk is adulterated with wat	er, free	zing point depression will
	A)	be lowered	B)	increase
	C)	reach towards 0°C	D)	be maintained.
89.	The	minimum intensity of light require	ed in th	e slaughter hall is
	A)	50 Lux	B)	80 Lux
	C)	100 Lux *	D)	220 Lux.
90:	Had	emolymph nodes are totally absent	in	
	A)	Cattle	B)	Sheep
	C)	Goat	D)	Pig.
91.	200	powerful exotoxin produced by nity to	clostri	dium botulinum possesses special
	A)	Nervous tissue	B)	Blood cells
	C)	Kidney	D)	Muscles.
92.		ange in a slaughtered animal v refactive bacteria when ambient te		is associated with the growth of ure is high is known as
0	A)	putrefaction	B)	decomposition
	C)	gangrene	D)	necrosis.
93.	Age	ing of meat brings about disintegra	ation of	myofibrillar structure in the
	A)	A-Band .	B)	I-Band
190	C)	M-Line	D)	W-Band.
94.	Pho	sphates are added to certain meat	produc	ets to
	A)	neutralize the salt	B)	neutralize the bacterial action
	C)	improve water holding capacity	D)	increase pH.
x [10	I		01	[ Turn over

95.	The	discrepancy between an ind	ttitude towards innovation	and hi	
13	dec	ision to adopt or reject the inno	vation is l	tnown as	
	A)	innovation discontinuance	B)	innovation dissonance	
	C)	innovation disenchantment	. D)	innovation replacement.	
96.	The	degree to which on innovation	on of perc	eived as consistent with th	e value
	ехр	erience and needs of receiver is	known as		
	A)	Compatibility	В)	Complexity	
	C)	Incentives	D)	Trialability.	
97.	The	amount of lean meat obtained	from a car	rcass is referred as	
	A)	Quality grade	B)	Yield grade	
	C)	Meat grade	D)	Fat grade.	
98.	To	ensure maximum profit for the	producer,	dairy heifers, should be bre	d
	A)	to calve at 24 months of age			
	B)	at 24 months of age	10 11		
	C)	during the second or third he	at after on	set of puberty	
	D)	not later than 9 months of ag			
99.	Acto	dity in curd is due to production	n of		
	A)	Acetic acid	B)	Propionic acid	33
	C)	Lactic acid	. D)	Formic acid.	
100.	The	common fowl tick is		*	
	A)	Otobius megnini	B)	Argas persicus	
	(C)	Ornithodoros moubata	D)	Ixodes ricinus.	
101.	Am	putation of horn is done under		£0	1
	A)	General anaesthesia	B)	Mental nerve block	
H	C)	Cornual block	. D)	Maxillary nerve block.	
		6. 6.		S 10 00	

102.	The	most suitable age for	disbudding	of calve	s is		
	A)	5 - 10 days	E .	B)	5 - 10 we	eeks	
63	C)	3 months		D)	l year.		
103.	The	pH of rumen contents	for normal	adult c	ow ts		<del>1</del> 81
	A)	2.3 - 3.2	19	B)	3-3 - 4-2		
20,	C)	4.2 - 5.2		D)	6.3 - 7.2		
104.	Blue	tongue in sheep is a	viral diseas	e transı	nitted by	*	
	A)	contact		B)	air		
	C)	culicoides fly bite		D)	ingestion	of infecte	d material.
105.	The	recommended strate	egy for con	trol of	anthrax is	n sheep i	lock in known
+	anti	nrax belt is				+	
	A)	eradication by test a	nd slaughter	r			
	B)	annual vaccination			. 1995		
25	C)	prophylactic treatme	nt of all she	ер	01		
Ų.	D)	elimination of incont	act feral ani	mal pop	oulation.		8
106.	The	agent used to produce	e a long term	n 'one y	ear' immur	nity to teta	nus toxin is
	A) '	hyperimmune antise	rum		¥1.		
	B)	killed tetanus bacter	la				5
	C)	antitoxin	8		70		*
	D)	formalin treated alum	ninium hydr	oxide p	recipitated	tetanus t	oxin.
107.	Clin	ical signs of PPR (pest	e des petits	rumina	nts) do not	occur na	turally in
	A)	sheep		B)	goat	538	•
	C)	cattle		D)	gazella.	21.5	14.1
	13						9
x 10	9		[80	01		88	[ Turn over

108.	In I	Rabies, the progress of virus fr	om the site	or bite to brain is through
77	A)	haematogenous route	B)	lymphatic route
23	C)	nervous route	D)	beta cells.
109.	Fee	ding excessive amount of urea	a results in f	ormation of
	A)	Nitrate	B)	Nitrite
	C)	Ammonia	· D)	Diureido isobutane.
110.	Wo	olsorter's disease is a term ma	inly associat	ted with
	A)	Salmonellosis	B)	Pasteurellosis
	C)	Anthrax	D)	Streptococci.
111.	The	common anticoagulant used	in clinical la	boratory is
٠,	A)	Potassium nitrate	B)	Sodium carbonate
	C)	Sodium citrate	D)	Ascorbic acid.
112.	Lat	e abortion in cow is due to		***
	A)	Trichomoniasis	, B)	Vibrio foetus
	C)	Leptospirae	D)	Brucella.
113.	Ma	nganese deficiency in chicken	leads to	
	A)	Muscle weakness	В)	Paralysis
	C)	Joint ill	D)	Perosis.
114.	Bad	cteria infecting the perforated	wound are	33
RESE.	A)	Aerobic	В)	Putrefactive
83	C)	Anaerobic	D)	Thermophilic.
115.	Loc	al death of cells in a living bo	dy is called	Supplemental Control
	A)	Putrefaction	В)	Gangrene
	C)	Necrosis	(D)	Somatic death.

116.	Ber	i-beri is caused by the deficiency of		
	A)	Vitamin A	B)	Vitamin C
0	C)	Riboflavin	D)	Vitamin $B_1$ .
117.	Har	dening of arteries is known as		4
	A)	Hypertrophy	B)	Arteriosclerosis
	C)	Arteritis	D)	Angilitis.
118.	Blac	ck quarter is caused by		
	A)	Clostridium botulinum	B)	Clostridium septicum
ď	C)	Clostridium chauvoei	D)	Clostridium sporogenes.
119.	Wei	l's disease ( Leptospirosis ) in man is	caus	sed by
٠,	A)	L. Pomona	B)	L. Canicola
	C)	L. Icterohaemorrhagiae	D)	L. Grippotyphosa.
120.	Red	dysentery in calves is caused by		
	A)	Toxocare vitulorum	B)	Bunostomum sp
	C)	Eimeria zurunii	D)	Toxoplasma sp.
121.	The	master gland controlling all other en	ndocr	ine organs is
	A)	Thyroid	B)	Adrenal
	C)	Pancreas	D)	Pituitary.
122.	Dia	phragm in birds		x <sup>2</sup>
	A)	divides thoracic cavity and abdomi	nal ca	wity
× .	B)	divides thoracic cavity and pelvic ca	avity	190 4
*	C)	divides abdominal cavity and pelvio	cavi	by .
	Ď)	is rudimentary and does not form p	artiti	on.
		- BIST BING NEW YORK (1957년 1881년 1967년 1967		

123.	Bloo	od agar is used for studying b	acterial	60
	A)	motility	B) .	fermentation
80	C)	haemolysis	D)	genetics.
124.	The	rmophilic organisms require t	he temperat	ture of
	A)	40° C	B)	37° C
7	C)	30° C	D)	20° C.
125.	Bac	illary white diarrhoea is cause	ed by	
	A)	Salmonella pullorum	B)	Salmonella gallinarum
	C)	Salmonella typhi	D)	Salmonella typhimurium
126.	Foo	t rot is caused by		
	A)	Spherophorus necrophorus	<b>B</b> )	Streptococcus sp
	C)	Clostridium chauvoei	. D)	Staphylococcus aureus.
127.	Pro	lene is a		90 <b>t</b> si
	A)	synthetic absorbable suture	material	
	B)	synthetic non-absorbable su	ture materi	al .
	C)	biological non-absorbable su	iture materi	al
,	D)	biological absorbable suture	material.	5 s
128.	Per	ineal hernia is common in		×
	A)	old castrated dogs	<b>B</b> )	old spayed bitches
*	C)	old uncastrated dogs	(D)	old unspayed bitches.
129.	Car	stor oil is classified as a		
	A)	Bulk purgative	В)	Irritant purgative
	C)	Neuromuscular purgative	D)	Mechanical laxative.
x 10	1	(3) (2)	5001	88 IA

130	The	e mechanism of action of chlorampl	nenicol	is by	2
i.	A)	interferences with cell wall synthe	esis		
	B)	antimetabolite action		a <sup>c</sup> e	
911	C)	interference with protein synthes	is		
	D)	impairment of cell membrane per	meabil	ity.	(3)
131	An	example of short acting barbiturate	is		
	A)	Pentobarbital	B)	Phenobarbital	
8	C)	Thiopentone	D)	Barbitone.	
132.	The	e anticonvulsant preferred for long	erm se	izure control in dog is	
	A)	Primidone	B)	Phenytoin	
	C)	Phenobarbital	D)	Diazepam.	
133.	Ket	osis which occur due to excessive a	mount	of butyrate in silage is called as	
9	A)	Estate Acetonemia	B)	Secondary Ketosis	
	C)	Starvation Ketosis	D)	Alimentary Ketosis.	
134.	Gra	iss tetany is characterised by			
٠,	A)	low serum magnesium level	-	9 9	
	B)	low serum calcium level		24	56
	C)	low serum phosphorus level			
	D)	low serum sodium level.		,	
35.	Thr	ombosis occurs when there is	e .		
	A)	injury to the above endothelium			
	B)	alteration in the blood flow		per e	
	NAME OF STREET	alteration in blood constituents			
	C)				
	101	all these factors			

136. Aspergellosis in birds produces

		140 500					
	A)	Generalised mycosis	70	B)	Brooder pn	eumonia	
	C) .	Granuloma	•	D)	Hepatitis.	75	
137.	Bloc	od smears are examined be	fore open	ing th	e carcass du	ring pos	tmortem
	A)	to rule out any bacterial d	iseases		7		10
ĕ	Bì	to rule out any viral diseas	ses			£0 10	
	C)	to rule out any fungal disc	ascs	10° (1)			*
	D)	to rule out anthrax.			*1:	,	= 5 5
138.	In h	orses, gali bladder is				4 1	
	A)	present					
	B)	absent	cot a				
	C)	attached to the dorsal sur	face of th	ie live	r		
	Dj	attached to the parietal su	urface of	the liv	ær.	30	
139.	The	bony framework of the bire	d (chicke	n) is n	nade light du	e to the	presence o
	A)	air cavities in the bones		B)	air sacs	e e	39
	C)	length of the long bones		D)	none of the	ese.	
140.	Мус	cobacteria can be stained b	y				
	A)	Gram's staining	- 61	B)	Leişhman	s stainin	g
	C)	Perls' staining	32	<b>D</b> )	Ziehl-Neel	sen stain	ing.
141.	Nec	crotic hepatitis in birds is a	pathogn	omon	ic lesion in		
- 37 5	A)	Fowl cholera .		B)	Fowl plage	ıe	
	C)	Gumboro disease		D)	Aflatoxico	sis.	8 .
z 10	1		500	1	62.5		

142.	Hae	maturia in cattle is produced i	ру		*55
	A)	consumption of bracken fern			
	B)	consumption of aflatoxin	12	3 T	
	C)	consumption of T2 toxin			
	D)	consumption of citrinin.			
143.	Wh	ich one of the following is corre	ctly match	ed ?	
	A)	Epistaxis	_	blood in urine	
100	B)	Haemoptysis	_	bleeding from the	nose
	C)	Haematuria	-	blood in the sput	ım
	D)	Melena	_	blood in stools.	
144.	Wh	ich one of the following pairs is	not correc	tly matched ?	
	A)	Ketosis	-	Acetonemia	
	B)	Gangrene	_	Necrosis with put	refaction
	C)	Rigor mortis	-	ATP	
	D)	Cloudy swelling	_	Fluorosis.	20
145.	Ber	st fertility rate can be obtained	if cows are	inseminated during	the period of
	A)	Diestrum	B)	Metaestrum	
	C)	Estrum	D)	Proestrum.	
146.	The	first facces passed by a newb	orn is called	i as	
	A)	Runt	B)	Colostrum	
	C)	Guar	D)	Meconium.	- 1
147.	Clo	sure of the lumen of a hollow o	organ or du	ct in a living body is	called
	A)	Aplasia	B)	Atresia	*-
	C)	Agenesia	D)	Atrophy.	
x 10	1	5 is	5001	77	[ Turn ove

148.	Wh	ich one of the follow	ing disease	es is transm	itted congenitally	?
10	A)	Rabies		B)	Anthrax	
	C)	Poliomyelitis		D)	Tuberculosis.	
149.	The	condition in which	crystals of	f uric acid o	or urates of sodium	n and calcium are
	dep	osited in the tissues	s is called	8	9	
	A)	Gout	W 5	B)	Pica	
	C)	Myxedema		<b>D</b> )	Obesity.	
150.	A ct	rcumscribed cavity	in the epid	ermis conta	dning pus is called	i
	A)	Ulcer		B)	Papule	12
	C)	Pustule	Ø	D)	Pimple.	
151.	Fen	nales that have neve	r conceived	or carried	a young are called	
	A)	Monotocous		B)	Nullipara	
	C)	Primipara		<b>D</b> )	Unipara.	
152.	In c	ows, after parturitie	on, the pla	cental mem	branes are consid	ered as "retained"
	if th	ney are not expelled	within	3		
	A)	1 - 4 hours		В)	4 - 8 hours	
	C)	8 - 12 hours	16000	D)	20 - 24 hours.	
153.	The	length of the estro	us cycle in	a normal co	w is	
	A)	56 days		В)	28 days	
	C)	21 days		.D)	14 days.	2
- 110	11			(ROOT)	200	

	pri	me age is			
	A)	1	В) .	5	
70	.53		19		
10	C)	7	D)	14.	
155.	"Or	chitis" is the inflammation of			
	A)	Ovaries	B)	Testis	
	C)	Joints	D)	Penis.	
	_			E 221 G	
156.	Suj	perovulation in cows can be i	nduced by	w:	
	A)	Progesterone	B)	Prostaglandins	
17.8	C)	FSH	. D)	LH.	
157.	Sel	ect the correct statement :	ž.		*
	A)	Tetanus is caused by clostr	idium tetani		M
	B)	Black quarter is caused by	clostridium s	epticum	
	C)	Braxy is caused by clostrid	ium perfringe	ns	
	D)	Enterotoxaemia is caused b	y clostridium	chauvoei.	
158.	Wh	ich one of the following pairs	is not correct	tly matched ?	,
E .	A)	Vitamin E	1 2	antisterility factor	
	B)	Vitamin A	· ·	anti-infection factor	
	C)	Vitamin D	-	antirachitic factor	
	D)	Vitamin K	_	antiscorbutic factor.	
159	Whi	ich of the following species is	polvestrus ?		
100.				1207	22.5
	A)	Cow	B)	Bitch	
	C)	Cat	D)	Ewe.	
× [10]	n		[5001]		/ Turn ov

1.5							
160.	Bet	a cells of the islets of Langerha	ns produce				
= (0)	A)	FSH	B)	Insulin			
	C)	Thyroxine	D)	Prolacti	n.		600
161.	Hui	moral immunity is produced be	ecause of				
	A)	B-Lymphocytes'	B)	T-Lymp	hocytes		
856	C)	Large Lymphocytes	D)	Small L	ymphocy	tes	13
162.	Whi	ich one of the following has the	highest ar	terial bloc	xd pressu	are?	
	A)	Horse	В)	Cow			
332	C)	Sheep	D)	Birds.			
163.	Con	asider the following statements					
	I.	Laparotomy in dogs can be p	erformed fr	om mid-li	ne incisi	on.	
	П.	Laparotomy in dogs can be p	erformed fr	om paran	iedian in	cision.	
39	m.	Laparotomy in dogs can be p	erformed fr	om parac	ostal inc	ision.	38
	IV.	Laparotomy in dogs can be p	erformed fr	om incisio	on over i	schiorect	al fossa.
	Of t	the statements				2	18
	A)	(I) alone is correct			10 10		
	B)	(II) alone is correct		×		. 12	
	C)	(I), (II) & (III) are correct			- 1	3	
10	D)	(I), (II) & (IV) are correct.		10 TE			å
164.	Ma	lignant tumours are always ha	rmful beca	use			
	A)	tumours may metastasize in	other vital	organs			
	B)	there is rapid growth	3 10		20		
	C)	there are chances of reoccur	rence				88
	Di	all of these.					

[ Turn over

165.	Wh	ich of the following is corretly matched	1?		
	A)	Oedema of oviduct	_	Hydrocephalus	
	B)	Fluid in testes	-	Hydrocele	9.
	C)	Fluid in peritoneum	-	Hydropericardium	98
	D)	Generalised subcutaneous oedema	_	Anasarca.	
			•		
166.	Cau	sative bacteria for, Haemorrhagic Sep	tice	mia. a disease encounter	ed in cattle
	is	The second second		學	
	A)	Pasteurella multocida		102	
	B)	Streptococcus		· · · · · · · · · · · · · · · · · · ·	
	C)	Staphylococcus			
	D)	Cornybacterium tuberculosis.		3	
	10,000				- 51
167.	An	opening for the aorta in the diaphrage	n of	ox is called as	
	A)	Hiatus aorticus	B)	Foramen ovale	H R H
	C)	Bulbus aorticus	D)	Ductus arteriosus.	22.5
168.	Arra	ange the joints of thoracic limb of o	x in	sequential order from p	proximal to
	dist	al end :		20 Aug 2002	
٠, :	A)	Shoulder, Elbow, Knee, Fetlock, Pas	tern	, Coffin	8.3
20	B)	Shoulder, Knee, Elbow, Pastern, Cof	fin, i	Fetlock	
	C)	Shoulder, Knee, Elbow, Fetlock, Past	tern.	Coffin	
	Ď)	Shoulder, Elbow, Knee, Coffin, Paste	rn,	Fetlock.	

5001

# 169. Consider the following statements:

- Glycogen can be broken down to glucose by skeletal muscles
- II. Glycogen can be broken down to glucose-1-phosphate by skeletal muscles
- III. Glycogen can be broken down to glucose-6-phosphate by skeletal muscles
- IV. Glycogen can be broken down to glucose-3-phosphate by skeletal muscles.

#### Of these statements

- A) (I) alone is correct
- B) (II) alone is correct
- C) (III) alone is correct
- D) (II) & (IV) are correct.

# 170. Which one of the following can be used for detection of liver dysfunction in dogs?

- A) Alanine amino transferase
- B) Aspartate amino transferase
- C) Sorbitol dehydrogenase
- D) L-Glutamic dehydrogenase.

# 171. Consider the following statements:

- Mycobacterium paratuberculosis is found intracellulary
- II. Brucella abortus is found intracellulary
- III. Rickettsia is found extracellulary
- IV. Brucella abortus is found extracellulary.

#### Of the statements

- A) (I) alone is correct
- B) (II) alone is correct
- C) (I) & (II) are correct
- D) (I), (II) & (IV) are correct.

-	100	11.0	-				
	172.	Nor	mal presentation of the foetus relat	tes	34		80
		A)	the dorsum of the foetus to quadr	ants	of maternal pelvis		
		B)	the spinal axis of the foetus to the	spin.	al axis of dam		
		C)	the extremities of the foetus to the	e body	of the foetus		
	1	D)	the head, neck and limbs of the fo	etus	to the body of the d	am.	
	173.	Ane	estrus may be a herd problem becau	use of		13	
		A)	hormonal distrubances	B)	uterine infection		80
		C)	nutritional causes	D)	lack of teaser.		
	174. +	Ass	degeneration.	d for	the treatment o	f cystic	ovariar
		Red	ason (R): LH causes developmen	t and	maturation of follic	le.	
		Not	select your answer according to the	e cod	ing scheme given b	elow:	
		À)	(A) is true but (R) is false				
		B)	(A) and (R) are false				
		C)	(A) and (R) are true and (R) is the	corre	ct reason for (A)		94 94 9
		D)	(A) and (R) are true, but (R) is not	the c	orrect reason for (A	).	
	175.	Hue	ison's teat spiral is used for surgica	и согт	ection of		32
		A)	teat fistula	B)	teat polyps		•
		C)	teat spider	D)	hard milker.		
*	176.	Whi	ch one of the following is the co	rrect	sequence for devel	opment	of X-ray
		A)	Rinsing, developing, washing, fixing	ıg, dry	ying		
	8	B)	Developing, washing, fixing, rinsing				
		C)	Developing, fixing, washing, rinsin				14
		D)	Developing, rinsing, fixing, washin	ıg, dry	ring.		

# 177. PGF2 α is used in embryo transfer technology because

- A) it causes the lysis of corpus luteum
- B) it causes the synchronization of estrus
- C) it regulates the estrus cycle
- D) it clears the uterine infection.

## 178. Ketosis can be prevented by supplementing

- A) Calcium borogluconate
- B) Maize
- C) Ammonium chloride
- D) 10% Magnesium sulphate.

#### 179. Consider the following statements:

- Tuberculosis is transmitted by ingestion of milk
- II. Tuberculosis is transmitted by inhalation
- III. Tuberculosis is transmitted by ingestion and inhalation
- IV. Tuberculosis is transmitted by blood sucking insects.

#### Of the statements

- A) (I) alone is correct
- B) (II) alone is correct
- C) (I), (II) & (III) are correct
- D) (I), (II) & (IV) are correct.

### 180. Consider the following statements:

- I. African horse sickness is a disease of horses, mules and donkeys
  - African horse sickness is caused by arbovirus.
  - III. African horse sickness has also been noticed in India
- IV. African horse sickness is not transmitted by biting insects.

#### Of the statements

- A) (I) alone is correct
- B) (II) alone is correct
- C) (I) & (IV) are correct
- D) (I), (II) & (III) are correct.

## 181. The characteristic lesion of chronic Fascioliasis is

- A) Granulomatous reaction
- B) Black's disease
- C) Traumatic hepatitis
- D) Clay pipe cirrhosis.

## 182. The most pathogenic stage of Schistosoma nasale is

- A) Adult
- B) Cercaria
- C) Eggs
- D) Schistosomula.

## 183. The drug of choice for Theileriasis is

- A) Berenil
- B) Buparvaquone
  - C) Oxytetracycline
  - D) Salinomycin.

		50 M			
184.	Nor	mal or physiologic saline (0.9% NaCl solutio	n) is a law		H .
	A)	isotonic solution	10,		8
	B)	hypertonic solution			
	C)	hypotonic solution •	- 47		
•	D)	none of these.		22	0.0
185.	Con	ntagious mastitis in bovines is due to		8	25 19
	A)	Streptococcus dysgelactiae		1.00	٠.
	B)	Streptococcus agalactiae	60	* 1	a
	C)	Staphylococcus hylcus	-		2000 2000
	D)	Corynebacterium bovis.			
186.	Ster	rilization in autoclave is by		85 W	7.0
	A)	saturated steam at 15 lb pressure at 121	C .		
	B)	moist heat at 90°-100°C			4.
	C)	short exposure to heat at lower temperature	re		40)
100	D)	dry heat at 160° C.	63		
187.	Vac	cine against distemper, canine hepatitis, le	ptospirosis	and rable	by Serum
	Inst	titute of India is			
	A)	Pentadog vaccine		#	
	B)	Candur - DH		3	69
	C)	Cantlep - DHL			40
	D)	Vanguard.		14	339
188.	Ric	kets is due to the deficiency of			
- 82	A)	Vitamin A			8
	B)	Vitamin D			
	C)	Vitamin E			
	D)	Vitamin K.	•		

[ Turn over

189.	Oily	substances used to soothe irritate	d skin	or mucous membrane are called
	A)	Emollients	B) .	Demulcents
	C)	Astringents	D)	None of these.
190.	The	important metabolic hormone is		4 74
	A)	Parathyroid	B)	Thyroid
	C)	Pituitary	D)	Hypothalamic hormones.
191.	Cal	cium deposition in bone is promote	d by	
	A)	Vitamin D	B)	Thymosci
	C)	Calcitocin	D)	Parathormone.
192.	Rot	ighage utilization in rumen is prom	oted by	i .
	A)	Rumen microbes	B)	Rumen pH
	C)	Rumen temperature	D)	All of these.
193.	Cal	cium favours		W N
	A)	heart contraction	B)	heart relaxation
		heart inhibition	D)	no effect.
	C)	¥		no enect.
194.	Ten	operature regulated centres are loca		
	A)	Pons	B)	Medulla oblongata
	C)	Cerebral cortex	D)	Hypothalamus.
195.	Fun	actional unit of kidney is		
	A)	Ureter	B)	Nephron
	C)	Glomerulus	D) .	PCT.
196.	Plac	cental type in bitch is		2 2
	A)	Discoid	B)	Cotyledonary
	C)	Zonary	D)	None of these.

5001

197.	Parturition is a complex process initiated by									
	A)	foetal ACTH	<b>\$</b> 1	B)	increased e	strogen				
	C)	prostaglandin		D)	all of these.	99				
198.	Ges	tation period in	sow is			12				
	A)	115 days	50.4	B)	220 days	-				
	C)	240 days		DI	150 days.					
199.	The	PCV value of blo	ood in animal ranges	from	4.					
(4  1	A)	38 to 45%		B)	32 to 37%					
	C)	30 to 33%	* . *	D)	35 to 38%.					
200.	The	most ideal conti	rast agent used for s	pinal	radiography	is				
	A)	Metrizamide		10	*	4.5				
	B)	Barium sulpha	ite			超				
	C)	Iopamidol			Y.	10				
- 1	D)	Ioffexol.	10							
			(2)							

8

veterining AM+ suppeon

YVAS

Booklet Series

-	20 K	
	•	
	-	
-		

	_	 	 
Register	1		
Number	1		

# 2008 VETERINARY SCIENCE

Time Allowed : 3 Hours |

Maximum Marks: 300

Read the following instructions carefully before you begin to answer the questions.

#### IMPORTANT INSTRUCTIONS

- This Booklet has a cover ( this page ) which should not be opened till the invigilator gives signal to
  open it at the commencement of the examination. As soon as the signal is received you should tear
  the right side of the booklet cover carefully to open the booklet. Then proceed to answer the questions.
- 2. This Question Booklet contains 200 questions.
- 3. Answer all questions.
- 4. All questions carry equal marks.
- 5. The Test Booklet is printed in four series e.g. A B C or D (See Top left side of this page). The candidate has to indicate in the space provided in the Answer Sheet the series of the booklet. For example, if the candidate gets A series booklet, he/she has to indicate in the side 2 of the Answer Sheet with Blue or Black link Ball point pen as follows:

A [B][C][D]

- You must write your Register Number in the space provided on the top right side of this page. Do not write anything else on the Question Booklet.
- An Answer Sheet will be supplied to you separately by the Invigilator to mark the answers. You must
  write your Name. Register No. and other particulars on side 1 of the Answer Sheet provided, failing
  which your Answer Sheet will not be evaluated.
- You will also encode your Register Number. Subject Code etc., with Blue or Black ink Ball point pen
  in the space provided on the side 2 of the Answer Sheet. If you do not encode properly or fail to
  encode the above information, your Answer Sheet will not be evaluated.
- 9. Each question comprises four responses (A). (B). (C) and (D). You are to select ONLY ONE correct response and mark in your Answer Sheet. In case you feel that there are more than one correct response, mark the response which you consider the best. In any case, choose ONLY ONE response for each question. Your total marks will depend on the number of correct responses marked by you in the Answer Sheet.
- 10. In the Answer Sheet there are four brackets [A] [B] [C] and [D] against each question. To answer the questions you are to mark with Ball point pen ONLY ONE bracket of your choice for each question. Select one response for each question in the Question Booklet and mark in the Answer Sheet. If you mark more than one answer for one question, the answer will be treated as wrong, e.g. If for any item, (B) is the correct answer, you have to mark as follows:

IAI CIIDI

- 11. You should not remove or tear off any sheet from this Question Booklet. You are not allowed to take this Question Booklet and the Answer Sheet out of the Examination Hall during the examination. After the examination is concluded, you must hand over your Answer Sheet to the Invigilator. You are allowed to take the Question Booklet with you only after the Examination is over.
- 12. Failure to comply with any of the above instructions will render you liable to such action or penalty as the Commission may decide at their discretion.
- 13. Do not tick-mark or mark the answers in the Question Booklet.

	1		83		88 <sup>-28</sup>	10						7/4		
	· K	4 -				38		3			37			YV
1	i. <u>.</u>	Mat		st I with	List	II corr	ectly a	nd sele	ect yo	our an	swer u	sing th	e codes	gi
	4.4		***	List I					L	ist II			y S	
			a)	Duck	s			1.	В	rowsii	ng			
			,b) -	Pigs		10.	107	2.		ulping				
		6	c)	Dogs				3.		coopir	83			
			d)	Goats	3			4.	R	cooting				
	153	Cod	es :	-			ž g					81		
	- 8		a	b	c	đ			12					
		A)	1	2 -	3	4	24			*				
		B) *	. 2	4	3	1	100				89			
	70	C)	3	4.	2	1				92			*es**	3.4
	. 8	D)	2	1	4	3.					- 186 - 1870 - 1			
2	2.			humidit			ventil	ated b	uildir	ng sho	uld no	t excee	d that	of
		out	side a	ir by mo	ore tha	an		1	(8)					•
		A)	10°	F				B	7	° F			46	
		C)	5° F			200		D	) 2	°F.				
	3.	Wh	te ma	arking e	xtend	ing to t	he face	involv	ing t	he wh	ole wid	th of th	ie nasa	1 be
		is							- 65	*0				
		A)	star	77				B	b	laze	-			
	ŭ.	C)	strip	oe .	9			D	) р	and.				
4	4.			y cut in	cisor t	eeth et	ther te	mporar	vor	регта	nent aı	e know	n as	
	0.5-0.5	A)	shel		50.500.11	(C.7)(7)(0)(A.7)		В		usk			-	23
				teeth		32	8	D			bulum.			
	_	C)			?			1000			outum.	100		
5	5	The	most	limiting	g amir	io acid	in cere	al prot						
		A)	leuc	ine				B)	18	soleuci	ine			
		C)	lysir	ie				D	tı	ryptop	han.			
6	5.	Cas	trated	male 1	otrds	usually	large	than	broil	ers wi	th, live	weight	of 3 k	g a
		abo	ve are							2				
		A)	brot	lers				B	p	oussin	ıs			
		C)	hens	200				D	0 0000	apons.				

14 TORC \$

7.	The electrical strength for electrical stunning is								
	A)	less than 250mA and 75kV	В)	above 400mA and 120V					
	C)	above 300mA and 100V	D)	not less than 250mA and 75V.					
8.	The	desirable dry period for a cro	ss-bred cow	is					
	A)	one month	B)	two months					
	C)	six months	D)	five months.					
9.	Sah	iwal breed of cattle is popular	ly known as						
,	A)	Thari	В)	Lola					
23	C)	White Sindhi	D)	Kangrej.					
10.	Pigi	ets are weaned normally at th	e age of	* *					
	A)	2 weeks	B)	8 weeks					
20	C)	4 weeks	D)	6 weeks.					
11.	The	amount of urea as NPN source	ce in rumina	nt ration should not exceed					
500	A)	1.0 per cent	B)	3·0 per cent					
	C)	5·0 per cent	D)	10·0 per cent.					
12.	The	true stomach is		ν.,					
	A)	Rumen	B)	Reticulum					
	C)	Omasum	D)	Abomasum.					
13.	Nu	tritive ratio is narrow for							
	A)	Concentrates	B)	Cereal grains					
d mark	C)	Roughages	. D)	None of these.					
x 10	01		5001						

					25		20 E
14.	Sha	effer's formula is to dete	rmine				50
38	A)	milk yield	85			49	
	B)	weight of adult cattle a	nd buffalo				
	C) -	age of animal			87		
	D)	none of these.		11	*		
15.	Cer	eal grains are	87		***	9	
	A)	rich in methionine	25				
	B)	rich in lysine and trypt	ophan				
	(C)	deficient in lysine and	tryptophan		417		
200	D)	deficient in cystine.				38	
16.	Dep	osition of soft fat leading	g to soft por	k pro	blem is due to feed	ing of	
	A)	cotton seed meal		B)	tubers		
2	C)	groundnut		D)	sweet potatoes.	10	
17.	Sho	ovel beak is a disease of e	extensively r	eared	l chicką with		
	A) -	Vitamin E deficient bird	is	B)	Feeding of dry m	ash	
::e <sup>*</sup>	C)	Thiamine deficiency	9	D)	None of these.	0.5	
18.	The	tusks of pigs are					
4	A)	Molars		B)	Incisors -		
*3	C)	Cantnes		D)	None of these.		
19.	Ave	rage oestrous cycle of sh	eep is	97			
	A)	17 days	20	B)	21 days		15
	C)	28 days		D)	30 days.		
20.	Incu	ibation period of chicken	is				
	A)	18 days	10	B)	21 days		
en N	C)	28 days		D)	30 days.	**	¥.
10	1)	(A)	5001			[ ]	urn over

The standard SNF % in cow milk as per Prevention of Food Adulteration Act is

B)

D)

7.5%

9.5%.

5001 x 101

D)

A)

CI

9.0%

8.5%

28.