Line	Bearing
AB	N 45°/30′ E
BC	N 60 45' E
CD	S 859 50' E
DE	S 40° 30′ W
	000

- X. (a) Explain the method to calculate the Tacheometric constants.
 - (b) Differentiate between Stadia tacheometry and tangential tacheometry.
 - (c) What is the use of a subtense bar?



BTS (C-L)-III-03-502 (B)

B.Tech. Degree III Semester (Lateral Entry) Examination, April 2003

CE 302 SURVEYING - I

Time: 3 Hours

Maximum Marks: 100

(All questions carry EOUAL marks)

- L (a) What are the basic principles of surveying?
 - (b) Explain indirect ranging.
 - (c) The plan of an old survey plotted to a scale of 50m to 1cm was found to have shrunk so that a line originally 20cm long was 19.6cm. There was also a note on the plan that the 20m chain used was 0.1m too long. If the area of the plan measured now by a planimeter is 150.28cm², find the true area of the survey.
- I. (a) Differentiate between plane surveying and Geodetic surveying. What are the basic characteristics of each?
 - (b) What is meant by scale of a map? What are the recommended scales for
 - i) Building surveys
 - (ii) Route surveys and
 - (iii) Land surveys?
 - (c) A surveyor measured the distance between two points on a plan and computed the length as 500m by adopting a scale of 1cm = 40m. Later it was found that the correct scale of the plan was 1cm = 50m. Find the true distance between the points.
- III. (a) Differentiate between -
 - (i) true bearing and magnetic bearing;
 - (ii) whole circle bearing and quadrantal bearing.

(Turn over)

(c) The following bearings were observed in a traverse survey conducted with a prismatic compass at a place where local attraction was suspected:

Line	FB	BB
AB	124'30'	304*30′
BC	68°15′	246*00
CD .	310*30′	135'15'
DE	200'15'	17'45'

Which are the stations affected by local attraction? Find the corrected bearings of the lines also.

OR

- IV. (a) What is a Telescopic alidade? When is it used?
 - (b) List the various methods used for orienting the plane table and explain any one in detail.
 - (c) What is meant by three-point problem in plane table surveying? Explain the method of solving it.
- V (a) Define the terms:
 - (i) Line of collimation
 - (ii) Height of instrument
 - (iii) Level surface
 - (iv) Rise and fall.
 - (b) What are the temporary adjustment of levelling? Explain.

Contd.....3.

(c) The following staff readings were taken using a dumpy level.

The instrument was shifted after 5th., 7th and 10th readings.

R.L. of the starting bench mark is 100.000. Enter the readings in the form of a level book page; reduce the levels by rise and fall method and apply the usual checks.

1.525, 2.200, 3.120, 2.500, <u>3.6</u>70, 1.230, <u>2.7</u>65, 2.850, 3.260, 3.725, 1.890, 2.910.

OR

VI. (a) Explain the terms (i) contour (ii) contour interval and (iii) contour gradient.

- (b) Describe the merits and demerits of different methods of locating contours.
- (c) Explain clearly with diagrams the characteristics of contours.
- VIL (a) What is Trapezoidal rule? Derive an equation for the same.
 - (b) A series of offsets were taken at 10m intervals in the following order for a chain line to a curved boundary 0, 6.2, 4.8, 5.6, 6.5, 7.3, 8.5, 0 m. Find the area between the chain line, the curved boundary and the offsets by trapezoidal rule.

OR

VIII. Write short notes on:

- (i) Clinometer
- (ii) Ceylon Ghat tracer
- (iii) Box sextant.
- IX. (a) What are the temporary and permanent adjustments of Theodolite? Explain.

Contd.....4.