Design Technology HL P1 2010 November

School Level 12th IB Diploma

Programme

Board Exam

International Baccalaureate (IB Board)

shaalaa.com





DESIGN TECHNOLOGY HIGHER LEVEL PAPER 1

Thursday 11 November 2010 (afternoon)

1 hour

INSTRUCTIONS TO CANDIDATES

- · Do not open this examination paper until instructed to do so.
- · Answer all the questions.
- For each question, choose the answer you consider to be the best and indicate your choice on the answer sheet provided.

8810-6201

13 pages © International Baccalaureate Organization 2010

1. How many stages are represented in the IB design cycle model?

	A.	5		
	B.	6		
	C.	7		
	D.	8		
2.		ich type of drawing wou rior of an airport buildin		o show the public a proposed new design for the
	A.	Orthographic		
	B.	Isometric		
	C.	Exploded isometric		(1)
	D.	Perspective		(O. /
			2)·
3.	Wh	at is an advantage of usin	ng a mathematical mo	del at the design development stage of a structure?
	A.	It is easier to understan	nd than a physical mod	del.
	В.	It is a good representa-	tion of the shape and f	orm of the structure.
	C.	It is cost-effective.	2,	
	D.	It requires little skill.		
4.				I influenced the role of designers in the product
	cycl	e in terms of control and	l involvement?	
		Control	Involvement	
	A.	More	More	
	B.	Less	More	
	C.	More	Less	
	D.	Less	Less	
		2		

- 5. For an invention to become an innovation it needs to
 - A. diffuse into the marketplace.
 - B. become a dominant design.
 - C. be a result of market pull.
 - D. be a result of technology push.
- 6. Figure 1 shows a family of storage units. What corporate strategy has been used by the company?

Figure 1: Family of storage units







[©Inter IKEA Systems B.V. 2010]

- A. Product development
- B. Diversification
- C. Market development
- D. Market penetration
- 7. What is an objective of green design?
 - Longer product life cycle
 - B. Shorter product life cycle
 - C. Longer design cycle
 - D. Shorter design cycle
- 8. One objective as a result of a life cycle analysis of a washing machine is to redesign the machine with reduced weight. Which part of the life cycle does this affect most?
 - A. Production
 - B. Use
 - C. Distribution
 - D. Disposal

8810-6201 Turn over

9.

Which design for manufacture (DfM) strategy would be **most** appropriate when designing a product for ease of recycling at the end of its life?

	A.	Design for materials
	B.	Design for process
	C.	Design for assembly
	D.	Design for disassembly
10.	Whi	ch material is classified as a mixture?
	A.	Metal
	B.	Composite
	C.	Ceramic
	D.	Timber
		. 29.
11.	Whi	ch material has the highest tensile strength?
	A.	Laminated wood
	В.	Particle board
	C.	Pine
	D.	Mahogany
12.	Wha	at is a characteristic of a superalloy?
	A.	They are easy to use.
	B.	They are cheap to manufacture.
	C.	They can only be used at low temperatures.
	D.	They can be used at high temperatures.
8810-	6201	
0010-	0201	
		Visit www.shaalaa.com for more question papers

13. Which property describes urea-formaldehyde plastic?

A. Soft

	B.	Tough
	C.	Ductile
	D.	Brittle
14.	Whi	ich type of glass is most likely to be used as a glass top for a coffee table?
	A.	Pyrex
	B.	Laminated
	C.	Toughened
	D.	Lead crystal
15.	Mag	gneto-rheostatic materials are used for which car parts?
	A.	Engine mounts
	B.	Shock absorbers
	C.	Valves
	D.	Clutches
16.	Whi	ich material is not suitable for casting?
	A.	Metal
	B.	Timber
	C.	Food
	D.	Ceramic
8810-	6201	Turn over
		Visit www.shaalaa.com for more question papers.
		visite www.sindalda.com for more question papers.

17. Why is craft production increasing in popularity in industrialized countries?


To create cheaper products

	B.	Reduced amount of skills required
	C.	Market pull
	D.	Technology push
18.	Wha	at is an advantage of a just-in time (JIT) system?
	A.	It is easy to introduce.
	В.	It puts less pressure on workers.
	C.	It is not related to market conditions.
	D.	It optimizes production.
19.	Wha	at limits the increased use of clean technology?
	A.	Lack of legislation
	В.	Lack of incentives
	C.	Spread of global manufacturing
	D.	Complexity of clean technology
20.	Whi	ich consideration is not an aspect of planned obsolescence?
	A.	Ease-of-maintenance
	В.	Construction
	C.	Style
	D.	Materials
8810-	6201	
		Visit www.shaalaa.com for more question papers.

21. Which strategy is appropriate for a user trial?

	A.	Obtaining user responses	
	B.	Observing user behaviour	
	C.	Identifying user needs	
	D.	Identifying user preferences	
22.	Whi	ich criterion would be used to assess value for money in relation to long-term use?	
	A.	Reliability	
	B.	Safety	
	C.	Ease-of-use	
	D.	Performance	
23.	Whi	ich energy source was used throughout the Industrial Revolution?	
	A.	Oil	
	B.	Water	
	C.	Coal	
	D.	Solar	
24.	Wha	at is an advantage of nuclear power?	
	A.	Low in capital costs	
	B.	High energy density	
	C.	Low safety issues	
	D.	High consumer demand	
8810-	6201	Turn over	


- 25. What is a disadvantage of wind farms?
 - A. They are only suitable for large-scale production of energy
 - B. They are expensive to maintain
 - C. They work better when sited off-shore
 - D. They require a lot of space to be cost-effective
- 26. What is the effect of a load on a material which takes it beyond the yield point?
 - I. It deforms plastically
 - II. It deforms elastically
 - III. It yields to the stress and breaks
 - IV. It yields to the strain and stretches
 - A. I and III
 - B. I and IV
 - C. II and III
 - D. II and IV
- 27. What is true of the bridge structure shown below?



- A. All internal forces are tensile
- B. All internal forces are compressive
- C. It is in equilibrium
- D. It is not in equilibrium

8810-6201

- 28. If a chair breaks when a user sits on it. What does this refer to?
 - A. Strength of the structure
 - B. Stiffness of the structure
 - C. Strength of the material
 - D. Stiffness of the material
- 29. Which cam follower is an example of a knife follower?



- 30. What effect does a linkage have on the motion of components in a mechanical system?
 - A. It decreases the speed
 - B. It increases the speed
 - C. It changes the direction
 - D. It changes the type

8810-6201 Turn over

31.	Plaster	of	Paris	is	used	in	lost	wax	casting	to

- A. create the initial mould.
- B. reduce costs.
- C. make the wax more porous.
- D. cover the wax.

32. Which is a permanent joining technique?

- A. Use of rivets
- B. Use of screws
- C. Use of bolts
- D. Use of hinges

33. Which technique is not used in the manufacture of plastic bottles?

- A. Injection moulding
- B. Extrusion
- C. Blow moulding
- D. Rotational moulding

34. What makes grey water systems more cost effective for larger buildings?

	Volume of grey water generated	Capacity to use reclaimed water				
A.	Low	Low				
B.	Low	High				
C.	High	Low				
D.	High	High				

- 35. What property does the U value of a material relate to?
 - A. Density
 - B. Thermal expansivity
 - C. Thermal conductivity
 - D. Resistivity
- 36. What is a characteristic of an appropriate technology?
 - A. Enhances biodiversity
 - B. Supports economic growth
 - C. Not detrimental to the environment
 - D. Promotes ecosystem integrity

8810-6201 Turn over

Questions 37-40 relate to the following case study. Please read the case study carefully and answer the questions.

Figure 2 and Figure 3 show the Ultracane manufactured by Sound Foresight Ltd (UK). It was developed for use by blind and partially-sighted people. In development it was called the "Bat cane" as it bounces ultrasound off objects and feeds back information to the cane. The feedback is not audible but tactile so it does not interfere with other hazard information. Buttons on the cane indicate the direction of the object and the intensity of the vibration lets the user know how far away the object is. The Ultracane is manufactured from a lightweight composite material and is available in 10 different lengths.

Figure 2: Ultracane controls



Figure 3: Ultracane in use



[Source: www.cambridgeconsultants.com. Used with permission.]

- 37. Which ideas generating technique would have been used in the development phase of the Ultracane?
 - A. Adaptation
 - B. Analogy
 - C. Attribute listing
 - D. Morphological analysis
- 38. Which percentile range is most likely to have been used to decide on the range of sizes for the cane?
 - A. 5th-95th
 - B. 1st-99th
 - C. 25th-75th
 - D. 5th-50th

39. Wh	rich property	is least	important	in deciding	which	material	to use	for the cane?

- A. Density
- B. Toughness
- C. Hardness
- D. Ductility

40. Which type of sustainability does the cane most satisfy?

- A. Economic
- B. Political
- C. Environmental
- D. Social