

Computer Science HL P1

2007 November

School Level 12th IB Diploma

Programme

Board Exam

International Baccalaureate (IB
Board)

shaalaa.com



**COMPUTER SCIENCE
HIGHER LEVEL
PAPER 1**

Monday 12 November 2007 (afternoon)

2 hours 15 minutes

INSTRUCTIONS TO CANDIDATES

- Do not open this examination paper until instructed to do so.
- Section A: answer all the questions.
- Section B: answer all the questions.



SECTION A

Answer **all** the questions.

1. Outline what is meant by *prototyping*. [2 marks]
2. Outline the function of the *linker*. [2 marks]
3. State **three** items of documentation that are usually included in a software package. [3 marks]
4. Describe how the computer carries out a *machine instruction*. [4 marks]
5. Outline what is meant by *double buffering*. [2 marks]
6. (a) Define *interrupt*. [2 marks]
(b) Describe how an interrupt is detected and identified by the processor. [4 marks]
7. Compare *batch* and *real time processing*. [3 marks]
8. (a) State **three** types of *file organization*. [3 marks]
(b) State **two** operations that are commonly carried out on files. [2 marks]

9. Given the following *recursive method*.

```
public static void charOut( char a, char b, int n)
{
    if (n>0)
    {
        System.out.println(a);
        charOut(b,a,n-1);
        System.out.println(b);
    }
}
```

Determine the output produced by the call `charOut('1','2',2)`.
Show all your working.

[4 marks]

10. Outline **two** advantages of using *bar codes* in a warehouse data collection system. [2 marks]
11. A microprocessor embedded in a plastic card can be used to store information that can be read from, or stored on, the card using special terminals.
- (a) Outline **one** advantage and **one** disadvantage of such cards. [2 marks]
- (b) Outline **two** conditions that need to be met for such cards to be widely used. [2 marks]
12. By drawing an appropriate *truth table* determine whether the following *Boolean expressions* are equivalent or not. [3 marks]

$$A \cdot \bar{B}$$
$$\bar{A} + \bar{B} \cdot A$$

SECTION B

Answer **all** the questions.

13. Two of the most common computer operations are *sorting* and *searching*.

- (a) Explain what is meant by sorting. [2 marks]
- (b) Explain what is meant by searching. [2 marks]
- (c) State **one** example of internal sort method and state its efficiency in *BigO* notation. [2 marks]
- (d) State **one** example of search method and state its efficiency in *BigO* notation. [2 marks]
- (e) Sorts are time consuming and it may be a good policy to avoid them where possible. Explain how this could be done. [2 marks]

14. A large company sets up a Wide Area Network (WAN) so that customers can place orders directly with the company's computer.
- (a) Identify the *hardware* needed by the customer to place an order. [2 marks]
 - (b) State **one** advantage to the company and **one** advantage to the customer of such a system. [2 marks]
 - (c) The communication uses a *packet switching* system. Explain how packet switching works. [4 marks]
 - (d) Compare *parallel* and *serial transmission*. [2 marks]



15. An accounting system accepts data from a keyboard. Each *transaction record* consists of the following fields: account number, description and value. Data is stored in a *sequential transaction file*, validated, and all valid transactions copied to a *direct access file* and an error report produced.
- (a) Define an appropriate data structure to hold the transaction data. [3 marks]
 - (b) Draw a *system flowchart* representing this process. [4 marks]
 - (c) Explain the difference between *transaction* and *master files*. [3 marks]



16. The linked list is held in memory in a table, which has room for 100 entries. The first item on the list is pointed to by the pointer start. All free locations in the table are linked and nextAvailable is a pointer to the next free location in the table. Each node consists of a student's name and a pointer to the next item in the list. Pointer -1 is the *sentinel value*. The table currently holds four entries in such a way that they can be retrieved in alphabetical order

start

nextAvailable

	STUDENT'S NAME	NEXT STUDENT
0	Adams, Jose	3
1	Turner, Ivor	-1
2	Kliss, Mary	1
3	Brown, Charlie	2
4		5
5		6
6		7
.		
.		
98		99
99		-1

- (a) Determine the new state of the table and pointers start and nextAvailable after name Lohy, Ann has been inserted in the list given above. [3 marks]
- (b) Determine the new state of the table and the pointers start and nextAvailable after name Kliss, Mary has been deleted from the **original** list. [3 marks]
- (c) Describe, by means of diagrams, or otherwise, how this list can be held in a memory as a dynamic data structure. [4 marks]

17. An organization wishes to create a *database* containing all relevant members' data.

Data from hundreds of members' forms is collected.

- (a) Describe a suitable method of data input. [2 marks]
- (b) Describe a method to be used to reduce the number of input errors. [2 marks]
- (c) Explain how the loss of *data integrity* can be minimized in the following types of errors
 - (i) program errors [2 marks]
 - (ii) errors in data transmission [2 marks]
 - (iii) errors in operating procedures. [2 marks]



18. Digital computers use binary codes to represent data.

(a) (i) Explain why digital computers are based on the *binary number system*. [2 marks]


(ii) State why the *hexadecimal number system* is frequently used in computing. [1 mark]

(b) Convert:

(i) $111100001010_{(2)} = ?_{(16)}$ [1 mark]

(ii) $347_{(16)} = ?_{(2)}$ [1 mark]

(c) A *two's complement* binary representation of a floating-point number with a ten-bit *mantissa* followed by a six-bit *exponent* is stored within the following register.



Determine its decimal value. Show all your working. [5 marks]