

# IBM Sample Paper

Jobs-Junction.com

---

Company : IBM  
Date : 31 May 2004  
College :

---

1) I give a jcl code with  
Programmer name: smith  
Jobname:ABC  
Jobclass=c  
Message class = a

All messages are to be displaced code it in a JCL.

- A) //ABC,smith,class=c,message class=a,message level=(2,1)
- B) //ABC,smith,class=c,message class=a,message level =(!,1)
- C) //ABC,smith,class=c,message class=a,message level=(0,1)
- D) none of these.

2) for a cobol program

Move 5 to work-sd.

A statement which says that the value of work-st is 0.

perform Para1.

.....

Para1.

Add 3 to work-sd

Add 2 to work-st

If work-st <11 go to main-para.

.....

go to para1.

Wat wud b the value of work-sd?

- a) 15
- b) 18
- c) 10
- d) none

3) given 2 tables T1 and T2.

T1	T2
A	1
B	2
	3

u make a query

SELECT \* FROM T1,T2.

Wat is the no: of rows that are fetched frm this query?

- a) 4
- b) 5
- c) 6
- d) 9

4) wat is the full form of RACF?

5) who is the data base manager of db2?

- a) buffer register
- b) runtime suprivisor
- c) DBRM
- d) None

5)u have a file with DISP=SHR, when u open the file in output mode

- a) the records get appended
- b) the records gets overwritten
- c) the job abbends
- d) none of these

6) u open a file with disp= MOD, when u open the file in output mode  
(same options as the above question)

7) to exclude some records while sorting which parameter do we use?

- a) OMIT
- b) EXCLUDE
- c) ....d)....

8)when u insert into db2 with cics, it works as

- a) foreground
- b) a job working in background
- c) ..
- d) .....

9)u have a dataset TIME.WORK.OCT88, u want to concatenate other datasets  
like TIME.WORK.JUL88, TIME.WORK.APR88, TIME.WORK.MAY88. how do u do that?

a)//DDname DD DSN = TIME.WORK.OCT88, DISP = SHR  
DD DSN = TIME.WORK.JUL88, DISP = SHR  
DD DSN = TIME.WORK.APR88, DISP = SHR  
DD DSN = TIME.WORK.MAY88, DISP = SHR

b)//DDname DD DSN = TIME.WORK.JUL88, DISP = SHR  
DD DSN = TIME.WORK.OCT88, DISP = SHR  
DD DSN = TIME.WORK.APR88, DISP = SHR  
DD DSN = TIME.WORK.MAY88, DISP = SHR

c)//DDname DD DSN = TIME.WORK.APR88, DISP = SHR

DD DSN = TIME.WORK.JUL88, DISP = SHR  
DD DSN = TIME.WORK.MAY88, DISP = SHR  
DD DSN = TIME.WORK.OCT88, DISP = SHR

e) none of these

10) when db2 entries are made while working in cics, the enteries should be made in

- a) TCT
- b) PCT
- c) DCT
- d) RCT

11) find the odd one out

- a) KSDS
- b) RRDS
- c) LDS
- d) PDS

12) full form of VTOC

13) question based on SKIP and COUNT parameter