

er held at

Here are the questions and paper pattern from a Birlasoft previous placement paper li Kolkata, West Bengal.
There are two sections
1. Technical questions - 20
2. Aptitude questions - 25
Birlasoft Technical Multiple Choice Questions:
Largest integer can be written from 8 bits is
a. 256
b. 255
c. 8
d. 10
Change a hexadecimal no to octal
How many address lines needed to pass 1MB of data.
What is the function of the modulus operator in most language.
a) Sets a system environmental value to either base 10 ,base 8 or base 16
b) Returns the remainder after dividing one number by another
c) Returns the first argument raised to the second argument power
d) Prints out the actual code written to standard output rather than executing the code
<pre>class professor{} class teacher: public virtual professor{}; class researcher: public virtual professor {} class myprofessor :public teacher,public researcher {}; Referring to the sample code above ,if an object of class myprofessor were created ,how many instances of professor will it contain? a) 0 b) 1 c) 2 d) 3</pre>
Modern RDBMS s perfom the following the following functions except  a) Force column values in one table to match any of the values in a column of another table b) Automatically replicate data on another server c) Automatically create new indexes based on query history d) Prevent unauthorized users from accessing data at the firls level RDBMS triggers are typically bound to aand one or more a) Table, SQL statement types b) SQL statement type, user c) Column, rows
d) User table

- What relationship is resolved by an intersecting or associative entity?
- a) Recursive
- b) Mandatory one to one

```
c) Many to Many
d) One to One
Make a copy of file upper in the directory two levels up.
a) jump -2 upper
b) cp upper ../..(answer)
c) cp upper -2/
d) None of the above
i = 0:
j = 0;
for(j=1; j<10; j++)
i=i+1;
In the (generic) code segment above what will be the value of the variable i at completion?
a) 0
b) 1
c) 3
d) 9
e) 10
Which of the following statements is true when a derivation inherits both a virtual and non-
virtual instance of a base class?
a) Each derived class object has base objects only from the non virtual instance
b) Each base class object has derived objects only from the non-virtual instance
c) Each derived class object has base objects only from the virtual instance
d) Each derived class object has a base object from the virtual instance and a base object from non-
virtual instance.
class Word
{
public:
Word(const char*, int = 0);
};
Referring to the sample code above what is the minimum number of arguments required to call the
constructor?
a) 0
b) 1
c) 2
d) 3
What is the function of the modulus operator in most languages?
a) Sets a system environmental value to either base 10 ,base 8 or base 16
```

b) Returns the remainder after dividing one number by anotherc) Returns the first argument raised to the second argument power

class teacher: public virtual professor{};

lass professor{}

d) Prints out the actual code written to standard output rather than executing the code

class researcher: public virtual professor {} class myprofessor :public teacher,public researcher {};

Referring to the sample code above ,if an object of class ?myprofessor? were created ,how many instances of professor will it contain?

- a) 0
- b) 1
- c) 2
- d) 3

## Modern RDBMS?s perfom the following the following functionc except

- a) Force column values in one table to match any of the values in a column of another table
- b) Automatically replicate data on another server
- c) Automatically create new indexes based on query history
- d) Prevent unauthorized users from accessing data at the firls level

#### Which is not the characteristics of a view?

- a) Consumes Disk space for data
- b) Multiple tables
- c) Multiple rows
- d) Updateable

Technical Questions for computer science engineering students placement paper - cse branch tech / technical interview and written test paper questions from sql, rdbms, queries, c language, programming, etc. The questions are multiple choice / objective type.

RDBMS triggers are typically bound to a \_\_\_\_\_and one or more \_\_\_\_\_

- a) Table, SQL statement types
- b) SQL statement type, user
- c) Column, rows
- d) User, tables

#### What relationship is resolved by an ?intersecting? or ?associative? entity?

- a) Recursive
- b) Mandatory one to one
- c) Many to Many
- d) One to One

# Make a copy of file ?upper? in the directory two levels up .

- a) jump -2 upper
- b) cp upper ../..
- c) cp upper -2/
- d) None of the above

## **Birlasoft Aptitude Section Questions:**

Question like A is engg. B is doctor C is artist etc then few condition related to them you have give answer to 4 or 5 qs on these conditions.

same as above with different data and conditions.

3 qs onfinding error in english sentences

If father is three times as old as son . 5 years ago he was 4 times age of his son what is son age.

Same as above but now daughter and mother joined in and age in question is that of daughter.

A figure is given find no of traingles in this figure

Same as above but figure is diffrent and find no of squares and triangles.

See other latest free online Birlasoft India placement exam test papers here with technical hr interview candidate real experiences from all over india - submitted by college freshers and company campus recruitment drives.