Roll No.:			•••••
Inviallator's Si	gnature :		•••••
		Ca/sem-4/1 0 Sineering	
Time Allotted	: 3 Hours		Full Marks: 70
	ne figures in the margin are required to give th as far as GROUF	eir answers in practicable.	
	(Multiple Choice 7	ype Question	ns)
1. Choose	the correct alternative	s for any ten	of the following: $10 \times 1 = 10$
fun wh	cording to the COCO damental attribute of ich size and effort are	f a software j	
a) c)	Cost Person-month	b) LOC d) none	e of these.

To allocate resource to activities we use

b)

d)

PERT chart

c) Gantt Chart

Network diagram

all of these.

щ		certain period of time best describes a			
	a)	sequence diagram	b)	composition diagram	
	c)	deployment diagram	d)	class diagram.	
iv)	Wh	ich of the following is n	ot inc	dicated on a DFD ?	
	a)	Processing	b)	Sources	
	c)	Timing	d)	Data storage.	
v)	Pha	Phase containment of errors			
	a)	minimises the cost to	fix e	rrors	
	b)	maximises the cost to	îx e	rrors	
	c)	will increase error the	ereby	increasing the cost	
	d)	none of these.			
vi)	Evo	Evolutionary model is sometimes known as			
	a)	meta model			
	b)	b) successive version and incremental model			
	c)	both (a) and (b)			
	d)	none of these.			
vii)	DF	D should not contain a	ny		
	a)	flow of information	b)	bubble	
· .	c)	process	d)	/loops.	
viii)	Mic	crosoft Project 2000 is	a/an		
	a)	Operating System	b)	CASE Tool	
	c)	Database	d)	Spread sheet.	

	a)	SRS document		
	b)	SPMP document		
	c)	task planning sheet		
	d)	work breakdown structure.		
x)	'Go	ld Plating' is a		
	a)	risk item		
	b)	configuration management scheme		
	c)	cost estimation method		
	d)	none of these.		
xi)	Lin	early independent path is required to calculate the		
	a)	cyclomatic complexity		
	b)	software size		
	c)	reliability		
	d)	none of these.		
xii)	A test case should have			
	a)	data input b) state of the system		
	c)	expected output d) all of these.		
xiii)	Which one of the following can be used to relate the number of delivered lines of code to the effort and time required to develop the software?			
	a)			
	c)	Sigmoid curve d) Regression curve.		
4031		3 [Turn over		

Activities of a software project can be identified by

- xiv) To determine the reliability of the product rather than discovering errors we do
 - a) regression testing
- b) mutation testing
- c) stress testing
- d) statistical testing.
- xv) Which CMM level focuses on 'Project management'?
 - a) Initial

- b) Managed
- c) Optimized
- d) Repeatable.

GROUP - B

(Short Answer Type Questions)

Answer any three of the following.

 $3 \times 5 = 15$

- 2. Explain when you should use PERT charts and when you should use Gantt charts while you are performing the duties of a project manager. What is CPM? 2 + 2 + 1
- 3. What is Mutation Testing? Find the estimated length of the following C program:

```
main ()
{
int a,b,c,avg;
scanf("%d%d%d",&a,&b,&c);
avg = (a+b+c)/3;
printf("avg=%d",avg);
.
```

2 + 3

- 4. Represent the following relations among classes using UML diagram:
 - a) Students credit 5 courses each, semester. Each course is taught by one or more teachers.
 - b) Bill contains number of items. Each item describes some commodity, the price of unit and total on this price.

 2 + 3

- Differentiate between a structure chart and a flow-chart.
 State two major design activities.
- 6. Without developing an SRS document an organization might face severe problems. Identify those problems. What are the non-functional requirements?

GROUP - C

(Long Answer Type Questions)

Answer any three of the following. $3 \times 15 = 45$

- 7. a) Identify the definite stages through which a software product undergoes during its lifetime.
 - b) Identify six different phases of a classical waterfall model. Mention at least two reasons as to why classical waterfall model can be considered impractical and cannot be used in real projects.
 - c) Write down a comparison of different life cycle models.

3 + 5 + 3 + 4

- 8. a) Identify four characteristics of a good software design technique.
 - b) Write down some essential activities required to develop the DFD of a system more systematically.
 - c) What does the term 'balancing a DFD' mean? Give an example to explain your answer. 4 + 6 + 5
- 9. a) What is software metric? State two software metrics for project size estimation. What are the shortcomings of LOC?

b) Compute the function point value for a project with the following information domain characteristics:

Number of user inputs : 42

Number of user outputs : 70

Number of user inquiries : 22

Number of files : 09

Number of external interface : 03

Assume that all complexity adjustment values are complex.

- c) What do you mean by crashing of a project? Give an example. 5 + 6 + 4
- 10. a) What is Cyclomatic complexity?

For the given code, calculate the cyclomatic complexity by using all three approaches:

```
1. cin>>a>>b>>c;
```

- 2. if(a>10)
- 3. {
- 4. cout<<"Hello";</pre>
- 5. if (b<a).
- 6.
- 7. cout<<"a";
- 8. if(c>a)
- 9. {
- 10. cout << "c";
- 11. }
- **12.** }
- 13. else
- 14. {
- 15. cout << "b";
- 16. }
- 17. }
- 18. cout << "H";

- b) What are the software quality assurance activities?
- c) Suppose ABC Ltd. wants to develop a system which consists of 200 KLOC. Evaluate the development time and effort for the organic and embedded COCOMO model.
 6 + 3 + 6
- 11. a) What is black-box testing? Design the black-box test suite for the following program:

The program computes the intersection point of two straight lines and displays the result. It reads two integer pairs (m1, c1) and (m2, c2) defining the two straight lines of the form y = mx + c.

- b) What is code walk throughs?
- c) What is system testing? How can CASE tool help for the purpose of test case generation? 6 + 4 + 5