

Mechanical Engineering - 2010

Full Paper

- 1. The parabolic arc $y = \sqrt{x}$, $1 \le x \le 2$ is revolved around the x-axis. The volume of the solid of revolution is
 - 1) π/4
 - 2) π/2
 - 3) $3\pi/4$
 - 4) $3\pi/2$
- ^{2.} The Blasius equation, $\frac{d^3f}{d\eta^3} + \frac{f}{2}\frac{d^2f}{d\eta^2} = 0$ is a
 - 1) Second order nonlinear ordinary differential equation
 - 2) Third order nonlinear ordinary differential equation
 - 3) Third order linear ordinary differential equation
 - 4) Mixed order nonlinear ordinary differential equation
- 3. The value of the integral $\int_{-\infty}^{\infty} \frac{dx}{1 + x^2}$ is
 - 1) –π
 - 2) $-(\pi/2)$
 - 3) (π/2)
 - 4) π
- 4. The modulus of the complex number $\left(\frac{3+4!}{1-2!}\right)$ is
 - 1) 5

2) √5

- 3) 1/√5
- 4) 1/5

sts.com

- 5. The function y = |2 3x|
 - 1) is continuous $\forall x \in R$ and differentiable $\forall x \in R$
 - 2) is continuous $\forall x \in R$ and differentiable $\forall x \in R$ except at x = 3/2
 - 3) is continuous $\forall x \in R$ and differentiable $\forall x \in R$ except at x = 2/3
 - 4) is continuous $\forall x \in R$ except at x = 3 and differentiable $\forall x \in R$
- 6. Mobility of a statically indeterminate structure is
 - 1) ≤ -1
 - 2) 0
 - 3) 1

- $4) \ge 2$
- 7. There are two points P and Q on a planar rigid body. The relative velocity between the two points
 - 1) should always be along PQ
 - 2) can be oriented along any direction
 - 3) should always be perpendicular to PQ
 - 4) should be along QP when the body undergoes pure translation
- 8. The state of plane-stress at a point is given by $_{x}$ = -200MPa, σ_{y} = 100MPa and τ_{xy} = 100MPa. The maximum shear stress in MPa is
 - 1) 111.8
 - 2) 150.1
 - 3) 180.3
 - 4) 223.6
- 9. Which of the following statements is INCORRECT?
 - 1) Grashof's rule states that for a planar crank-rocker four bar mechanism, the sum of the shortest and longest link lengths cannot be less than the sum of the remaining two link lengths.
 - 2) Inversions of a mechanism are created by fixing different links one at a time.
 - 3) Geneva mechanism is an intermittent motion device.
 - 4) Gruebler's criterion assumes mobility of a planar mechanism to be one.
- 10. The natural frequency of a spring-mass system on earth is $_n$. The natural frequency of this system on the moon ($g_{moon} = g_{earth} / 6$) is
 - 1) ω_n
 - 2) $0.408\omega_{\rm n}$
 - 3) $0.204\omega_n$
 - 4) $0.167\omega_{\rm n}$
- 11. Tooth interference in an external involute spur gear pair can be reduced by
 - 1) decreasing center distance between gear pair
 - 2) decreasing module
 - 3) decreasing pressure angle
 - 4) increasing number of gear teeth
- 12. For the stability of a floating body, under the influence of gravity alone, which of the following is TRUE?
 - 1) Metacentre should be below centre of gravity
 - 2) Metacentre should be above centre of gravity
 - 3) Metacentre and centre of gravity must lie on the same horizontal line

	4) Metacentre and co	entre of gravity must lie	on the same vertical lir	ne
		y of a one-dimensional allel plates, is 6ms ⁻¹ . T	•	•
	1) 2	2) 3	3) 4	4) 5
	phenomenon is mo umber of non-dimen	deled using n dimensio sional variables is	onal variables with k pri	imary dimensions. The
	1) k	2) n	3) n - k	4) n + k
0		-stroke direct injection s). The engine has ar MPa is closest to	_	-
	1) 2	2) 1	3) 0.2	4) 0.1
tł	nermal reservoir. The	r at room temperature is entropy change of the	universe is	6.0
	1) equal to entropy c 2) equal to entropy c	hange of the reservoir hange of water	vee,	3
	3) equal to zero	J	00	
	4) always positive		100	
	hydraulic turbine de 0m, the power devel	evelops 1000kW power oped (in kW) is	for a head of 40m. If t	the head is reduced to
	1) 177	2) 354	3) 500	4) 707
2	the material property 1) fatigue strength 2) work hardening 3) fracture strength 4) elastic constant	which depends only or	the basic crystal struc	ture is
	1) sprue base area : 2) pouring basin area 3) sprue base area :	e ratio 1 : 2 : 4 represer runner area : ingate ar a : ingate area : runner ingate area : casting ar te area : casting area	ea area	
to	shaft has a dimens blerance are 1) -0.025, ±0.008 2) -0.025, 0.016	−0.009 ion, _{φ35} −0.025. The re	spective values of fund	lamental deviation and

- 3) -0.009, ± 0.008
- 4) -0.009, 0.016
- 21. In a CNC program block, N002 G02 G91 X40 Z40..., G02 AND G91 refer to
 - 1) circular interpolation in counterclockwise direction and incremental dimension
 - 2) circular interpolation in counterclockwise direction and absolute dimension
 - 3) circular interpolation in clockwise direction and incremental dimension
 - 4) circular interpolation in clockwise direction and absolute dimension
- 22. The demand and forecast for February are 12000 and 10275, respectively. Using single exponential smoothening method (smoothening coefficient = 0.25), forecast for the month of March is
 - 1) 431
 - 2) 9587
 - 3) 10706
 - 4) 11000
- 23. Little's law is relationship between
 - 1) stock level and lead time in an inventory system
 - 2) waiting time and length of the queue in a queuing system
 - 3) number of machines and job due dates in a scheduling problem
 - 4) uncertainty in the activity time and project completion time
- 24. Vehicle manufacturing assembly line is an example of
 - 1) product layout
 - 2) process layout
 - 3) manual layout
 - 4) fixed layout
- 25. Simplex method of solving linear programming problem uses
 - 1) all the points in the feasible region
 - 2) only the corner points of the feasible region
 - 3) intermediate points within the infeasible region
 - 4) only the interior points in the feasible region
- 26. Torque exerted on a flywheel over a cycle is listed in the table. Flywheel energy (in J per unit cycle) using Simpson's rule is

Angle (degree)	0	60	120	180	240	300	360
Torque (Nm)	0	1066	-323	0	323	-355	0

- 1) 542
- 2) 993
- 3) 1444
- 4) 1986


rs.com

- 27. One of the eigen vectors of the matrix $A = \begin{bmatrix} 2 & 2 \\ 1 & 3 \end{bmatrix}$ is
 - 1) $\left\{ \begin{array}{c} 2 \\ -1 \end{array} \right\}$

 - 4) $\{ \begin{array}{c} 1 \\ -1 \end{array} \}$
- 28. Velocity vector of a flow field is given as $\overline{V} = 2xy\hat{i} x^2z\hat{j}$. The velocity vector at (1, 1, 1) is
 - 1) 4î ĵ
- The Laplace Transform of a function $f(t) = \frac{1}{s^2(s+1)}$. The f(t) is


 1) $t 1 + e^{-t}$ 2) $t + 1 + e^{-t}$ 3) $-1 + e^{-t}$

 - 4) $2t + e^{t}$
- 30. A box contains 2 washers, 3 nuts and 4 bolts. Items are drawn from the box at random one at a time without replacement. The probability of drawing 2 washers first followed by 3 nuts and subsequently the 4 bolts is
 - 1) 2/315
 - 2) 1/630
 - 3) 1/1260
 - 4) 1/2520
- 31. A band brake having band-width of 80mm, drum diameter of 250mm, coefficient of friction of 0.25 and angle of wrap of 270 degrees is required to exert a friction torque of 1000N-m. The maximum tension (in kN) developed in the band is
 - 1) 1.88
 - 2) 3.56
 - 3) 6.12
 - 4) 11.56
- 32. A bracket (shown in figure) is rigidly mounted on wall using four rivets. Each rivet is 6 mm in diameter and has an effective length of 12 mm.




Direct shear stress (in MPa) in the most heavily loaded rivet is

- 1) 4.4
- 2) 8.8
- 3) 17.6
- 4) 35.2
- 33. A mass m attached to a spring is subjected to a harmonic force as shown in figure. The amplitude of the forced motion is observed to be 50 mm. the value of m (in kg) is




34. For the epicyclic gear arrangement shown in the figure $_2$ = 100rad/s clockwise (CW) and ω_{arm} = 80rad/s counter clockwise (CCW). The angular velocity ω_5 (in rad/s) is



35. A lightly loaded full journal bearing has a journal of 50mm, bush bore of 50.05mm and bush length of 20mm. if rotational speed of journal is 1200rpm and average viscosity of liquid lubricant is 0.03 Pa s, the power loss (in W) will be

4) 2.5

36. For the configuration shown, the angular velocity of link AB is 10 rad/s counterclockwise. The magnitude of the relative sliding velocity (in ms⁻¹) of slider B with respect to rigid link CD is



- 1) 0
- 37. A smooth pipe of diameter 200mm carries water. The pressure in the pipe at section S1 (elevation: 10m) is 50kPa. At Section S2 (elevation: 12m) the pressure is 20kPa and velocity is 2ms⁻¹. Density of water is 1000kgm⁻³ and acceleration due to gravity is 9.8ms⁻². Which of the following is TRUE?
 - 1) flow from S1 to S2 and head loss is 0.53m
 - 2) flow from S2 to S1 and head loss is 0.53m
 - 3) flow from S1 to S2 and head loss is 1.06m
 - 4) flow from S2 to S1 and head loss is 1.06m
- 38. Match the following

	9	_	
Р	Compressible flow		Reynolds number
Q	Free surface flow	V	Nusselt number
R	Boundary layer flow	W	Weber number
S	Pipe flow	Х	Froude number
T	Heat convection	Υ	Mach number
		Z	Skin friction coefficient


- 1) P-U; Q-X; R-V; S-Z; T-W
- 2) P-W; Q-X; R-Z; S-U; T-V
- 3) P-Y; Q-W; R-Z; S-U; T-X
- 4) P-Y; Q-W; R-Z; S-U; T-V
- 39. A mono-atomic ideal gas ψ = 1.67, molecular weight = 40) is compressed adiabatically from 0.1MPa, 300K to 0.2MPa. The universal gas constant is 8.314kJkmol⁻¹K⁻¹. The work of compression of the gas (in kJ kg⁻¹) is
 - 1) 29.7
- 2) 19.9
- 3) 13.3
- 4) 0

- 40. Consider the following two processes:
 - I. A heat source at 1200K loses 2500kJ of heat to sink at 800K

- II. A heat source at 800K loses 2000kJ of heat to sink at 500K Which of the following statements is TRUE?
 - 1) Process I is more irreversible than Process II
- 2) Process II is more irreversible than Process I
- 3) Irreversibility associated in both the processes is equal
- 4) Both the processes are reversible
- 41. A fin has 5mm diameter and 100mm length. The thermal conductivity of fin material is 400Wm⁻¹ K⁻¹. One end of the fin is maintained at 130°C and its remaining surface is exposed to ambient air at 30°C. If the convective heat transfer coefficient is 40Wm⁻²K-1, the heat loss (in W) from the fin is
 - 1) 0.08
- 2) 5.0
- 3) 7.0
- 4) 7.8
- 42. A moist air sample has dry bulb temperature of 30°C and specific humidity of 11.5g water vapour per kg dry air. Assume molecular weight of air as 28.93. If the saturation vapour pressure of water at 30°C is 4.24kPa and the total pressure is 90kPa, then the relative humidity (in %) of air sample is
 - 1) 50.5
- 2) 38.5
- 3) 56.5
- 4) 68.5
- 43. Two pipes of inner diameter 100mm and outer diameter 110mm each joined by flash butt welding using 30V power supply. At the interface, 1mm of material melts from each pipe which has a resistance of 42.4 Ω . If the unit melt energy is 64.4MJm ⁻³, then time required for welding in seconds is
 - 1) 1

2) 5

- 3) 10
- 4) 20
- 44. For tool A, Taylor's tool life exponent (n) is 0.45 and constant (K) is 90. Similarly for tool B, n = 0.3 and K = 60. The cutting speed (in m/min) above which tool A will have a higher tool life than tool B is
 - 1) 26.7
 - 2) 42.5
 - 3) 80.7
 - 4) 142.9
- 45. A taper hole is inspected using a CMM, with a probe of 2mm diameter. At a height, Z = 10mm from the bottom, 5 points are touched and a diameter of circle (not compensated for probe size) is obtained as 20mm similarly, a 40mm diameter is obtained at a height Z = 40mm. the smaller diameter (in mm) of hole at Z = 0 is



- 1) 13.334
- 2) 15.334
- 3) 15.442
- 4) 15.542
- 46. Annual demand for window frames is 10000. Each frame costs Rs. 200 and ordering cost is Rs. 300 per order. Inventory holding cost is Rs. 40 per frame per year. The supplier is willing to offer 2% discount if the order quantity is 1000 or more, and 4% if order quantity is 2000 or more. If the total cost is to be minimized, the retailer should
 - 1) order 200 frames every time
 - 2) accept 2% discount
 - 3) accept 4% discount
 - 4) der Economic Order Quantity
- 47. The project activities, precedence relationships and durations are described in the table. The critical path of the project is

Activity	Precedence	Duration (in days)
Р	-	3
Q	-	4
R	Р	5
S	Q	5
Т	R, S	7
U	R, S	5
V	T	2
W	U	10

- 1) P-R-T-V
- 2) Q-S-T-V
- 3) P-R-U-W
- 4) Q-S-U-W

Directions for question 48 to 49: Common Data Questions

In a steam power plant operating on the Rankine cycle, steam enters the turbine at 4MPa, 350°C and exits at a pressure of 15kPa. Then it enters the condenser and exits as saturated water. Next, a pump feeds back the water to the boiler. The adiabatic efficiency of the turbine is 90%. The thermodynamic states of water and steam are given in the table.

State	h(kJ kg ⁻¹)		s(kJ k	g ⁻¹ K ⁻¹)	v(m ³ kg ⁻¹)		
Steam: 4MPa, 350ºC	309	92.5	6.5	6.5821 (
Water: 15kPa	h _f	hg	Sf	s _g	v _f	v _g	
Water. Toki a	225.94	2599.1	0.7549	8.0085	0.001014	10.02	

h is specific enthalpy, s is specific entropy and v the specific volume; subscripts f and g denote saturated liquid state and saturated vapour state.

48. The net work output (kJ kg⁻¹) of the cycle is

- 1) 498
- 2) 775
- 3) 860
- 4) 957

49. Heat supplied (kJ kg⁻¹) to the cycle is

1) 2372

2) 2576

3) 2863

4) 3092

Directions for question 50 to 51: Common Data Questions

Four jobs are to be processed on a machine as per data listed in the table.

Job	Processing time (in days)	Due date
1	4	6
2	7	9
3	2	19
4	8	17

50. If the Earliest Due Date (EDD) rule is used to sequence the jobs, the number of jobs delayed is

1) 1

2) 2

3) 3

4) 4

51. Using the Shortest Processing Time (SPT) rule, total tardiness is

1) 0


2) 2

3)3

4) 4

Directions for question 52 to 53: Statement for Linked Answer

A massless beam has a loading pattern as shown in the figure. The beam is of rectangular cross-section with a width of 30mm and height of 100mm.



52. The maximum bending moment occurs at

- 1) Location B
- 2) 2675mm to the right of A
- 3) 2500mm to the right of A
- 4) 3225mm to the right of A

53. The maximum magnitude of bending stress (in MPa) is given by

- 1) 60.0
- 2) 67.5
- 3) 200.0
- 4) 225.0

Directions for question 54 to 55: Statement for Linked Answer

In a shear cutting operation, a sheet of 5mm thickness is cut along a length of 200mm. The cutting blade is 400mm long and zero-shear (S = 0) is provided on the edge. The

ultimate shear strength of the sheet is 100MPa and penetration to thickness ratio is 0.2. Neglect friction. 400 54. Assuming force vs displacement curve to be rectangular, the work done (in J) is 1) 100 2) 200 3) 250 4) 300 55. A shear of 20mm (S = 20mm) is now provided on the blade. Assuming force vs displacement curve to be trapezoidal, the maximum force (in kN) exerted is 3) 20 1) 5 2) 10 4) 40 56. 25 persons are in a room. 15 of them play hockey, 17 of them play football and 10 of them play both hockey and football. Then the number of persons playing neither hockey nor football is: 1) 2 2) 17 3) 13 4) 3 57. Choose the most appropriate word from the options given below to complete the following sentence: our natural resources, we would leave a better planet for our If we manage to children. 1) uphold 2) restrain 3) cherish 4) conserve 58. The question below consists of a pair of related words followed by four pairs of words. Select the pair that best expresses the relation in the original pair. **Unemployed: Worker** 1) fallow: land 2) unaware : sleeper 3) wit : jester 4) renovated : house 59. Which of the following options is the closest in meaning to the word below: Circuitous 1) cyclic 2) indirect

3) confusing

	4) crooked			
60.	Choose the most appropriate following sentence:	·	, -	·
	His rather casual rema	arks on politics	_ his lack of seriousne	ss about the subject.
	1) masked			
	2) belied			
	3) betrayed			
	4) suppressed			
61.	. Hari (H), Gita (G), Irfa	an (I) and Saira (S) are	e siblings (i.e. brothers	and sisters). All were
	one after another) is le	the age difference betwees than 3 years. Given	the following facts:	ve siblings (that is born
	_	age > Irfan's age + Saira between Gita and Sai	_	Cita is not the oldest
	and Saira is not the yo		ia is i year. However,	, Gita is not the oldest
	3. There are no twins.			
	In what order were the	,		G
	1) HSIG	2) SGHI	3) IGSH	4) IHSG
62.	skilled and 5 unskilled	ouild a wall in 20 days; rkers can build a wall workers, how long will i	in 30 days. If a team	has 2 skilled, 6 semi-
	1) 20 days	4.00		
	2) 18 days			
	3) 16 days			
	4) 15 days			
63.	warfare; and regretful chemical agents are use Which of the following 1) Modern warfare has	I agents that do their ally, there exist people seful tools for their caus statements best sums as resulted in civil strife.	work silently appear in military establish se. up the meaning of the a	to be suited to such ments who think that
	2) Chemical agents a	re useful in modern wa	rfare.	
	3) Use of chemical ag	gents in warfare would b	oe undesirable.	
	4) People in military e	establishments like to us	se chemical agents in v	var.
64.	Given digits 2, 2, 3, 3, be formed?	4, 4, 4, 4 how many d	istinct 4 digit numbers	greater than 3000 can
	1) 50	2) 51	3) 52	4) 54
	·	,	•	•
65.	If $137 + 276 = 435$ hov	v much is 731 + 672?		
	1) 534	2) 1403	3) 1623	4) 1513

FaaDooEngineers.com

Answer Key

1) 4	2) 2	3) 4	4) 2	5) 3	6) 1	7) 3	8) 3	9) 1	10) 1	
11) 4	12) 2	13) 3	14) 3	15) 1	16) 4	17) 2	18) 3	19) 1	20) 4	
21) 3	22) 3	23) 2	24) 1	25) 2	26) 2	27) 1	28) 4	29) 1	30) 3	
31) 4	32) 2	33) 1	34) 3	35) 1	36) 4	37) 3	38) 4	39) 1	40) 2	
41) 2	42) 2	43) 3	44) 1	45) 1	46) 3	47) 4	48) 3	49) 3	50) 3	
51) 4	52) 3	53) 2	54) 1	55) 2	56) 4	57) 4	58) 1	59) 2	60) 3	
51) 4 61) 2	•	•	•	•	•	•	•	•	•	