DECEMBER 2007

Code: DE05 **Subject: ELECTRICAL ENGINEERING** Time: 3 Hours Max. Marks: 100

NOTE: There are 9 Questions in all.

- Question 1 is compulsory and carries 20 marks. Answer to Q. 1. must be written in the space provided for it in the answer book supplied and nowhere else.
- O ach
- ed.

Q.1 follo

questio	on carries 16 marks.	ons answer any FIVE Questions. Ea , may be suitably assumed and state			
Ch owing.	oose the correct or best alterna (2x10)	tive in the			
a.	Which DC motors has approximately constant speed?				
	(A) Series motor.(C) Cumulatively compound m	(B) Shunt motor notor (D) All of the above.			
b.	b. Which of the following bulbs will have the least resistance?				
	(A) 220V, 60W (C) 115 V, 60 W	(B) 220 V, 100 W (D) 115V, 100 W			
	Resistance of a wire is r ohms. length, then its resistance in ohm	The wire is stretched to double its s is			
	(A) r/2 (C) 2r	(B) 4r (D) r/4			
d.	An electric machine will have h	igh efficiency when			
	(A) input/output ratio is low(C) kWh consumption is low	<u>.</u>			
	Which type of loss is not commo machines?	n to transformers and rotating			
	(A) Eddy current loss(C) Hysteress loss	(B) Copper loss(D) Windage loss			

f.	f. The difference between the synchronous speed and the actual speed of an induction motor is known as					al speed of	
		Regulation slip	1	, ,	back lash lag		
g.	g. In two wattmeter method of power measurement, if one of the wattmeter shows zero reading, then it can be concluded that					ne	
h.	(C)	ich of the fo	or is unity for is 0.5 laggin ollowing will re	g (D	•	ctor is	0.5 leading
	(A)	Voltage		(B)	Current		
	(C)	Power		(D)	Resistance		
i.	i. Which single phase motor would you select for a tape recorder?						er?
	moto				Hysteresis		
	(C)	Synchrono	ous motor	(D)	Universal	motor	
j. The demand factor for the electrical system is the ratio of							
	 (A) Maximum demand to connected load (B) Maximum demand to average load (C) Average power to maximum 						
	powe	er					
	(D)	Relative po	ower to total po	ower			
	Aı		FIVE Question cach question ca			stions.	
Q.2	a. theor		the different (6)	network	theorems?	State	Thevenin's

b. Using Thevenin's theorem, find the current through 2.5 ohms resistance in the circuit shown in the FIG1 (10)




FIG - 1

- Q.3 a. What are the different methods of measurement of power in 3-phase circuit. Explain two wattmeter method in brief.
 (8)
 - b. An a.c circuit consists of a pure resistance of 10 ohms and is connected across an a.c supply of 230V, 50 Hz.

Determine (i) current flowing through the circuit.

(ii) Power consumed by the circuit.

(iii) Write down the equation for voltage and current. (8)

- Q.4 a. What are the different types of D.C motors? Give their applications? (8)
 - b. The armature of a 4-pole, d.c shunt motor has a lap-connected armature winding with 740 conductors. The no load flux per pole is 30 mwb. If the armature current is 40A, determine the torque developed? (8)
- Q.5 a. Explain the working principle of operation of a single phase transformer. (6)
 - b. A 50 kVA, 5000/500V, 50Hz, 1-phase transformer has the high voltage winding with a resistance of 8 ohms and low voltage winding with a resistance of 0.06 ohms. The no load losses of the transformer amount to 1000W. Calculate the efficiency of the transformer, when delivering its full rated output at a power factor of 0.8?
- Q.6 a. Name the different types of 1-phase A.C motors. Give some important application of these motors. (8)
 - b. Why single phase induction motor are not self starting? (8)
- Q.7 a. Explain application and advantages of storage batteries? (10)
 - b. A 3-Phase induction motor is wound for 4-poles and is supplied from a 50 Hz system.

Calculate (i) Synchronous speed

- (ii) The speed of the rotor when the slip is 4%
- (iii) The rotor frequency when the rotor runs at 1200 rpm. **(6)**
- **Q.8** a. Define the following:
 - (i) Average demand
 - (ii) Maximum demand
 - (iii) Demand factor.

	(iv)	Load
factor.		(8)

b. If a generating station has a maximum load for the year of 18,000 kW and a load factor of 30.5% and the maximum loads on the substations were 7500 kW, 5000 kW, 3400 kW, 4600 kW and 2800 kW. Calculate the units generated for the year and diversity factor of the generating station. (8)

Q.9 Write short notes on

(i) Different losses in transformer.
(ii) Resonance in R-L-C series circuit. (8)