Register Number

MATHEMATICS — Paper II

Time Allowed : $2\frac{1}{2}$ Hours]

[Maximum Marks: 100

PART - I

Note: i) This Part contains two Sections, Section - A and Section - B.

- Section A contains Multiple Choice Questions. ii)
- Section B contains 15 questions. iii)

SECTION - A

- Answer all the questions. (i)
- Choose the correct answer from the given alternatives: $20 \times 1 = 20$ (ii)

1. If
$$P = \begin{pmatrix} 6 & 7 & 8 & 9 \\ -5 & -4 & 3 & 2 \end{pmatrix}$$
 and $Q = \begin{pmatrix} -2 & 5 & 3 & 0 \\ 5 & 4 & -3 & 2 \end{pmatrix}$, then the order of $P - Q$ is

1) 4 × 4

not defined

2. If
$$X = (-1 \ 3)$$
 and $Y = \begin{pmatrix} 1 \\ -3 \end{pmatrix}$, then $X + Y =$

1) (0, 0)

2) (0)

3) (-10)

4) not defined.

- 3. If $\begin{pmatrix} 4 & 8 \\ x & 4 \end{pmatrix} = 4 \begin{pmatrix} 1 & 2 \\ 4 & 1 \end{pmatrix}$, then the value of $x = 4 \begin{pmatrix} 1 & 2 \\ 4 & 1 \end{pmatrix}$
 - 1) 16
- II roged _ 20 A 8 HET AM
- 3) 4

- 4) 1
- 4. The length of the tangent from a point at a distance of 13 cm from the centre of the circle of radius 5 cm is
 - 1) 8 cm


2) 12 cm

- 3) $\sqrt{5^2 + 13^2}$ cm
- 4) 18 cm.
- 5. AB and CD are two chords of a circle intersecting at a point P inside the circle. If AB = 12 cm, AP = 2 cm, PD = 4 cm, then CP is equal to
 - 1) 4 cm
- 2) 2 cm
- 3) 3 cm
- 4) 5 cm.
- 6. In triangles ABC and DEF, $\angle A = \angle E$ and $\angle B = \angle F$. Then AB: AC is
 - 1) DE: DF

2) DE: EF

3) EF: ED

- 4) DF : EF.
- 7. In the diagram, if AD = 6 cm, AF = 12 cm, then the length of DE is




1) 12 cm

2) 24 cm

3) 18 cm

4) 144 cm.

8. If AD is the bisector of $\angle A$, then AC is a substant made x = 0, and x = 0.



1) 16

2) 20

3) 12

- 4) 18.
- 9. Centroid of the triangle with vertices A(3, -7), B(5, 1) and C(-1, -5) is
 - 1) $\left(\frac{7}{3}, -\frac{11}{3}\right)$

2) $\left(-\frac{7}{3}, \frac{11}{3}\right)$

3) $\left(\frac{11}{3}, -\frac{7}{3}\right)$

- 4) $\left(-\frac{11}{3}, \frac{7}{3}\right)$.
- 10. Area of a triangle ABC, whose vertices are A(6,7), B(2,-9), C(-4,1) is
 - 1) 48 sq.units

2) 68 sq.units

3) 28 sq.units

- 4) 38 sq.units.
- 11. The equation of a straight line which has the Y intercept 5 and slope 2 is
 - 1) 2x + y + 5 = 0

2) 2x - y + 5 = 0

3) 2x - y - 5 = 0

- 4) 2x + y 5 = 0
- 12. If the slope of the line joining (-6, 13) and (3, a) is $-\frac{1}{3}$, then the value of a is
 - 1) 5

2) - 10

3) - 5

- 4) 10. villdsderg ant at sanw
- 13. The lines y = -3 and x = 8 meet at the point
 - 1) (-8, -3)

2) (3, 8)

3) (-3, 8)

4) (8, -3).

14. If $\tan 40^\circ = x$, then the value of $1 + \csc^2 50^\circ$ is

1) $1 + x^2$

2) $2 + x^2$

3) x

4) x^2 .

15. When the angle of elevation of the sun is 45°, the length of the shadow of a tower of height 10 m is

1) 10 m

2) 10√3 m

3) $\frac{10}{\sqrt{3}}$ m

4) $\frac{1}{\sqrt{3}}$ m.

16. The value of $\frac{\sqrt{1-\sin^2\theta}}{\sin\theta}$ is

1) cot θ

2) $\frac{\sin \theta}{2}$

3) $\tan \theta$

4) $\frac{1 + \sin \theta}{\sin^2 \theta}$

17. The value of sin 2 18° + sin 2 72° is

1) - 1

2) 18

3) 72

4) 1.

18. $\sin^2 A \cdot \cos^2 B - \cos^2 A \cdot \sin^2 B$ is

1) $\sin^2 A$

2) $\sin^2 B$

3) $\sin^2 A - \sin^2 B$

4) $\sin^2 A - \cos^2 B$.

19. The standard deviation of 5 values is $5\sqrt{2}$. If each value is increased by 4, then the new standard deviation is

1) 20 √4

2) 10√2

3) 5√2

4) $\frac{5}{2}\sqrt{2}$.

20. What is the probability of drawing the number 6 from a well shuffled pack of 52 cards?

1) $\frac{1}{13}$

2) $\frac{1}{5}$

3) $\frac{1}{26}$

4) $\frac{1}{4}$

SECTION - B

Answer any ten questions:

 $10 \times 2 = 20$

- 21. Construct a 3×2 matrix whose elements are given by $a_{ij} = 3i j$.
- 22. Solve for x and y

$$\begin{pmatrix} 2 & 1 \\ 1 & 2 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 4 \\ 5 \end{pmatrix}.$$

- 23. The perimeters of two similar triangles are 24 cm and 18 cm respectively. If one side of the first triangle is 8 cm, find the corresponding side of the other triangle.
- 24. Prove that the line drawn from the mid-point of one side of a triangle parallel to another side bisects the third side.
- 25. AB and CD are two chords of a circle, which intersect each other externally at P. If AB = 5 cm, BP = 3 cm, PD = 2 cm, then find CD.
- 26. Write down the equation of a line parallel to 3x 4y 5 = 0 and passing through the point (2, 3).
- 27. Where does the line 3y + 2y = 8 meet the (i) x-axis and (ii) y-axis?
- 28. The line joining A(-1, -2) and B(5, 6) is perpendicular to the line joining C(4, 2) and D(0, y). Find y.
- 29. Find the value of a so that 3x + y = 2, 5x + 2y = 3 and ax y = 3 are concurrent.
- 30. The angle of elevation of a ladder leaning against a wall is 60° and the foot of the ladder is 10 m away from the wall. Find the length of the ladder.
- 31. Prove that $1 + \frac{\cot^2 \theta}{1 + \csc \theta} = \csc \theta$.
- 32. If ϕ is 30°, verify $\sin 3 \phi = 3 \sin \phi 4 \sin^3 \phi$.

5422 6

33. Using the formula $\sin (A - B) = \sin A \cos B - \cos A \sin B$, find the value of $\sin 15^{\circ}$.

- 34. The number of ice-cream cones bought by men, women, boys and girls, children on a day at the trade fair was 40, 42, 44, 46 and 48 respectively. Find the standard deviation.
- 35. A two digit number is formed with the digits 3, 5 and 7. Find the probability that the number so formed is greater than 57. Repetition of the digits is not allowed.

PART - II al algunated saul add to able

Note: This part contains four Sections — Section-C, Section-D, Section-E and Section-F.

SECTION - C

Answer any two questions:

 $2 \times 5 = 10$

- 36. State and prove Angle bisector theorem.
- 37. Prove that the line segments joining the mid-points of the adjacent sides of a quadrilateral form a parallelogram.
- 38. One angle of a triangle is equal to one angle of another and bisectors of these equal angles divide the opposite sides in the same ratio. Prove that the triangles are similar.

SECTION - D

Answer any three questions:

 $3 \times 5 = 15$

39. If
$$A = \begin{pmatrix} 2 & 3 & -1 \\ 4 & 1 & 5 \end{pmatrix}$$
 and $B = \begin{pmatrix} 1 & -2 \\ 3 & -3 \\ 2 & 6 \end{pmatrix}$, verify that $(AB)^T = B^T A^T$.

40. Find X and Y if
$$X + Y = \begin{pmatrix} 7 & 0 \\ 2 & 5 \end{pmatrix}$$
 and $X - Y = \begin{pmatrix} 3 & 0 \\ 0 & 3 \end{pmatrix}$.

41. Find the standard deviation of the following data:

x:	10	15	18	20	25
f:	3	2 OdA	ma 5 and 10	8	2

42. A card is drawn from a well shuffled pack of 52 cards. Find the probability that it is an ace or spade.

SECTION - E

Answer any two questions:

 $2 \times 5 = 10$

43. Prove that

$$\frac{\sin \theta}{1 + \cos \theta} + \frac{1 + \cos \theta}{\sin \theta} = 2 \csc \theta.$$

- 44. Find the area of an isosceles triangle with base 10 cm and vertical angle 67°.
- 45. The angle of elevation of a tower at a point is 45°. After going 20 metres towards the foot of the tower the angle of elevation of the tower becomes 60°. Calculate the height of the tower.

SECTION - F

Answer any three questions:

 $3 \times 5 = 15$

- 46. The foot of perpendicular from (1, 2) on a line is the origin. Find the equation of the line.
- 47. Find the equation of the straight line joining the point of intersection of 3x y + 9 = 0 and 2y + x 4 = 0 to the point of intersection of 2x + y = 4 and 2y = x + 3.

- 48. Find the equation of the line which passes through the point (3, 4) and makes intercepts on the axes such that their sum is 14.
- 49. Find the orthocentre of the triangle ABC whose vertices are

A(-2, -1), B(-1, -4) and C(0, -5)

PART - III

SECTION - G

Answer any one question:

 $1 \times 10 = 10$

- 50. Draw a circle of radius 3.6 cm. Take a point P on it. Without using the centre of the circle, draw a tangent to the circle at the point P.
- 51. Construct a triangle PQR having base PQ = 5 cm, vertical angle 45° and altitude through R is 4 cm. How many such triangles can be constructed?