

END TERM EXAMINATION

FIRST SEMESTER [BCA] DECEMBER-2012

Paper Code: BCA101

Subject: Mathematics-I

Time : 3 Hours

Maximum Marks :75

Note: Attempt all questions. Internal choice is indicated.

- Q1 (a) Define Symmetric and Skew Symmetric Matrix. Give an example.
 (b) Find the Eigen values and Eigen vectors for the matrix $A = \begin{bmatrix} -5 & 2 \\ 2 & -2 \end{bmatrix}$.
 (c) Evaluate the nth derivative of $\log(ax+b)$.
 (d) Examine the following system of vectors for linearly dependence, if dependent, find the relation between them $X_1 = (1, 2, 3)$; $X_2 = (2, -2, 6)$.
 (e) Evaluate $\lim_{x \rightarrow \theta} \frac{\sin^2 x - \sin^2 \theta}{x^2 - \theta^2}$.
 (f) State Leibnitz's theorem.
 (g) Find the reduction formula for $\int \tan^3 x dx$.
 (h) Integrate $\int \frac{dx}{\sqrt{x} + \sqrt[3]{x}}$.
 (i) Show that $f(x) = |x| + |x-1|$ is continuous at $x=0$ and $x=1$.
 (j) Find the maximum and minimum values, if any of the given function, $f(x) = -|x-1| + 5$ for all $x \in \mathbb{R}$. (2.5x10=25)

UNIT-I

- Q2 (a) If $x-2y=4$ and $-3x+5y=-7$ then solve using Cramer's Rule. (5)
 (b) For what values of a and b do the equations- $x+2y+3z=6$, $x+3y+5z=9$, $2x+5y+az=b$ have (i) No solution (ii) A unique solution (iii) More than one solution. (7.5)

OR

- (a) Reduce the matrix given below into normal form and find its Rank

$$A = \begin{bmatrix} 3 & -3 & 4 \\ 2 & -3 & 4 \\ 0 & -1 & 1 \end{bmatrix} \quad (5)$$

- (b) Verify Cayley-Hamilton Theorem for the matrix $A = \begin{bmatrix} 0 & 0 & 1 \\ 3 & 1 & 0 \\ -2 & 1 & 4 \end{bmatrix}$, hence find A^{-1} . (7.5)

UNIT-II

- Q3 (a) Evaluate $\lim_{x \rightarrow 0} \frac{e^x - 1}{\sqrt{1 - \cos x}} = 1$ and show that $\lim_{x \rightarrow 0} \frac{e^x - 1}{x} = 1$. (5)
 (b) Determine value of a , b , c if the function $f(x) = \begin{cases} \frac{\sin(a+1)x + \sin x}{x}, & \text{if } x < 0 \\ C, & \text{if } x = 0, \\ \frac{\sqrt{x+bx^2} - \sqrt{x}}{bx^{3/2}}, & \text{if } x > 0 \end{cases}$

is continuous at $x=0$.

(7.5)

OR

- (a) Prove that $f(x) = \sin \frac{1}{x}$ is not continuous at $x=0$. Also, name the kind of discontinuity it has. (5)

(b) Find the value of 'a' if $f(x) = \begin{cases} 2x-1 & ; x < 2 \\ a & ; x = 2, \\ x+1 & ; x > 2 \end{cases}$

is continuous at $x=2$.

(7.5)

UNIT-III

- Q4 (a) For what choice of a and b, the function $f(x) = \begin{cases} x^2 & ; x \leq C \\ ax+b & ; x > C \end{cases}$ is differentiable at $x=C$. (5)

- (b) If $I_n = \int_0^{\pi/4} \tan^n x dx$, prove that $I_{n+1} + I_{n-1} = \frac{1}{n}$. Deduce the value of I_5 . (7.5)

OR

- (a) Given $y = x^x + (\sin x)^{\log_e x}$, find $\frac{dy}{dx}$. (5)
- (b) Find the asymptotes of the curve $2y^3 - 2x^2y - 4xy^2 + 4x^3 + 14xy + 6y^2 + 4x^2 + 6y + 1 = 0$. (7.5)

UNIT-IV

- Q5 (a) Show that $\int_0^{\pi/2} \sin^p \theta \cos^q \theta d\theta = \frac{\Gamma((p+1)/2) \Gamma((q+1)/2)}{\Gamma((p+q+2)/2)}$ where Γ denote gamma function. (5)

- (b) Integrate (i) $\int \sec^3 x dx$ (ii) $\int \cos^{-1} \left(\frac{1-x^2}{1+x^2} \right) dx$ (iii) $\int_0^a \frac{x^7}{\sqrt{a^2 - x^2}} dx$. (7.5)

OR

- (a) If $y = a \cos(\log x) + b \sin(\log x)$, then show that $x^2 y_{n+2} + (2n+1)y_{n+1}x + (n^2+1)y_n = 0$. (5)

- (b) Prove Legendre's duplication formula $\Gamma(2m) = 2^{2m-1} \Gamma(m) \Gamma\left(m + \frac{1}{2}\right)$ where $\Gamma n = \int_0^\infty e^{-x} x^{n-1} dx$ denote the gamma function. (7.5)