http://www.gateforum.com/gate_papers.php

GATE: 2007 CE: CIVIL ENGINEERING

Q.1 - Q.20 Carry One Mark Each

The minimum and the maximum eigen values of the matrix $\begin{bmatrix} 1 & 5 & 1 \end{bmatrix}$ are -2 and 0.1

6, respectively. What is the other eigen value?

- (A) 5
- (B)3
- (C) 1
- (D) -1
- $\frac{d^2x}{dt^2} + 2x^3 = 0$ is The degree of the differential equation **Q.2**
 - (A) 0

- (B) 1
- (C) 2

- (D)3
- The solution for the differential equation $\frac{dy}{dx} = x^2y$ with condition that y = 1 at Q.3

- Q.4 An axially loaded bar is subjected to a normal stress of 173 MPa. The shear stress in the bar is
 - (A) 75MPa
- (B) 86.5MPa
- (C) 100MPa
- (D) 122.3MPa
- Q.5 A steel column, pinned at both ends, has a buckling load of 200kN. If the column is restrained against lateral movement at its mid-height, its buckling load will be
 - (A) 200kN
- (B) 283kN
- (C) 400kN
- (D) 800kN

- Q.6 The stiffness coefficient k_{ii} indicates
 - (A) force at i due to a unit deformation at j.
 - (B) deformation at i due to a unit force at i.
 - (C) deformation at i due to a unit force at j.
 - (D) force at j due to a unit deformation at i.
- For an isotropic material, the relationship between the Young's modulus (E), Q.7 shear modulus (G) and Poisson's ratio (u) is given by

$$(A)G = \frac{E}{2(1+\mu)}$$

$$(B) E = \frac{G}{2(1+\mu)}$$

$$(A)G = \frac{E}{2(1+\mu)} \qquad (B)E = \frac{G}{2(1+\mu)} \qquad (C)G = \frac{E}{(1+2\mu)} \qquad (D)G = \frac{E}{2(1-\mu)}$$

$$(D)G = \frac{E}{2(1-\mu)}$$



Q.8	A clay soil sample is tested in triaxial apparatus in consolidated-drained conditions at a cell pressure of 100 kN/m ² . What will be the pore water pressure at a deviator stress of 40kN/m ² ?						
	$(A) 0kN/m^2$	(B) 20kN	J/m^2	$(C) 40kN/m^2$	(D) 60kN/m ²	2	
Q.9	The number of blo			ard Penetration Te	st (SPT) for differer	ıt	
	Penetration of s	ampler	Numb	er of blows			
	0-150mm		6				
	150-300mm		8				
	300-450mm		10)			
	The observed N v (A) 8	alue is (B) 14		(C) 18	(D) 24		
Q.10 Q.11	footing due to a 4m x 6m rectangu (A) 25 There is a free ov the critical depth is will occur in the c	certain load lar footing at (B) 100 rerfall at the e	intensity the same and of a lo	is 100 kN / m ² bedepth and same load (C) 200 ong open channel. Hepth. What graduate?	2m x 3m rectangular pelow the centre of ad intensity? (D) 400 For a given flow rally varied flow prof	f a	
Q.12	2.0mm / day. The Irrigation is required	e maximum d red when the	epth of avamount of Errequence	vailable water is th	lar stage of growth ne root zone is 60m 50% of the maximuld be (D) 25days	m.	
Q.13	statement from the (A) Wetted perim (B) Hydraulic rad (C) Wetted perime	e following eter increases ius increases eter decreases	with an ir with an in with an ir	of alluvial channers of alluvial channers in design discrease in design discrease in silt factor	ischarge.	ue	

Q.14 At two points 1 and 2 in a pipeline the velocities are V and 2V, respectively. Both

the points are at the same elevation. Both the points are at the same elevation. The



(A) 2,7

| CE | Civil Engineering: Gate 2007 Paper http://www.gateforum.com/gate_papers.php

fluid density is ρ . The flow can be assumed to be in compressible, inviscid, steady and irrotational. The difference in pressures P₁ and P₂ at points 1 and 2 is

		•	-	-	
	$(A) 0.5 \rho V^2$	(B) $1.5 \rho V^2$	(C) $2\rho V^2$	(D) $3\rho V^2$	
Q.15	The presence of l (A) Cardio Vascu (C) Calcium defi	*	(B) Skin dis		
Q.16	The dispersion of pollutants in atmosphere is maximum when (A) environmental lapse rate is greater than adiabatic lapse rate. (B) environmental lapse rate is less than adiabatic lapse rate. (C) environmental lapse rate is equal to adiabatic lapse rate. (D) maximum mixing depth is equal to zero.				
Q.17	CaCo ₃ , respective (A) 350 mg/L car (B) 250mg/L car (C) 250mg/L car	d the hardness of a welly. The water has rbonate hardness and a bonate hardness and 3 bonate hardness and 1	zero non-carbonate zero non-carbonate 50 mg/L non-carb	hardness.	
Q.18	The consistency of following. (A) Ductility test (C) Softening points:	and flow resistance of int Test	bitumen can be de B) Penetration test D) Viscosity test		
Q.19		-	_	vay intersect at right intersection, assuming (D) 32	
Q.20	ratios of normal f		w of two direction	ons, if the sum of the al traffic flow is 0.50 and yele length in seconds is (D) 40	
Q.21	to Q.75 carry two	marks each			
Q.21	For what values α number of solution x + y + z = 5; $x + 2y + \alpha z = \beta$	•	ng simultaneous eo	quations have an infinite	

(B) 3.8

(C) 8,3

(D) 7,2



O.22 A velocity vector is given as

$$\vec{V} = 5xy\,\vec{i} + 2y^2\,\vec{j} + 3yz^2\,\vec{k} \ .$$

The divergence of this velocity vector at (1,1,1) is

- (A) 9
- (B) 10
- (C) 14
- (D) 15

A body originally at 60° C cools down to 40° C in 15minutes when kept in air at a Q.23 temperature of 25°C. What will be the temperature of the body at the end of 30minutes?

- (A) 35.2° C
- (B) 31.5° C
- (C) 28.7° C
- (D) 15^{0} C

The following equation needs to be numerically solved using the Newton-Q.24 Raphson method.

$$x^3 + 4x - 9 = 0$$

The iterative equation for this purpose is (k indicates the iteration level)

(A)
$$x_{k+1} = \frac{2x_k^3 + 9}{3x_k^2 + 4}$$

$$(B) x_{k+1} = \frac{3x_k^2 + 4}{2x_k^2 + 9}$$

$$(C) x_{k+1} = x_k - 3x_k^2 + 4$$

$$(D) x_{k+1} = \frac{4x_k^2 + 3}{9x_k^2 + 2}$$

Evaluate $\int_{-\infty}^{\infty} \frac{\sin t}{t} dt$



$$(B)\frac{\pi}{2}$$

$$(C)\frac{\pi}{4}$$

$$(B)\frac{\pi}{2} \qquad (C)\frac{\pi}{4} \qquad (D)\frac{\pi}{3}$$

Potential function ϕ is given as $\phi = x^2 + y^2$. What will be the stream function Q.26 (ψ) with the condition $\psi = 0$ at x = y = 0?

- (A) 2xy
- (B) $x^2 + y^2$ (C) $x^2 y^2$
- (D) $2x^2y^2$

The inverse of the 2 x 2 matrix $\begin{bmatrix} 1 & 2 \\ 5 & 7 \end{bmatrix}$ is

$$(A)\frac{1}{3}\begin{bmatrix} -7 & 2\\ 5 & -1 \end{bmatrix}$$

$$(B)\frac{1}{3}\begin{bmatrix} 7 & 2\\ 5 & 1 \end{bmatrix}$$

$$(C)\frac{1}{3}\begin{bmatrix} 7 & -2\\ -5 & 1 \end{bmatrix}$$

$$(D)\frac{1}{3}\begin{bmatrix} -7 & -2\\ -5 & -1 \end{bmatrix}$$

Given that one root of the equation $x^3-10x^2+31x-30=0$ is 5, the other two roots are 0.28(A) 2 and 3 (B) 2 and 4 (C) 3 and 4 (D) -2 and -3



Q.29 If the standard deviation of the spot speed of vehicles in a highway is 8.8 kmph and the mean speed of the vehicles is 33kmph, the coefficient of variation in speed is

(A) 0.1517

(B) 0.1867

(C) 0.2666

(D) 0.3646

Q.30 A metal bar of length 100mm is inserted between two rigid supports and its temperature is increased by 10°C. If the coefficient of thermal expansion is 12 x 10⁻⁶ per °C and the Young's modulus is 2 x 10⁻⁵ MPa, the stress in the bar is

(A) zero

(B) 12MPa

(C) 24MPa

(D) 2400MPa

Q.31 A rigid bar is suspended by three rods made of the same material as shown in the figure. The area and length of the central rod are 3A and L, respectively while that of the two outer rods are 2A and 2L respectively. If a downward force of 50kN is applied to the rigid bar, the forces in the central and each of the outer rods will be

(A) 16.67 kN each

(B) 30kN and 15kN

(C) 30kN and 10kN

(D) 21.4kN and 14.3kN

Q.32 The maximum and minimum shear stresses in a hollow circular shaft of outer diameter 20mm and thickness 2mm, subjected to a torque of 92.7 N.m will be

(A) 59 MPa and 47.2 MPa

(B) 10MPa and 80MPa

(C) 118 MPa and 160 MPa

(D) 200 MPa and 160 MPa

Q.33 The shear stress at the neutral axis in a beam of triangular section with a base of 40mm and height of 20mm, subjected to a shear force of 3kN is

(A) 3MPa

(B) 6MPa

(C) 10MPa

(D) 20MPa


Q.34 U₁ and U₂ are the strain energies stored in a prismatic bar due to axial tensile forces P₁ and P₂ respectively. The strain energy stored in the same bar due to combined action of P₁ and P₂ will be

(A) $U = U_1 + U_2$

(B) $U = U_1 U_2$

(C) $U < U_1 + U_2$

- (D) $U >_1 + U_2$
- Q.35 The right triangular truss is made of members having equal cross sectional area of 1550 mm² and Young's modulus of 2 x 10⁵ MPa. The horizontal deflection of the joint Q is



(A) 2.47 mm


(B) 10.25mm

(C) 14.1mm

(D) 15.68mm



Q.36 The influence line diagram (ILD) shown is for the member



- Q.37 Consider the following statements:
 - 1. The compressive strength of concrete decreases with increase in watercement ratio of the concrete mix.
 - 2. Water is added to the concrete mix for hydration of cement and workability.
 - 3. Creep and shrinkage of concrete are independent of the water-cement ratio in the concrete mix.

The true statements are

(A) 1 and 2

(B) 1, 2 and 3

(C) 2 and 3

(D) only 2

Q.38 The percentage loss of prestress due to anchorage slip of 3mm in a concrete beam of length 30m which is post-tensioned by a tendon with an initial stress of 1200 N / mm² and modulus of elasticity equal to 2.1 x 10⁵ N/mm² is

(A) 0.0175

(B) 0.175

(C) 1.75

(D) 17.5

- Q.39 A concrete beam of rectangular cross-section of size 120mm (width) and 200mm (depth) is prestressed by a straight tendon to an effective force of 150kN at an eccentricity of 20mm (below the centroidal axis in the depth direction). The stresses at the top and bottom fibres of the section are
 - (A) 2.5 N/mm² (compression), 10N/mm² (compression)
 - (B) 10N / mm² (tension), 3.75 N / mm²
 - (C) 3.75 N/mm² (tension), 3.75 N/mm² (compression)
 - (D) 2.75 N/mm² (compression), 3.75 N/mm² (compression)
- Q.40 Consider the following statements:
 - I. Modulus of elasticity concrete increases with increase in compressive strength of concrete.
 - II. Brittleness of concrete increases with decrease in compressive strength of concrete.




Shear strength of concrete increases with increase in compressive strength of concrete.

The TRUE statements are


- (A) II and III
- (B) I, II and III
- (C) I and II
- (D) I and III

Q.41 A steel flat of rectangular section of size 70 x 6 mm is connected to a gusset plate by three bolts each having a shear capacity of 15kN in holes having diameter 11.5mm. If the allowable tensile stress in the flat is 150MPa, the maximum tension that can be applied to the flat is




- (C) 59.5kN
- (D) 63.0kN

Q.42 A bracket connection is made with four bolts of 10mm diameter and supports a load of 10kN a an eccentricity of 100mm. the maximum force to be resisted by any bolt will be




- (A) 5kN
- (B) 6.5kN
- (C) 6.8kN
- (D) 7.16kN

The plastic collapse load W_p for the propped cantilever supporting two point loads Q.43 as shown in the figure in terms of plastic moment capacity, M_p is given by




- $(A) 3M_p/L$
- $(B) 4M_p/L$
- $(C) 5 M_p/L$
- $(D) 6M_p/L$





- Q.44 Sieve analysis on a dry soil sample of mass 1000g showed that 980g and 270g of soil pass through 4.75mm and 0.075mm sieve, respectively. The liquid limit and plastic limits of the soil fraction passing through 425µ sieves are 40% and 18% respectively. The soil may be classified as
 - (A) SC
- (B) MI
- (C) CI
- (D) SM
- Q.45 The water content of a saturated soil and the specific gravity of soil solids were found to be 30% and 2.70, respectively. Assuming the unit weight of water to be 10kN / m³, the saturated unit weight (kN/m³), and the void ratio of the soil are
 - (A) 19.4, 0.81
- (B) 18.5, 0.30
- (C) 19.4. 0.45
- (D) 18.5, 0.45
- Q.46 The factor of safety of an infinite soil slope shown in the figure having the properties c=0, c = 0, $\phi = 35^{\circ}$, $\gamma_{dry} = 16kN/m^3$ and $\gamma_{sat} = 20kN/m^3$ is approximately equal to



Q.47 Match the following groups

Group - I

Group – II

- P Constant head permeability test
- 1. Pile foundations

Q Consolidation test

2. Specific gravity

R Pycnometer test

3. Clay soil

- S Negative skin friction
- 4. Sand

- (A) P-4, Q-3, R-2, S-1
- (B) P-4, Q-2, R-3, S-1
- (C) P-3, Q-4, R-2, S-1
- (D) P-4, Q-1, R-2, S-3




http://www.gateforum.com/gate_papers.php

- Q.48 The bearing capacity of a rectangular footing of plan dimensions 1.5m x 3m resting on the surface of a sand deposit was estimated as 600 kN/m² when the water table is far below the base of the footing. The bearing capacities in kN/m² when the water level rises to depths of 3m, 1.5m and 0.5m below the base of the footing are
 - (A) 600, 600, 400

(B) 600, 450, 350

(C) 600, 500, 250

- (D) 600, 400, 250
- Q.49 What is the ultimate capacity in kN of the pile group shown in the figure assuming the group to fail as a single block?



- Q.50 A horizontal water jet with a velocity of 10m/s and cross sectional area of 10mm² strikes a flat plate held normal to the flow direction. The density of water is 1000 kg/m³. The total force on the plate due to the jet is
 - (A) 100N
- (B) 10N
- (C) 1N
- (D) 0.1N
- Q.51 A 1:50 scale model of a spillway is to be tested in the laboratory. The discharge in the prototype is $1000M^3$ /s. The discharge to be maintained in the model test is
 - (A) $0.057 \text{m}^3/\text{s}$
- (B) 0.08m²/s
- (C) 0.57m³/s
- (D) 5.7m³/s
- Q.52 A triangular open channel has a vertex angle of 90⁰ and carries flow at a critical depth of 0.30m. the discharge in the channel is
 - (A) 0.08m³/s
- (B) $0.11 \text{ m}^3/\text{s}$
- (C) $0.15 \text{ m}^3/\text{s}$
- (D) $0.2 \text{ m}^3/\text{s}$
- Q.53 Flow rate of a fluid (density = 1000kg/m³) in a small diameter tube is 800 m³/s. The length and the diameter of the tube are 2m and 0.5mm, respectively. The pressure drop in 2m length is equal to 2.0MPa. The viscosity of the fluid is
 - (A) 0.025N.s/m²
- (B) 0.012N.s/m²
- (C) 0.0092 N.s/m²
- (D) 0.00102 N.s/m²



| CE | Civil Engineering: Gate 2007 Paper http://www.gateforum.com/gate_papers.php

Q.54	The flow rate in a wide rectangular open channel is 2.0m^3 /s per meter width. The channel bed slope is 0.002. The Manning's roughness coefficient is 0.012. The slope of the channel is classified as					
	(A) Critical	(B) Horizontal	(C) Mild		(D) Steep	
Q.55	grown in the entire are	e culturable command area for a distributary channel is 20,000 hectares. Wheat own in the entire area and the intensity of irrigation is 50%. The kor period for leat is 30 days and the kor water depth is 120mm. The outlet discharge for the tributary should be				
	(A) $2.85 \text{m}^3/\text{s}$	(B) 3.21 m ³ /s	(C) 4.63n	n^3/s	(D) 5.23 m ³ /s	
Q.56	An isolated 4-hour stor	rm occurred over	a catchment as	s follows		
	Time	1 st hour	2 nd hour	3 rd hour	4 th hour	
	Rainfall (mm)	9	28	12	7	
Q.57	The \$\phi\$ index for the cat catchment due to the all (A) 10mm Two electrostatic precipate the upstream and down What is the overall efficiency of the catches and the catches are catches and the catches are catches and the catches are catches ar	bove storm is (B) 16mm pitators (ESPs) a stream ESPs for	(C) 20mm are in series. The size d _p are 80%	n e fractional e % and 65%. F	(D) 23mm efficiencies of	
	(A) 100%	(B) 93%	(C) 80%		(D) 65%	
Q.58	50g of CO ₂ and 25g of CH ₄ are produced from the decomposition of municipal solid waste (MSW) with a formula weight of 120g. What is the average per capitagreen house gas production in a city of 1 million people with a MSW production rate of 500 ton / day? (A) 104 g/day (B) 120 g/day (C) 208 g/day (D) 313 g /day					
Q.59	The extra widening recoff 300 m radius, considis	=				
		(B) 0.62m	(C) 0.82n	n	(D) 0.92m	
Q.60	While designing a hill road with a ruling gradient of 6%, if a sharp horizontal curve of 50m radius is encountered, the compensated gradient at the curve as per the Indian Roads Congress specifications should be					
	(A) 4.4%	(B) 4.75%	(C) 5.0%		(D) 5.25%	

G	TEFORUM gineering Success			httr			g: Gate 2007 Paper /gate_papers.php
Q.61							on time of 2.5
	(A) 82.1n	1	(B) 102.4	((C) 164	.2m	(D) 186.4m
Q.62	laying ten The coeff	nperature is in its incient of their compresses	rmal expansion	of conc he thickr	slab ter	mperature in s 0 x 10 ⁻⁶ mm/n e spacing betv	vement. The ummer is 60° C. nm / $^{\circ}$ C and the ween expansion (D) 40m
Q.63	The following data pertains to the number of commercial vehicles per day for the design of a flexible pavement for a national highway as per IRC: 37-1984 Type of commercial Number of vehicles per day Vehicle Damage Factor vehicle considering the number of lanes Two axle trucks 2000 5 Tandem axle trucks 200 6						
Assuming a traffic growth factor of 7.5% per annum for both the types of vehicles, the cumulative number of standard axle load repetitions (in million a design life of ten years is					in million) for		
	(A) 44.6	T F	(B) 57.8		(C) 62.4	0	(D) 78.7
Q.64	Match the	following t	ests on aggrega	te and it	s prope	rties	cess
		TEST				PROPERT	V
	_						1
	P.	Crushing T	est		1.	Hardness	
	Q.	Los Angles	abrasion test		2.	Weathering	
	R.	Soundness	test		3.	Shape	
	S.	Angularity	test		4.	Strength	
		Q-1, R-4, S-3 Q-2, R-1, S-4		(B) P-4, (D) P-4	_		

Q.65 The plan of a map was photo copied to a reduced size such that a line originally 100mm, measures 90mm. The original scale of the plan was 1:1000. The revised scale is

(A) 1:900

(B) 1:11111

(C) 1:1121

(D) 1:1221



Q.66 The following table gives data of consecutive coordinates in respect of a closed theodolite traverse PQRSP.

Station	Northing, m	Southing, m	Easting, m	Westing, m
P	400.75			300.5
Q	100.25		199.25	
R		199.0	399.75	
S		300.0		200.5

The magnitude and direction of error of closure in whole circle bearing are

(A) 2.0m and 45^0

(B) 2.0m and 315^0

(C) 2.82m and 315^0

(D) 3.42m and 45^0

Q.67 The following measurements were made during testing a leveling instrument.

1	Instrument at	Staff Reading at				
	instrument at	P_1	Q_1			
	P	2.800m	1.700m			
	Q Eng	2.700m	1.800m			

 P_1 is close to P and Q_1 is close to Q. If the reduced level of station P is 100.000m, the reduced level of station Q is

(A) 99.000m

(B) 100.000m

(C) 101.000m

(D) 102.000m

Q.68 Two straight lines intersect at an angle of 60° . The radius of a curve joining the two straight lines is 600m. The length of long chord and mid-ordinates in metres of the curve are

(A) 80.4, 600.00

(B) 600.0, 80.4

(C) 600.0, 39.89

(D) 40, 89,300

Q.69 The magnetic bearing of a line AB is S 45⁰ E and the declination is 5⁰ West. The true bearing of the line AB is

(A) S 45° E

(B) S 40° E


(C) S 50^0 E

(D) $S 50^0 W$

COMMON DATA QUESTIONS Common Data for Questions 70 and 71

Water is flowing through the permeability apparatus as shown in the figure. The coefficient of permeability of the soil is km/s and the porosity of the soil sample is 0.50.





- Q.70 The total head, elevation head and pressure head in metres of water at the point R shown in the figure are
 - (A) 0.8, 0.4, 0.4

(B) 1.2, 0.4, 0.8

(C) 0.4, 0, 0.4

- (D) 1.6, 0.4, 1.2
- Q.71 What are the discharge velocity and seepage velocity through the soil sample?
 (A) k, 2k (B) 2/3k, 4/3k (C) 2k,k (D) 4/3k, 2/3k

Common Data for Questions 72 and 73:

Ordinates of a 1-hour unit hydrograph at 1 hour intervals, starting from time t = 0, are 0, 2, 6,4,2,1 and 0 m³/s.

- Q.72 Catchment area represented by this unit hydrograph is
 - (A) 1.0 km^2
- (B) 2.0 km^2
- (C) 3.2 km^2
- (D) 5.4 km^2
- Q.73 Ordinate of a 3-hour unit hydrograph for the catchment at t=3 hours is
 - (A) $2.0 \text{m}^3/\text{s}$
- (B) $3.0 \text{m}^3/\text{s}$
- $(C) 4.0 \text{m}^3/\text{s}$
- (D) $5.0 \text{m}^3/\text{s}$

Common Data for Questions 74 and 75:

A completely mixed activated sludge process is used to treat a wastewater flow of 1 million litres per day (1 MLD) having a BOD $_5$ of 200 mg/L. The biomass concentration in the aeration tank is 2000 mg/L and the concentration of the net biomass leaving the system of 50mg/L. the aeration tank has a volume of 200 m 3 .

- Q.74 What is the hydraulic retention time of the wastewater in aeration tank?
 - (A) 0.2h
- (B) 4.8h
- (C) 10h
- (D) 24h



- Q.75 What is the average time for which the biomass stays in the system?
 - (A) 5h
- (B) 8h
- (C) 2days
- (D) 8 days

Linked Answer Questions: Q.76 to Q.85 carry TWO marks each Statement for Linked Answer Questions 76 and 77

A two span continuous beam having equal spans each of length L is subjected to a uniformly distributed load ω per unit length. The beam has constant flexural rigidity.

- O.76 The reaction at the middle support is
 - $(A) \omega L$
- (B) $\frac{5\omega L}{2}$ (C) $\frac{5\omega L}{4}$ (D) $\frac{\omega L^2}{16}$

Statement for Linked Answer Questions 78 and 79


A singly reinforced rectangular concrete beam has a width of 150mm and an effective depth of 330mm. The characteristic compressive strength of concrete is 20 MPa. Adopt the stress block for concrete as given in IS 456-2000 and take limiting value of depth of neutral axis as 0.48 times the effective depth of the beam.

- The limiting value of the moment of resistance of the beam is kN.m is
 - (A) 0.14
- (B) 0.45
- (C) 45.08
- (D) 156.82
- The limiting area of tension steel in mm² is
 - (A) 473.9
- (B) 412.3 (C) 373.9

Statement for Linked Answer Questions 80 and 81

The ground conditions at a site are as shown in the figure. The water table at the site which was initially at a depth of 5m below the ground level got permanently lowered to a depth of 15m below the ground level due to pumping of water over a few years. Assume the following data

- unit weight of water = $10kN/m^3$ i.
- unit weight of sand above water table = 18kN/m³ ii.
- unit weight of sand and clay below the water table = $20kN/m^3$ iii.
- coefficient of volume compressibility = 0.25m²/MN iv.





Q.80 What is the change in the effective stress in kN/m² at mid-depth of the clay layer due to the lowering of the water table?

(A) 0

(B) 20

(C) 80

(D) 100

Q.81 What is the compression of the clay layer in mm due to the lowering of the water table?

(A) 125

(B) 100

(C) 25

(D) 0

Statement for Linked Answer Questions 82 and 83

A rectangular open channel needs to be designed to carry a flow of 2.0m³/s under uniform flow conditions. The Manning's roughness coefficient is 0.018. The channel should be such that the flow depth is equal to half the width, and the Froude number is equal to 0.5.

Q.82 The bed slope of the channel to be provided is

(A) 0.0012

(B) 0.0021

(C) 0.0025

(D) 0.0052

Q.83 Keeping the width, flow depth and roughness the same, if the bed slope of the above channel is doubled, the average, boundary shear stress under uniform flow conditions is

(A) 5.6 N/m^2

(B) 10.8 N/m^2

(C) 12.3 N/m^2

(D) 17.2 N/m^2

Statement for Linked Answer Questions 84 and 85

A plain sedimentation tank with a length of 20m, width of 10m, and a depth of 3m is used in a water treatment plant to treat 4 million litres of water per day (4 MLD). The average temperature of water is 20°C. The dynamic viscosity of water is 1.002 x 10⁻³ N.s/m² at 20°C. Density of water is 998.2 kg/M³. Average specific gravity of particles is 2.65.

Q.84 What is the surface overflow rate in the sedimentation tank?

(A) $20\text{m}^3 / \text{m}^2 / \text{day}$

(B) $40\text{m}^3 / \text{m}^2 / \text{day}$

(C) $67m^3 / m^2 / day$

(D) $133\text{m}^3 / \text{m}^2 / \text{day}$

Q.85 What is the minimum diameter of the particle which can be removed with 100% efficiency in the above sedimentation tank?

(A) 11.8 x 10⁻³ mm

(B) $16.0 \times 10^{-3} \text{ mm}$

(C) 50 x 10^{-3} mm

(D) $160 \times 10^{-3} \text{ mm}$