2014

Mating of two - YAD of a cattle breed bil e Red DaY DOLOH : TOSEBUS ancestors

SESSION: MORNING TIME: 10.30 A.M. TO 11.50 A.M.

MAXIMUM MARKS	TOTAL DURATION	MAXIMUM TIME FOR ANSWERING
60	80 MINUTES	70 MINUTES

MENTION YOUR	QUESTION BOOKLET DETAILS				
CET NUMBER	VERSION CODE	SERIAL NUMBER			
	A-1	149073			

DOs:

- 1. Check whether the CET No. has been entered and shaded in the respective circles on the OMR answer sheet.
- 2. This Question Booklet is issued to you by the invigilator after the 2nd Bell i.e., after 10.30 a.m.
- 3. The Serial Number of this question booklet should be entered on the OMR answer sheet.
- 4. The Version Code of this question booklet should be entered on the OMR answer sheet and the respective circles should also be shaded completely.
- 5. Compulsorily sign at the bottom portion of the OMR answer sheet in the space provided.


DON'TS:

- 1. THE TIMING AND MARKS PRINTED ON THE OMR ANSWER SHEET SHOULD NOT BE DAMAGED/MUTILATED/SPOILED.
- 2. The 3rd Bell rings at 10.40 a.m., till then;
 - Do not remove the paper seal present on the right hand side of this question booklet.
 - · Do not look inside this question booklet.
 - Do not start answering on the OMR answer sheet. 23 O H2O1 B H2RD A (1)

IMPORTANT INSTRUCTIONS TO CANDIDATES

- 1. This question booklet contains 60 questions and each question will have one statement and four distracters. (Four different options / choices.)
- 2. After the 3rd Bell is rung at 10.40 a.m., remove the paper seal on the right hand side of this question booklet and check that this booklet does not have any unprinted or torn or missing pages or items etc., if so, get it replaced by a complete test booklet. Read each item and start answering on the OMR answer sheet.
- 3. During the subsequent 70 minutes:
 - · Read each question carefully. Influvectoring energy properties of the Read each question carefully.
 - Choose the correct answer from out of the four available distracters (options / choices) given under each question / statement.
 - Completely darken / shade the relevant circle with a BLUE OR BLACK INK BALL POINT PEN
 against the question number on the OMR answer sheet.

Correct Method of shading the circle on the OMR answer sheet is as shown below:



- 4. Please note that even a minute unintended ink dot on the OMR answer sheet will also be recognised and recorded by the scanner. Therefore, avoid multiple markings of any kind on the OMR answer sheet.
- 5. Use the space provided on each page of the question booklet for Rough Work. Do not use the OMR answer sheet for the same.
- 6. After the **last bell is rung at 11.50 a.m.**, stop writing on the OMR answer sheet and affix your LEFT HAND THUMB IMPRESSION on the OMR answer sheet as per the instructions.
- 7. Hand over the OMR ANSWER SHEET to the room invigilator as it is.
- 8. After separating the top sheet (Our Copy), the invigilator will return the bottom sheet replica (Candidate's copy) to you to carry home for self-evaluation.
- 9. Preserve the replica of the OMR answer sheet for a minimum period of ONE year.




B

2014

- 1. Mating of two varieties of a cattle breed like Red Dane which have no common ancestors on either side of their pedigree up to 4-6 generations is an example for _____.
 - M.A (1) Inbreeding
- (2) Cross breeding
- Out crossing
- (4) Inter-specific hybridization Manual Manu

2. Identify the hormones 'A', 'B' and 'C' that are labelled in the given flow chart :



- (1) A GnRH, B ICSH, C FSH
- (2) A GH, B FSH, C LH
- (3) A GnRH, B PRL, C ICSH
- (4) A GnRH, B FSH, C LH
- 3. Statement A: Photorespiration decreases photosynthetic output.

Statement B: In photorespiratory pathway, neither ATP nor NADPH is produced.

- (1) Both the statements A and B are correct.
 - (2) Both the statements A and B are wrong, and galland to health to be to be
 - (3) Statement A is correct and statement B is wrong.
- believe by (4) Statement B is correct and statement A is wrong.

 Identify the incorrect statement from the following: (1) The reservoir pool for phosphorous cycle is earth's crust whereas atmost is the reservoir pool for carbon cycle. (2) During carbon cycle and phosphorous cycle, there is very little respirelease of carbon and phosphorous respectively. (3) Atmospheric inputs of phosphorous through rainfall are much smaller carbon inputs. (4) Gaseous exchanges of phosphorous between organism and environment negligible. 	ratory than
 The result of the following reaction/experiment carried out by Avery et. a Streptococcus pneumoniae has proved conclusively that DNA is the genetic material Live 'R' strain + DNA from 'S' strain + DNAase Heat killed 'R' strain + DNA from 'S' strain + DNAase Live 'R' strain + DNA from 'S' strain + RNAase Live 'R' strain + Denatured DNA of 'S' strain + protease Match the storage products listed under Column-I with the organisms given 	10. 1
Column-II; choose the appropriate option from the given choices. Column – I A. Glycogen B. Pyrenoids C. Laminarin and mannitol D. Floridean starch (1) A-r, B-s, C-p, D-t (3) A-t, B-s, C-p, D-r (4) A-q, B-p, C-s, D-r	7 .11
7. Identify the desirable characteristics for a plasmid used in rDNA technology fro following: A Ability to multiply and express outside the host in a bioreactor.	m the

- B. A highly active promoter
- C. A site at which replication can be initiated
- D. One or more identifiable marker genes
- E. One or more unique restriction sites

- (1) A, C and E only (2) B, C and E only (3) A, C, D and E only (4) B, C, D and E only (5)

8.		mpounds were used by Miller in his experiment for obtaining amino a	cids and	
ere	other orga	(1) The reservoir pool for phosphorous cycle is en? eservoir		
	(1)	Carbon dioxide, water vapour and methane loog noves and air		
ory	ti(2) espiral	Methane, ammonia, water vapour and hydrogen cyanide (2)		
	(3)	Ammonia, methane, hydrogen and water vapour has to seed on		
han	h (A)naller t	Ammonia, methane and carbon dioxide a sugar anadasom A (E)		
		carbon inputs.		
9.	Which of	the following is true for eutrophicated water body?		
	(1)	High mineral content (2) High oxygen content		
		Rich species diversity (4) Low organic content		
		result of the following reachantesperiment carried by Averproceens paramoniae has proved conclusively that DNA is the genetic		
10.	IUDs which	ch are used by females a mont Avid + many [7] on [1]		
	(1)	act as spermicidal jellies a mon AVCI + nights 13t belliol heek (2)		
	(2)	block the entry of sperms into vagina and and a many street of sperms into vagina and sperms into vag		
	(3)	are implanted under the skin and they release progestogen and estrogen		
	(4)	release copper ions in the uterus that increase phagocytosis of sperms		
		tch the storage products listed under Column-1 with the organism		
11.		the following hormones are secreted in large quantities during pregr		
	women?	Column - 1 Column - II		
	(1)	hCG, progesterone, estradiol and FSH		
	(2)	hCG, hPL, progesterone, estrogen and LH		
	(3)	LH, estrogen and estradiol		
	(4)	hCG and hPL sweening as done in spirotiff		
12.	The kind of	of coelom represented in the diagram given below is characteristic of:		
		Ectoderm		
		entity the desirable chamboons Endoderm in rDNA technology		
		Ability to multiply and express ou		
		Mesoderm Mesoderm		
	(1)	Earthworm (2) Cockroach		
	(3)	Round worm a base (4) Tape worm		
		Earthworm Action 2 (2) Cockroach Control of Cockroach Co	C. D. E.	

		tilein. Hand or totalpe station essay is to the is resorted (F)
	(4)	They can take care of their young ones as they have mammary glands to suckle them.
	10 well (3)	They have the ability to maintain constant body temperature.
	1980011 (2)	unfavourable conditions in the environment.
		They can reduce metabolic activity and go into a state of dormancy during
1/.	(1)	They can conform to the changes in the environment.
17	The succe	22. One of the following statements; sausad ylagral ai three no slammam to see
	(4)	preventing the process of splicing of hnRNA
	(3)	preventing the process of replication of DNA preventing the process of splicing of hnRNA (4)
	(2)	preventing the process of replication of DNA
		preventing the process of transcription stages and preventing the process of transcription stages and preventing the process of transcription stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages and preventing the process of transcription stages are stages at the process of transcription stages at the process of transcription stages are stages at the process of transcription stages are stages at the process of transcription stages at the process of transcription stages are stages at the process of transcription stages at the process of transcription stages are stages at the process of transcription stages at the process of transcription stages at the process of transcription stages at the process at the process of transcription stages at the process of transcription stages at the process of transcription stages at the proc
		preventing the process of translation of mRNA and an analy A (1)
16.		reference which is employed in making tobacco plant resistant to Meloidegynes is essentially involved in
	(3)	Ascaris enoisonia (4) Plasmodium enoisonoli (E)
	(1)	wuchereria (2) Trichophyton
		20. Marchanna is considered as a be-infection by
15.		leeding, muscular pain, blockage of the intestinal passage and anaemia are some
	(4)	Statement B is correct and statement A is wrong. (2) (3)
	(3)	Statement A is correct and statement B is wrong.
	(2)	Both the statements are correct and B is not the reason for A.
	(1)	Both the statements are correct and B is the reason for A. and 18 do 19
	Statemen	t B: Chromatids of a chromosome split (separate) and move towards opposite poles during anaphase of mitosis.
14.		t A: For a particular character in an individual, each gamete gets only one allele.
	(4)	Cells of nucellus of ovule - 2n spend to be a standard and do so the standard of the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of ovule - 2n spend to the cells of nucellus of
	(3)	Primary endosperm nucleus – 3n
	(2)	Vegetative cell of male gametophyte – n
	(1)	and suppresses the immune response in addition to its print of a slaboqitan
13.	with respe	ect to angiosperms, identity the incorrect pair from the following:

18.			e of the following hormones also produces anti-inflammatory recesses the immune response in addition to its primary functions?	
		(1)	Cortisol (2) Thymosin	
		(3)	Thyrocalcitonin (4) Frythropoietin	
		(5)	Primary endosperm medecus - an	
19.			microbial products listed under Column-I with the related microl; choose the appropriate option from the given choices.	bes given under
	only	Colu	A: For a particular che II - nmulo Individual, each gI - nm	14. Statement
	A.	Citri	c acid p. Methanobacterium	
	B.o	Cycl Stati	n r. Aspergillus niger	
	D.	Gob	ar gas Andres S. S. Trichoderma polysporum anatas adi dia	
			And noeset. Clostridium butylicum ansmesses and most	
		(1)	A-r, B-s, C-q, D-p a mamatate bas to too at A memoral S	
		(2)	Statement B is correct and statement A is a Correct and Statement B is corr	
		(3)	A-q, B-s, C-t, D-r	
		(4)	A-r, B-s, C-q, D-t	
			ntoms caused due to infection by	
20.	Marc	chanti	a is considered as a heterothallic plant because it is	(1)
		(1)	Heterogametre (2) Disexual	
		(3)	Monoecious (4) Dioecious	
21.	Ident		le set of characteristics related to plants belonging to family Fab	
		(1)	Actinomorphic flower, syncarpous ovary and marginal placenta	tion)
		(2)	Persistent calyx, epipetalous stamens and leguminous fruit	
		(3)	Papilionaceous corolla, axile placentation and leguminous fruit	
		(4)	Vexillary aestivation of corolla, diadelphous stamens and runilocular ovary	nonocarpellary,
22.	One		following statements is incorrect with reference to biodiversity.	Identify it.
		(1)	Biodiversity increases from higher altitudes to lower altitudes.	(1)
		(2)	Depletion in genetic diversity of crop plants is mainly due to to of better varieties with high yield, disease resistance, etc.	he introduction
		(3)	The richest reservoirs of animal and plant life (species richness)	with few or no
	to su		threatened species are called "biodiversity hotspots".	
		(4)	Biodiversity decreases from the equator to polar regions.	
			Space For Rough Work	

23.	In castor a	28. Identify the DNA segment which is not a patind: .mic seen, stnalq sziam bn
	(1)	autogamy is prevented but not geitonogamy
	(2)	both autogamy and geitonogamy are prevented a DAATTO E
	(3)	male and female flowers are borne by different plants
	(4)	the anthers and stigma are placed at different positions to encourage cross
		(3) 5' GGATCC 3' noitanillog
24.	heterozyg	pea, round shape of seeds is dominant over wrinkled shape. A pea plant ous for round shape of seed is selfed and 1600 seeds produced during the cross wently germinated. How many seedlings would have the parental phenotype?
	(1)	1600 (2) 800
	(3)	29. During sometic hybridization in place (4) 1000 (4) 0001 (4) 0004 (1) sometiones are produced in large numbers
25.	Which of medium h	the following events would occur in 'Lac-operon' of E. coli when the growth as high concentration of lactose?
bea	a(1) young	The structural genes fail to produce polycistronic mRNA. (4)
	(2)	
	(3)	The repressor protein attaches to the promoter sequence and derepresses the operator.
		The inducer molecule binds to repressor protein and RNA polymerase binds to promoter sequence.
		(3) Statement A is correct and statement B is wrong,
26.	The matu	re infective stages of malarial parasite which are transferred from mosquito to
	(1)	Sporozoites same and of vi (2) Merozoites sewoff seculous male a 11 .18
	(3)	그 보다 하는 사람들이 살아 있다면 하는 사람들이 있는데 하고 있다면 하는데
27.	One of the	e following refers to Allen's rule:
	(1)	If the stressful conditions are localized or remain only for a short duration, an
		organism either migrates or suspends itself. Lixoib nodes on asw end 11
	(2)	Mammals from colder climates have shorter ears and limbs to minimize heat loss.
	(3)	An organism can move from a stressful habitat to a more hospitable area and return when the stressful period is over.
	(4)	Low atmospheric pressure in higher altitudes results in altitude sickness.
-		Space For Rough Work
		A KANA A MANAGEMENT AND A

28. Identify the DNA segment which is not a palindromic sequence in exist but notes all	23
(1) autogamy is prevented but not geitonogamy '5 GTTAAD'5 (1)	
(2) both autogamy and gertonogamy are prevented '5 DAATTO'S	
(2) 5' CCCGGG3' male borne by different 'S CCCGGG' (8)	
(4) the anthers and stigms are placed at different 2000 200 300 cross-	
(3) 5' GGATCC 3' noitenillog	
3' GGTACC 5'	
In garden pea, round shape of seeds is dominant o'c 202020202020 (4) pea plant heterozygous for round shape of seed is selfed and 1000202020 (4) pea plant are subsequently germinated. How many seedlings would have the parental phenotype?	24
(1) 1600 (2) 800	
29. During somatic hybridization in plants,	
(1) somaclones are produced in large numbers	
(2) the apical meristems are cultured to get virus-free plants(3) the cell walls and the middle lamella are digested before fusing the cells	25
	4
(4) crop plants with higher levels of vitamins, proteins and minerals are hybridise	u
30. Statement A: The secretion of collaterial gland forms the egg case in cockroach. Statement B: The development in cockroach is hemimetabolous.	
of about (1) Both the statements A and B are correct and B is the reason for A. (4)	
(2) Both the statements A and B are correct and B is not the reason for A.	
(3) Statement A is correct and statement B is wrong.	
나 보다 하는 사람이 살아보다 하는 것이 없는데 나를 받으면 하는데	26.
man are	
31. If a plant produces flowers when exposed only to alternating periods of 5 hours light an 3 hours dark in a 24 – hour cycle, then the plant should be a	d
(1) Short day plant (2) Long day plant	
(3) Short-long day plant (4) Day neutral plant griwollol and to ano	27
(1) If the stressful conditions are localized or remain only for a short duration, an	
32. If there was no carbon dioxide in the earth's atmosphere, the temperature of the earth'	S
(2) Mammals from colder climates have shorter e.rs and 11 ad bluow earling hear	
(1) same as the present level	
bus as as (2) more than the present level says a mond syour ass manager a. (6)	
(3) less than the present level (4) dependent on the oxygen content in the atmosphere (5)	
(4) dependent on the oxygen content in the atmosphere (4)	

33.	One o	f the	follov	ving is	inco	rrect a	bout c	ancer c	ells	ckle cell anaemia is caused due to	37. Sic
		(1)								(1) Valine at the 6th pnoitidi	
		(2)	They	are m	etast	atic.		ition of			
		(3)	They	exhib	it ma	ss prol	iferati	on.		(3) Valine at the 6th position	
		(4)	They	are pr	oduc	ed whe	n cell	ular one	cog	enes of normal cells are activated	
24	Thora	antea	00000	dunlia	otos	durina	tha				
34.						during		(2)	sori	phase of cell cycle	38. Su
										hase of cell cycle	
		(3)	$G_2 - 1$	phase						nase of cell cycle mut B: The hnRNA in hun	St
35.										se given under Column-II; choo	ose the
	appro	priat	e optio	n fron	n the	given	choice	es. 978 8			
										(3) States II - nmulo (c)	
	A.	Resi	dual V	olume	e (R)) anotwa	nt B.is	Pataterne	bn		
	В.	Insp	iratory	Rese	ve V	olume	(IRV)) ().	1100 ml – 1200 ml	
	C.	Vita	l Capa	city (\	/C)			R		1000 ml – 1100 ml	
	D.	-				olume				3000 ml - 3500 ml	
	E.	Insp	iratory	Capa	city ((IC)		T (2)		2500 ml – 3000 ml	
			A	В	C	ni Dgo	ibig	(4)		(3) Pivot joint	
		(1)	Q	R	S	T	P				
=orit	entify	(2)	no Rad	grixi	P	y Piro	S			refully read the following reaction	
		(3)	T	Q	S	R	Pur			tement about these equations wh	
		(4)	Q	T	P	R	S	(A)		$H_3 + 3O_2 \rightarrow 2NO_2 + 2H^* + 2H_2O_2 + 2H_3O_2 + 2H_3O_$	
36.	Whic	h of	the fol	lowing	g stat	ements	is con	rrect?			
		(1)	Elaio	plasts	store	starch	where	eas aleu	rop	plasts store proteins.	
		(2)	Acro	centric	chr	omosor	nes ha	eve only	on	(2) Step (B) is carried mrs 9	
		(3)								asal body.	
		(4)	Mem	branoi	us ex		ns inte	o the c	yto	plasm in cyanobacteria which of	contain

37.	Sickle cell	anaemia is caused due to the substitution of gniwollot and to ano									
	(1) Valine at the 6 th position of alpha globin chain by glutamic acid										
	(2)	Glutamic acid at the 6 th position of beta globin chain by valine (2)									
	(3)	Valine at the 6 th position of beta globin chain by glutamine									
	botsvito (4)	Glycine at the 6 th position of alpha globin chain by glutamic acid									
38.	Statement	t A: The primary transcript produced in eukaryotes is translated without undergoing any modification or processing.									
	Statemen										
	n(1)hoose	Both the statements A and B are correct.									
	(2)	Both the statements A and B are wrong. nevig and more noise assignment									
	(3)	Statement B is correct and statement A is wrong.									
	(4)	Statement A is correct and statement B is wrong. Statement A is correct and statement B is wrong.									
39.	Knee joint	C. Vital Capacity (VC) R. 1000 ml - 1100 ml D. Expiratory Reserve Volume (ERV) S. 3000 ml - 1100 ml									
	(1)	Ball and socket joint (2) Hinge joint									
	(3)	Pivot joint (4) Gliding joint									
40.		read the following reactions carried out by nitrogen fixing bacteria. Identify the about these equations which is not true:									
	2NH ₃ + 30	$O_2 \to 2NO_2^- + 2H^+ + 2H_2O \dots (A)$ (A)									
	$2NO_2^- + O$	36. Which of the following statements is correct ? (B)(B)									
	(1)	Step (A) is carried out by Nitrosomonas or Nitrococcus. (1)									
	(2)	Step (B) is carried out by Nitrobacter. (2)									
	(3)	Both the steps (A) and (B) can be called nitrification.									
nie.	which cont (4)	Both the steps occur only in photoautotrophs.									
		Space For Rough Work									

41.	4					-		under Col from the gi							ler
	Coru				appro		olumn -		·	Horces	8 10 T	1:1		Cell	
	A.	Column – I A. Rhizome						(4)				1:4			
		Offs			p.								(0)		
	В.				q.		yophylli					nania	de chian	Ida	20
	C.	Suck			r.									DDI	46.
	D.							emum 1200					(1)		
								azsmoid bn					(2)		
181		(1)													
		(2)	A-s,	B-t,	C-q,	D-r							(4)		
		(3)	A-r,	B-t,	C-s,	D-q		rally short seach tropi	at bei			rood	(2)		
		(4)	A-q,	В-р,	C-t,	D-s					9	9.00.10			
43.	One	of the (1) (2) (3) (4)	Decr Decr Decr Decr repro	ease in ease i	auses in death in death in infar in infar age abund of plan	n rate, n rate at more ant prents and trans an	matern and increased tality rate ortality oteins in d collage d collage	al mortality rease in mat te and incre rate and de the living ten of anima of animals	rate atternal ease in ecrea world	mortan deat se in	fant nality rath rate the n	d scolar umber	y rate	Col A. B.	in
								nts and mel				63.2V	(4)		
		(7)	AICO	nor de	ilyulo	genas	c or pra								O.K.
44	0	- C 41-	1-!	C			1 C. 11.						ya s'ny		
44.		or the				nong t	ne folic	owing for th						speci	ies
	mak	(1)			e effec		-	2) Habita			ploidy		(2)		
								4) Compe					(3)		
		(3)	Over	-nunti	ing and					and	predat	TOHOL	(4)		
						Sp	ace For	Rough Wor	rk						

45.01										m one malesex cell?		
		(1)	1:1	or Sum	res p	•		Colu8m	Parada	1 – am		
		(3)	1:4				A STATE OF	Agasle:				
								Bryophy				
46.	Ident	ify th	e incorre	ect stater	nent	from the						
		(1)							etimes it	may be inv		.d
		(2)			-					nt or inverte		
		(3)	Pyrami	d of bic	mas		is gen	erally inv	verted as	the bioma	ss of	fish far
		(4)						ith few tr	ophic le	vels as only	y 10%	of the
47.	Colu	mn-Il	; choose	the app	ropri	ate optio	n from	the given	choices.	explanation	n given	n under
	A.	Phos	sphoenol	l pyruvat	e (P)	EP)	eggeno	6 – carbo	n compo	und		
	B.	Ribu	lose bip	hosphate	e (Ru	iBP)	rate,pn	2 - carbo	n compo	und		
	Close	Oxa	loacetic	acid (OA	(AA)		y rate	4 – carbo	n compo	Deere bnu		
	D.	Ace	tyl co-en	nzyme –	A		S.	5 – carbo	n compo	und		
							t.	3 – carbo	n compo	und		
		(1)	A-r, E	3-s, C-t	D.	p gnivil		it proteins	abundar	are the most		43.
		(2)	A-q, E	3-r, C-s	, D	ziemins'		s and coll		Ribozyme		
		(3)	A-t, E	3-s, C-r	, D.	animalp-	gen of	and colls	of plants	RuBisCO	(2)	
		(4)	A-t, E	3-p, C-9	, D	-r slami	n of an			PEPcase of		
					in of					Alcohol d		
48.	Down	n's sy	yndrome	is an ex	ampl	le for						
	f spec	(1)d	Aneupl	loidy of	sex c	chromoso	me		ons amo			44. One
		(2)	Aneupl	loidy of	autos	some			si l			
		(3)	•			ue to gen	e muta	tion	se effect	Greenhou		
		(4)	Loss of	fone sex	- ch	romosor	ne fron	the diplo	oid set	Over-hum		
						Space Fo	or Roug	h Work				

49.						
	commensa (1)	true birmar A spin of a proposed and separate measurement.	(1)			
	(3)	Wasps and fig tree (2) Cuckoo and crow Cattle or sheep and grass (4) Orchid and mango tree	(2)			
	1 /	A mesh-like: structure formed by the association of bacter	(3)			
50.	The germ	pores in the pollen grain are the regions and admending				
		That can withstand high temperature and strong acids and alkalie	es(4)			
	(2)	Through which sperms are released into the female gametophyte				
	(3)	Which are made up of lignin and suberin mi athuren your	ADA defi	55.		
	(4)	Which lack sporopollenin unitertility with the same of intertility with the same of the sa	(1)			
		Inability of the immune system to function normally	(2)			
51.	Heroin is	Chromosomal disorders	(E)			
	(1)	A cannabinoid Diacetylmorphine (chemically) and no lo bleiv edit ni esserced	(4)			
	(2)					
	(3)	Commonly called 'coke' or 'crack'	Dankhadi	56.		
	(4)	Used to treat mental illnesses like depression and insomnia		.00		
52.	Thomasof	Bacterial blight (2) Yellow mosaic virus				
34.	(1)	Bougainvillea and tendrils of Cucurbita are examples for Convergent evolution (2) Divergent evolution	(3)-			
	(3)	Adaptive radiation (4) Co-evolution				
	(3)	lar head of myosin contains	The globu	57.		
53.	Some of t	the steps of DNA fingerprinting are given below. Identify the co	rrect seque	nce		
	(2)					
	A.	Electrophoresis of DNA fragments	(3)			
	B.	Hybridisation with DNA probe	(4)			
	C.	Digestion of DNA by RENs				
	D.	Autoradiography	EcoRI is	58.		
	E.	Blotting of DNA fragments to nitrocellulose membrane		.00		
	(1)	C-A-E-B-D are striction enzyme	(1)			
	(2)	A-C-E-D-B binisald a	(2)			
	(3)	used to join two DNA fragments	(3)			
	(4)	the abbreviation for bacterium Escherichia of B – B – A – A – A – A – A – A – A – A –	(4)			

54.	'Flocks' is	action between the organisms of one of the following pairs is		49.
	(1)	The primary studge produced in sewage treatment		
	(2)	A type of biofortified food		
	(3)	A mesh-like structure formed by the association of bacteri		igal
		filaments in sewage treatment and the many noting and mi zoroq		50.
	(4)	The effluent in primary treatment tank obtained during sewage tre		
		Through which sperms are released into the female gametophyte		
55.	ADA defic	ciency results inaredua bas aingit to qu obsar sus doldW		
	(1)			
	(2)	Inability of the immune system to function normally		
	(3)	Chromosomal disorders		
			(1)	
	. (4)	Decrease in the yield of crop plants and analysis of the plants and analysi		
		Commonly called 'coke' or 'crack'		
56.	Parbhani k	cranti, a variety of bhindi (lady's finger), is resistant to		
	(1)	Bacterial blight (2) Yellow mosaic virus		
	(3)	Black rot Selquisses State (4) Leaf curl		52.
		Convergent evolution (2) Divergent evolution		
57.	The globu	lar head of myosin contains		
nce	(1) seque	Calcium ions in large quantities		\$3.
	(2)	Troponin : nevig anotique		
	(3)	ATPase enzyme enzyme AMG to aisenoidousella		
	(4)	Hybridisation with DNA probe	.B	
	(')	Digestion of DNA by RENs		
# 0	FDI:-	Autoradiography	D.	
58.	EcoRI is _	Blotting of DNA fragments to nitrocellulose membrane		
	(1)	a restriction enzyme		
	(2)	A-C-E-D-B		
	(3)	used to join two DNA fragments		
	(4)	the abbreviation for bacterium Escherichia coli		

- 59. 'Roquefort cheese' is ripened by using a _____
 - (1) Type of yeast
- (2) Fungus

(3) Bacterium

- (4) Cyanobacteria
- 60. In this diagram showing the L.S. of an embryo of grass, identify the answer having the correct combination of alphabets with the right part:




- (1) A Root cap, B Coleoptile, C Scutellum, D Coleorhiza, E Epiblast, F Shoot apex
- (2) A Shoot apex, B Epiblast, C Coleorhiza, D Scutellum, E Coleoptile, F Radicle
- (3) A Epiblast, B Scutellum, C Coleoptile, D Radicle, E Coleorhiza, F Shoot apex
- (4) A Epiblast, B Radicle, C Coleoptile, D Scutellum, E Coleorhiza, F Shoot apex

59.

- (1) Type of yeast
- (2) Fungu

Bacterium

-) Cyanobacteria
- 60. In this diagram showing the L.S. of an embryo of grass, identify the answer having the correct combination of alphabets with the right part;



- (2) A Shoot apex, B Epiblast, C Coleorhiza, D Scutellum, E Coleoptile,
 F Radicle
- (3) A Epiblast, B Scutellum, C Coleoptile, D Radicle, E Coleothiza,
 F Shoot apex
- A Epiblast, B Radicle, C Coleoptile, D Scutellum, E Coleorhiza,
 F Shoot apex