

AMIETE – CS/IT (NEW SCHEME)

Time: 3 Hours

DECEMBER 2011

Max. Marks: 100

NOTE: There are 9 Questions in all.

- Please write your Roll No. at the space provided on each page immediately after receiving the Question Paper.
- Question 1 is compulsory and carries 20 marks. Answer to Q.1 must be written in the space provided for it in the answer book supplied and nowhere else.
- The answer sheet for the Q.1 will be collected by the invigilator after 45 Minutes of the commencement of the examination.
- Out of the remaining EIGHT Questions, answer any FIVE Questions. Each question carries 16 marks.
- Any required data not explicitly given, may be suitably assumed and stated.

Q.1 Choose the correct or the best alternative in the following: (2×10)

a. Given two sorted lists of size 'm' and 'n' respectively. The number of comparisons needed in the worst case by the merge sort algorithm will be:

- (A) mn (B) max(m,n)
(C) min(m,n) (D) m+n-1

b. Which algorithm of matrix multiplication runs in $\theta(n^{\lg 7})$ time?

- (A) Strassen's algorithm
(B) Matrix chain multiplication
(C) Naïve Matrix-multiplication algorithm
(D) None of the above

c. Fractional knapsack problem is solvable by:

- (A) Greedy strategy (B) Dynamic programming
(C) Divide and conquer (D) None of the above

d. Prim's algorithm works on which approach?

- (A) Greedy Strategy (B) Dynamic programming
(C) Divide and conquer (D) None of the above

e. Class NPC consists of those problems that are

- (A) Solvable in polynomial time (B) Verifiable in polynomial time
(C) As hard as any problem in NP. (D) None of the above.

Code: AC64/AT64 Subject: DESIGN & ANALYSIS OF ALGORITHMS

f. Which of the following does more work in solving the common sub-problems again and again?


- (A) Dynamic programming does more work than divide and conquer strategy
- (B) Divide and conquer does more work than dynamic programming
- (C) The two approaches are not comparable
- (D) Both does equal amount of work

g. The total running time of DFS is:

- (A) $\theta(V + E)$
- (B) $\theta(VE)$
- (C) $\theta(E \lg V)$
- (D) $\theta(V \lg E)$

h. Consider the graph below and find out valid topological sorting:

- (A) A B C D
- (B) B A C D
- (C) B A D C
- (D) A B D C



i. The matching time taken by KMP algorithm is:

- (A) $\theta(n)$
- (B) $\theta(m |\Sigma|)$
- (C) $O((n - m + a)m)$
- (D) $\theta(n^2)$

j. Which one of the following in place sorting algorithms needs the minimum number of swaps?

- (A) Quick Sort
- (B) Insertion Sort
- (C) Selection Sort
- (D) Heap Sort

**Answer any FIVE Questions out of EIGHT Questions.
Each question carries 16 marks.**

Q.2 a. Briefly discuss all the asymptotic notations with examples. (8)

b. Solve the following recurrences

- (i) $T(n) = T(\sqrt{n}) + \theta(\lg \lg n)$
- (ii) $T(n) = 10T(n/3) + 17n^{1.2}$ (8)

Q.3 a. Write Merge Sort Algorithm. Prove that the running time complexity of Merge sort is $O(n \lg n)$. (8)

Code: AC64/AT64 Subject: DESIGN & ANALYSIS OF ALGORITHMS

- b. Explain Brute Force algorithm for string matching along with time complexity. (8)
- Q.4** a. Give Breadth first traversal algorithm along with its complexity. (8)
- b. Explain the following variable size decrease algorithms:
 (i) Interpolation search
 (ii) Searching and insertion in a binary search tree. (8)
- Q.5** a. Explain various rotations used in AVL trees for balancing a tree. (8)
- b. Illustrate the operation of Heapsort on the array A=< 5,13,2,25,7,17,20,8,4 > and show all the iterations involved in it. (8)
- Q.6** a. Briefly discuss the Kruskal's algorithm for finding out the minimum spanning tree of a graph. Also analyse the time complexity of the Kruskal's algorithm. (8)
- b. Give a Dynamic Programming solution for computing a binomial coefficient. Also discuss its time complexity. (8)
- Q.7** a. Define B-Tree. Also prove that if $n \geq 1$, then for any n-keys B-Tree T of height h and minimum degree $t \geq 2$, then

$$h \leq \log_t \frac{n+1}{2} \quad (8)$$

- b. Explain P, NP and NP complete problems. Give an example for each. (8)
- Q.8** a. Consider a set of 4 objects placed on the shelf along with their values and weights given in a table below:

Item No(i)	Value of the Item(V_i)	Weight of the item(w_i)
1	\$45	3 kg
2	\$30	5 kg
3	\$45	9 kg
4	\$10	5 kg

- The maximum weight of the Knapsack is 16. Solve the above problem by using Branch and Bound Technique to maximize the value contained in the Knapsack. (8)
- b. Describe N-Queens problem in context with Backtracking and also write the algorithm. (8)
- Q.9** a. Explain any four fundamentals used in algorithmic problem solving. (8)
- b. Explain features of any **FOUR** of the following:
 (i) Sorting (ii) Searching
 (iii) String processing (iv) Graph problems
 (v) Combinatorial problems (vi) Geometric problems. (8)