

AIIM PG exam paper 2012

1. A 50 year old female has undergone mastectomy for Ca Breast. After Mastectomy, Patient is not able to extend, adduct and internally rotate the arm. There is damage to nerve supplying which muscle?
A. Latissimus Dorsi
B. Pectoralis Major
C. Teres Minor
D. Long head of Triceps

Ans: A. Latissimus Dorsi

2. Muscle spared by complete transection of cranial part of accessory nerve
A. Stylopharyngeus
B. Palatopharyngeus
C. Salpingopharyngeus
D. Cricopharyngeus

Ans: A. Stylopharyngeus [Not checked]

3. Cervical vertebra is differentiated from the Thoracic vertebra by the presence of (Twisted Nov 2006)
A. Foramen Transversarium
B. Triangular Foramina
C. Upward facing facets
D. Larger Vertebral Body

Ans: A, B, & C. Best Ans: A. Foramen Transversarium

4. In complete unilateral damage to Hypoglossal nerve, all are true EXCEPT (May 2008)
A. Atrophy on affected side
B. Deviation of tongue towards the site of lesion
C. Deviation of Larynx to the contralateral side during swallowing
D. Loss of tactile sensation on tongue on affected side

Ans: D. Loss of tactile sensation on tongue on affected side

5. Which of the following is True?
A. Hypothalamus is part of brainstem
B. Occipital lobe is part of Cerebral Cortex
C. Medulla is part of Limbic System
D. All of the above

Ans: B. Occipital lobe is part of Cerebral Cortex

PHYSIOLOGY

6. CSF pressure is mainly regulated by (May 2011)
A. Rate of CSF formation
B. Rate of CSF Absorption
C. Cerebral Blood Flow
D. Venous Pressure

Ans: B. Rate of CSF Absorption

7. On exposure to cold, a neonate shows all of the following mechanism EXCEPT (Nov 2011, Nov 2006)
A. Shivering
B. Crying and flexion of body like fetus position
C. Cutaneous Vasoconstriction

D. Increased production of Noradrenaline for breakdown of brown fat in adipose tissue

Ans: A. Shivering

8. Without external cues, the sleep-wake cycle in humans (AI 2012)
A. Does not continue
B. Continue with cycle length of 24 hours
C. Continue with cycle length of less than 24 hours

D. Continue with cycle length of more than 24 hours

Ans: D. Continue with cycle length of more than 24 hours [Confirmed]

9. All of the following are true for ADH, EXCEPT
A. Post-operative increase in secretion
B. Neurosecretion
C. Increased secretion when plasma osmolality is low
D. Act on distal tubule and increase permeability

Ans: C. Increased secretion when plasma osmolality is low

10. Critical Closing volume is
A. Volume at the end of forceful expiration
B. Volume at the end of forceful inspiration
C. Volume remaining after Functional Residual Capacity is measured

D. Close to Residual Volume

Ans: D. Close to Residual Volume [Confirmed]

11. During moderate exercise, blood flow to brain (AI 2008)
A. Increases
B. Decreases
C. No Effect

D. First increases then decrease

Ans: C. No Effect

12. Corticospinal injury is associated with all EXCEPT
A. Babinski sign present
B. Loss of fine movements in fingers and hand
C. Superficial abdominal reflex absent

D. Clasp knife rigidity

Ans: C. Superficial abdominal reflex absent [Probable]

13. Ventricular Depolarization starts from
A. Posterobasal part of ventricle
B. Basal part of ventricle
C. Uppermost part of Interventricular septum

D. Left part of Interventricular septum

Ans: D. Left part of Interventricular septum

14. Left lobe is responsible for (?)
A. Appreciation of Music
B. Spatial orientation
C.

Fine Motor Movement / Visual Stimuli Processing (?)

D. Written and Spoken Language

Ans: C. Fine Motor Movement [IMO, not checked]

BIOCHEMISTRY

15. Fluorescence means
A. Spontaneous illumination in dark
B. Release of longer wavelength light on absorbing light of short wavelength
C. Release of shorter wavelength light on absorbing light of longer wavelength

D. Release of equal wavelength light at constant rate

Ans: B. Release of longer wavelength light on absorbing light of short wavelength [Not Checked]

16. Gluconeogenesis in Fasting state is indicated by (?)
A. Citrate activation by acetyl co-a carboxylase (?)
B. Pyruvate Carboxylase activation by Acetyl CoA (?)
C. Fructose 1,6 bisphosphate activation by Pyruvate Kinase (?)

D. Fructose 2,6 bisphosphate activation by PFK-1 (?)

Ans: C. Fructose 1,6 bisphosphate activation by Pyruvate Kinase (?) [Probable, Not checked]

17. DNA estimation can be done by
A. Spirometer
B. Spectrophotometer
C. pH meter

D. Sphygmometer

Ans: B. Spectrophotometer

18. Food with maximum Cholesterol content
A. Egg
B. Coconut Oil
C. Hydrogenated Fats

D. Ghee (Hydrogenated)

Ans: A. Egg [Done Dana Dan]

19. If more than one codon codes for same amino acid, this phenomenon is known as – (Nov 2011, Nov 2006)
A. Degeneracy
B. Frame-Shift Mutation
C. Transcription
D. Mutation

Ans: A. Degeneracy

FORENSIC MEDICINE

20. Last organ to be dissected during autopsy in asphyxia death (May 2008)
A. Neck
B. Head
C. Abdomen

D. Thorax

Ans: A. Neck

21. Active partner in lesbianism is called as
A. Femme
B. Bugger
C. Catamite
D. Dyke

Ans: D. Dyke [Thanks to Educational Movies]

22. A person was found dead with bluish green frothy discharge at the angle of mouth and nostrils. What is the diagnosis?
A. Arsenic poisoning
B. Copper poisoning
C. Mercury poisoning

D. Lead poisoning

Ans: B. Copper poisoning [Probable, Not Checked]

23. Heat stiffening in muscles occurs above temperature (*C)
A. 30
B. 40
C. 50
D. 60

Ans: D. 60

24. A man was found with suicidal shot on right temple. The gun was in his right hand. The skull was burst open. There was charring and cherry red coloration in the track inside. What can be said about shot?
A. Contact Shot
B. Close shot
C. Shot within range of smoking

D. Shot within range of tattooing

Ans: A. Contact Shot

25. Which of the following anti-estrogen drug is used in estrogen receptor positive breast cancer? (Nov 2010, Reverse May 2011)
A. Tamoxifen
B. Clomiphene Citrate
C. Estrogen

D. Adriamycin

Ans: A. Tamoxifen

26. A woman consumes several tabs of Amytryptalline. All of the following can be done except? (Print Mistake Nov 2010)
A. Sodium Phenobarbitone infusion for alkalization of urine
B. Gastric Lavage

C. Diazepam for seizure control

D. Atropine as antidote

Ans: D. Atropine as antidote [A seems doubtful, but D is outright wrong]

27. According to recent Supreme Court Judgment, Doctor can be charged for

Medical Negligence under 304-A, only if A. If he is from corporate hospital B. If negligence is from inadvertent error

C. Res Ipsa Loquitur

D. Gross Negligence

Ans: D. Gross Negligence

28. A person breaks someone's mandible in alleged fight. Police can A. Arrest with warrant B. Arrest without warrant C. Declare him hostile and put him in jail

D. Put him in mental asylum

Ans: ?? [Still no reliable source/reference about whether grievous cognizable or not]

29. Choking is seen in (Repeat) A. Revolver B. Pistol C. Shotgun

D. Rifle

Ans: C. Shotgun

30. In Breslau's second life test, organ tested is A. Brain B. Heart C. Lung

D. Stomach and Intestine

Ans: D. Stomach and Intestine

31. A patient comes with Pinpoint pupil, salivation, tremors and red tears. Cholinesterase level was 30% of Normal. Probable Diagnosis is (?) A. OP Poisoning B. Dhatura

C. _

D. _

Ans: A. OP Poisoning

32. A case of murder with gunshot is reported. A metal bullet is recovered from the body. Primary and Secondary markings on a metal bullet can be used for (?) A.

Identification of weapon B. To know the range of firing

C. Severity of tissue damage

D. _

Ans: A. Identification of weapon [Most Probable, Not checked]

PATHOLOGY

33. Edema in Nephrotic Syndrome is due to (Nov 2010) A. Na⁺ and Water retention B. Increased venous pressure C. Protein Loss

D. Hyperlipidemia

Ans: C. Protein Loss [Opposition, kindly give me solid ref.]

34. Fixative used in Histopathology (Topic AI 2011)(?)A. Ethyl AlcoholB. Buffered Neutral 10% FormalinC. Glutaraldehyde

D. Bouin's Solution (?)

Ans: B. Buffered Neutral 10% Formalin [Not checked]

35. In Barrett's EsophagusA. Intestinal MetaplasiaB. Intestinal DysplasiaC. Gastric Dysplasia

D. Squamous Metaplasia

Ans: A. Intestinal Metaplasia

36. About Bombay Blood Group, all are true EXCEPTA. Lack of A,B and H antigen on RBCB. Lack of A, B and H antigen in SalivaC. Lack of other Blood Group Antigens

D. Presence of Anti-A, Anti-B and Anti-H antibody in blood

Ans: C. Lack of other Blood Group Antigens [Most Probable]

37. Most common mechanism of GERD (?)A. Transient decrease in pressure at lower esophagusB. Hypotension at lower esophageal sphincterC. Hiatus Hernia
D. _

Ans: A. Transient decrease in pressure at lower esophagus [Confirmed in Harribhaiya]

38. Bradykinin in acute inflammation causes (Twisted AI 2010)A. VasoconstrictionB. Pain at the sign of inflammationC. Bronchodilatation
D. Decreased vascular permeability

Ans: B. Pain at the sign of inflammation

A.B.C.D.

Mitochondrial InheritanceAutosomal DominantX-linked RecessiveAutosomal Recessive

Ans: A. Mitochondrial Inheritance

40. Which of the following suggest Irreversible Cell Injury? (Nov 2007) (?)A. Mitochondrial SwellingB. Amorphous Density in MitochondriaC. Ribosomal Disaggregation

D. Chromosomal ____ (?)

Ans: B. Amorphous Density in Mitochondria [Still have doubts about other options]

41. In Lewis Triple Response, redness when skin is scratched with a pointed object is seen due to
A. Axon Reflex causing Vasoconstriction
B. Histamine Release due to local injury to mast cells by pointing device
C. Free Nerve Endings

D. Endothelial Damage leading to increase in permeability

Ans: B. Histamine Release due to local injury to mast cells by pointing device [Probable]

PHARMACOLOGY

42. Drug causing acquired Nasolacrimal duct obstruction
A. Timolol
B. Pilocarpine
C. Dorzolamide

D. Brimonidine

Ans: ??? [All, another inf/sup vestibular for coming years. Leave it]

43. Antibiotic associated with Colitis
A. Neomycin
B. Chloramphenicol
C. Clindamycin

D. Vancomycin

Ans: C. Clindamycin [Not checked myself]

39. Inheritance is (Twisted MAy

44. Drugs banned by International Olympics Committee are all EXCEPT

A.B.C.D.

Salbutamol
Sodium Cromoglycate
Spironolactone
Erythropoietin

Ans: B. Sodium Cromoglycate

45. What is true about First Order Kinetics?
A. Constant amount of drug is eliminated
B. Rate of elimination is constant
C. Free drug concentration increased after successive doses

D. Rate of Elimination is proportional to plasma concentration of the drug

Ans: D. Rate of Elimination is proportional to plasma concentration of the drug [Fck! English Comprehension Q]

46. Despite having short half-life, PPI acts longer because
A. Causes irreversible inhibition of proton pump. Acid secretion suppressed till new pumps are generated
B. Get trapped in canaliculi
C. Enteric coated tablets causing slow release
D. Prodrugs and needs generation of active metabolites

Ans: A. Causes irreversible inhibition of proton pump. Acid secretion suppressed till new pumps are generated [Not checked]

47. False about Antiepileptics is
A. Phenytoin and Carbamazepine act by prolongation of inactivated state of Na⁺ Channels
B. Diazepam is anti-epileptic
C. Carbamazepine used for Trigeminal Neuralgia
D. Lamotrigine acts by opening of GABA mediated Cl⁻ channels

Ans: D. Lamotrigine acts by opening of GABA mediated Cl⁻ channels [A seems weird but D is outright wrong]

MICROBIOLOGY

48. In a 5 year old boy who has history of pyogenic infections by bacteria with polysaccharide-rich capsules, which of the following investigations should be done? (AI 2012)
A. IgA deficiency
B. IgG1 deficiency
C. IgG2 deficiency

D. IgA and IgG2 deficiency

Ans: ?? [Not checked]

49. Sputum can be disinfected by all EXCEPT (Nov 2010)
A. Autoclaving
B. Boiling
C. Cresol
D. Chlorhexidine

Ans: D. Chlorhexidine

50. Which of the following factor is responsible for deciding whether an immunoglobulin will remain membrane bound or get secreted (AI 2011)
A. RNA Splicing
B. Class switching
C. Differential RNA Processing

D. Allelic Exclusion

Ans: C. Differential RNA Processing

51. A patient presents with signs of pneumonia. The bacterium obtained from sputum was a gram positive cocci which showed alpha hemolysis on sheep agar.

Which of the following test will help to confirm the diagnosis?(Topic AI 2011)A. Optochin sensitivity

B. Bacitracin sensitivity

C. Coagulase test

D. cAMP test

Ans: A. Optochin sensitivity

52. With reference to antibiotic resistance, all of the following statements are true EXCEPT (Nov 2011, AI 2012)A. Most common mechanism is production of neutralizing substancesB. Plasmid mediated antibiotic resistance is always transmitted verticallyC. Complete elimination of the target is the mechanism of resistance to Vancomycin in some the strains of enterococcus

D. Alteration of target is the mechanism of resistance in some of the Pneumococcal strains

Ans: B. Plasmid mediated antibiotic resistance is always transmitted vertically

53. A patient has Bilirubin =0.9 mg/dl, elevated SGPT & SGOT (~1500-1600 IU/L). HBsAg positive, Anti HBC IgMnegative, Anti Hepatitis E IgM positive. Patient has (?)A. Chronic Hepatitis B infection with Hepatitis E superinfectionB. Hepatitis E Infection

C. Co-infection with Hepatitis B & Hepatitis E

D. Infection with mutant Hepatitis B virus

Ans: A. Chronic Hepatitis B infection with Hepatitis E superinfection [IAMS Repeat 2x]

54. A young male patient presented with urethral discharge. On urine examination pus cells were found but noorganisms. Which method would be best for cultures? (Nov 2011, May 2007, Nov 2006)A. McCoy Cell LineB. Thayer Martin Medium

C. L.J. Medium

D. Levinthal Medium

Ans: A. McCoy Cell Line

55. A person working in abattoir with pustules on hand which turned into ulcer. Which of the following wouldhelp best in diagnosis? (Nov 2011)A. Polychrome

Methylene Blue
B. Carbol fuschin
C. Acid Fast Stain

D. Calcoflour white

Ans: A. Polychrome Methylene Blue

PREVENTIVE AND SOCIAL MEDICINE

56. In certain population, there were 4050 births in last one year. There were 50 still births. 50 infants died within 7 days whereas 150 died within first 28 days. What is Neonatal Mortality Rate? (Nov 2010)
A. 50
B. 62.5

C. 12.5

D. 49.5

Ans: A. 50

57. Leprosy is not yet eradicated because
A. No effective vaccine
B. Highly Infectious but low pathogenicity
C. Only humans are reservoir
D. Long incubation period

Ans: D. Long incubation period [Probable, still not satisfied]

58. A person found some correlation between fatty food intake and diseases due to obesity. He did this by collecting data from food manufacturers and hospitals respectively, such a study is (Nov 2010)
A. Ecological

B. Cross sectional
C. Psephological study
D. Experimental study

Ans: A. Ecological

59. Bias can be eliminated by all EXCEPT (Nov 2010)
A. Matching
B. Blinding
C. Randomization

D. Multivariate Analysis

Ans: D. Multivariate Analysis

60. A study revealed lesser incidence of carcinoma colon in pure vegetarians than non-vegetarians; by which it was concluded that Beta-carotene is protective against cancer. This may not be true because the vegetarians subjects may be consuming high fiber diet which is protective against cancer. This is an example of (Nov 2010)
A. Multifactorial Causation

B. Causal Association

C. Confounding factor

D. Common association

Ans: C. Confounding factor

61. According to The Workmen's Compensation Act, 1923, which of the following is considered an occupational disease? A. Typhoid B. Anthrax

C. Tetanus

D. Dengue

Ans: B. Anthrax

62. True about Indian Reference Male is A. Age 20-39 years B. Weight 65 kg C. Work is mainly sedentary

D. Works for 10 hours

Ans: C. Work is mainly sedentary [Confirmed, Lovely Q]

63. Application of Incubation period is all EXCEPT A. To differentiate co-primary cases from secondary cases B. To find out time for isolation

C. To find out time for Quarantine D. To prevent infection to the contacts of the infected person

Ans: B. To find out time for isolation [Most probable]

64. Common to both Acute and Chronic Malnutrition is (May 2007) A. Weight for Age B. Height for Age C. Weight for Height

D. BMI

Ans: A. Weight for Age

65. True about Rashtriya Swasthya Bima Yojna (?) A. Insurance company runs the scheme B. Government run insurance scheme for employees C. Government run insurance scheme for poor's

D. _

Ans: C. Government run insurance scheme for poor's

66. Natural Disaster causing maximum deaths A. Hydrological B. Geological C. Meteorological

D. Climatological

Ans: A. Hydrological [If floods are considered Hydrological]

67. In 13-15 year female child, Recommended Daily Protein Intake is A. 0.68 B.

0.95C. 1

D. 1.33

Ans: D. 1.33 [Actual value is 1.13]

68. In Acute Flaccid Paralysis Surveillance, Re-Evaluation of post-polio residual paralysis is done atA. 60 daysB. 90 daysC. 6 weeks

D. 6 months

Ans: A. 60 days

69. Which of the following is best suited for the role of social worker? (?)A. Health professional involved in physiotherapyB. Health professional involved in coping strategies, interpersonal skills, adjustment with familyC. A person involved in finding jobs and economic support for disabled

D. Health professional _____ (?)

Ans: B. Health professional involved in coping strategies, interpersonal skills, adjustment with family [Done DanaDone]

70. A sexually active, long distance truck driver's wife comes with vaginal discharge. Under Syndromic Approach, which drug should be given?A.

Metronidazole, Azithromycin, FluconazoleB. Metronidazole

C. Azithromycin

D. Metronidazole and Fluconazole

Ans: A. Metronidazole, Azithromycin, Fluconazole

71. All of the following are helpful for elimination of Filariasis, EXCEPT (?)A. Microfilarias do not multiply in vectorsB. They multiply in humansC. Larvae are deposited on skin surface where they can't survive

D. _

Ans: ?? [Kuchh pata nahi]

72. In WHO "Road to Health" chart, upper and lower limit of represents (?)A. 30 percentile for boys and 3 percentile for girlsB. 50 percentile for boys and 3 percentile for girlsC. 30 percentile for boys and 5 percentile for girls

D. 50 percentile for boys and 5 percentile for girls

Ans: B. 50 percentile for boys and 3 percentile for girls

OPHTHALMOLOGY

73. On Fundoscopic Examination a patient, a red dot is seen. He has a history of being hit by a tennis ball. What is the probable cause? (Topic AI 2011)A. Berlin's EdemaB. Macular Tear

C. Macular Hole

D. Macular Bleed

Ans: ?? [Not checked yet, A/C]

74. In Vision 2020, the target for Secondary Service Center is for how much population? (Topic AI 2012)A. 10000B. 50000C. 1 lac

D. 5 lac

Ans: ?? [Probably C, Not checked yet]

75. In Vision 2020, Ophthalmologist per population ratio is (Topic 2012)A. 5000B. 10000C. 50000

D. 1 lac

Ans: C. 50000

76. Ocular Dendritic Cells haveA. HLA 1B. HLA 2C. Both

D. None

Ans: C. Both

77. Corneal Dystrophies are usuallyA. Primary BilateralB. Primary UnilateralC. Primary Bilateral with Systemic Disease

D. Primary Unilateral without Systemic Disease

Ans: A. Primary Bilateral [Probable, Not checked]

78. Weakness of both Adduction and Abduction is seen in (?)A. Duane's Retraction Syndrome Type 1B. Duane's Retraction syndrome Type 2C. Duane's Retraction syndrome Type 3

D. _

Ans: C. Duane's Retraction syndrome Type 3 [Confirmed]

79. A patient presented with unilateral proptosis, which was compressible and increases on bending forward. No thrill or bruit was present. MRI shows a retro-orbital mass with enhancement. The likely diagnosis is(May2010)A. AV Malformation

B. Orbital Encephalocele

C. Orbital Varix

D. Neurofibromatosis

Ans: C. Orbital Varix

80. In patient with anterior uveitis, decrease in vision due to posterior segment involvement can occur because of
A. Visual Floaters
B. Inflammatory Disc Edema
C. Exudative Retinal Detachment

D. CME

Ans: D. CME [Probable, Not checked]

81. Area of retina seen under Direct Ophthalmoscope
A. 1 DDB. 2 DDC. 3 DD
D. 4 DD

Ans: B. 2 DD [Not checked]

82. A 40 year male with diabetes presents with vitreous hemorrhage. What is the cause?
A. Neovascularization at disc
B. Posterior Retinal Detachment
C. Central Retinal Vein Occlusion

D. Trauma to Central Retinal Artery

Ans: A. Neovascularization at disc [Not checked]

83. Gyrate Atrophy patient with defective Ornithine Transcarbamoylase will be benefited by
A. Ornithine free diet
B. Arginine free diet
C. Pyridoxine and Vit B12
D. Vitamin B1, B6 and B12

Ans: A. Ornithine free diet

84. Iritis, Vitritis. Unilateral white patches on retina (?)
A. ??? white dot

B. Toxoplasmosis
C. CMVD. _

Ans: ??

ENT

85. In Electrocochleography (?)
A. Probe, stimulation (?)
B. Summation of microphonics (?)
C. AP of cochlear nerve (?)

D. Outer hair cells (?)

Ans: ??

86. Vestibular Evoked Myogenic Potential (VEMP) detects
A. Cochlear Nerve
B. Superior Vestibular Nerve
C. Inferior Vestibular Nerve

D. Inflammatory Myopathy

Ans: ??

87. Second Primary Tumor of Head & Neck most commonly suspected in

malignancy of
A. Oral cavity
B. Larynx
C. Hypopharynx
D. Paranasal sinuses

Ans: A. Oral cavity [Harribhai]

88. A) Initial screening test for newborn hearing disorder
B) Hearing test used in newborn (?)
A. ABR – Auditory Brainstem Response
B. Autoacoustic Emissions
C. Free Field Audiometry

D. AABR (?)

Ans: ??

MEDICINE

89. All of the following are true for Hepatitis B EXCEPT? (Nov 2010)

A.B.C.D.

Vertical transmission more important than horizontal
Age of onset determines prognosis
Period of Communicability lasts several months
Virus can be found in blood 1 month before jaundice

Ans: A. Vertical transmission more important than horizontal

90. The acid base status of a patient reveals a pH=7.45 and pCO₂=30 mmHg. The patient has partially compensated (AI2011)
A. Metabolic Acidosis
B. Metabolic Alkalosis

C. Respiratory Alkalosis

D. Respiratory Acidosis

Ans: C. Respiratory Alkalos

91. In Alternative Medicine, which of the following can be used for Heart Failure? (Topic AI 2012 – Alternative Medicine)
A. Gingko Biloba
B. Neem tree extract

C. Terminalia Arjuna

D. St. John's wort

Ans: C. Terminalia Arjuna [Confirmed]

92. SLE, Anti TGFC(?) antibody given. What can be seen in dermoepidermal junction? (?)
A. Anti-Nuclear antibody
B. Immune-complex deposition
C. Anti-Collagen antibody

D. Anti-Epithelial Cell antibody

Ans: B. Immune-complex deposition [Most Probable]

93. Post-transplantation lymphoma is due to (?)
A. CMVB. EBVC. HPV
D. _

Ans: B. EBV [not checked]

94. Most common type Spinocerebral Ataxia in India is
A. SCA 1B. SCA 2

C. SCA 3D. SCA 4

Ans: B. SCA 2

95. In Posterior Intercommunicating Artery Aneurysm, which structure has most chances to be compressed?
A. Oculomotor NerveB. Trochlear NerveC. Hypophysis
D. Cerebellum

Ans: A. Oculomotor Nerve

96. In Tension Pneumothorax
A. Chest wall expansionB. Negative intrapleural pressure
C. Decreased surfactant
D. Increased compliance of lung

Ans: A. Chest wall expansion

97. Intracorpuscular Defect of Erythrocyte (?)
A. Autoimmune Hemolytic AnemiaB. Hereditary Spherocytosis
C. Microangiopathic Hemolytic Anemia
D. _

Ans: B. Hereditary Spherocytosis

98. A 23 year old female presenting with anemia, jaundice for 2 years. Peripheral smears showing spherocytes. The best investigation to be done is (Nov 2006)
A. Osmotic Fragility TestB. Coomb's Test
C. Reticulocyte Count

D. Bone Marrow Aspiration

Ans: B. Coomb's Test

99. Not a side-effect of Growth Hormone Therapy?
A. GynecomastiaB. Hypoglycemia
C. Pseudotumor of Brain
D. Slipped Capital Femoral Epiphysis

Ans: B. Hypoglycemia

100. A male come with anemia, weakness and constipation since 2 years. He has abdominal pain. Most probable diagnosis? (?)

A. Lead toxicity
B. _
C. _

D. _

Ans: A. Lead toxicity [??]

101. A patient with Hypertension, comes with severe unilateral headache and vomiting. On MRI, lateralized convex lesion seen. He has neck stiffness. The diagnosis is (?)

A. Intracerebral Hemorrhage
B. Subarachnoid Hemorrhage
C. Meningitis

D. _

Ans: B. Subarachnoid Hemorrhage

102.

Drug induced Lupus seen in all EXCEPT (Nov 2010)

A. Sulfonamides
B. Hydralazine
C. Isoniazid
D. Penicillin

Ans: D. Penicillin

103.

All about Leukemia are FALSE EXCEPT

A. CML occurs after 50 years of age
B. ALL occurs before 1 year in neonates
C. ALL in before 1 year has poor prognosis
D. Hairy Cell Leukemia occurs before 50 years of age

Ans: C. ALL in before 1 year has poor prognosis

104. Patient with Pneumococcal Brain Abscess. Culture is sent for Antibiotic sensitivity. Which empirical antibiotic is given till culture sensitivity result come?

A. Penicillin GB
B. Ceftriaxone + Metronidazole
C. _

D. _

Ans: B. Ceftriaxone + Metronidazole [Confirmed in Harri]

105.

Pseudotumor Cerebri is seen in

A.B.C.D.

Obese Female of 20-40 years
Obese Male of 20-40 years
Thin Female of 50-60 years
Thin Male of 50-60 years

Ans: A. Obese Female of 20-40 years

106. Photosensitivity is a symptom of Porphyria. All of the following enzyme deficiencies have photosensitivity EXCEPT (Options?)
A. Uroporphyrinogen decarboxylase
B. Uroporphyrinogen oxidase

C. Coproporphyrinogen oxidase

D. Protoporphyrinogen oxidase

Ans: C. Coproporphyrinogen oxidase [Not checked myself]

107. A 60 year old lady has progressive slowing of movements since 2 years. She has Rigidity and rectangular slow wave jerking movements. Most probable diagnosis is
A. Supranuclear Palsy
B. Lewy-Body Dementia

C. Parkinsonism

D. Multiple System Atrophy

Ans: A. Supranuclear Palsy

108.

A Penicillin allergic patient has Rheumatic Fever. Which of the following drug should be prescribed?
A. Penicillin GB. Sulfoxazole
C. Sulfasalazine

D. Streptomycin

Ans: ?? [A after desensitization or ??]

109. A neonate presents with bleeding from umbilical stump, rest of the examination is normal. Probable diagnosis is (Twist Nov 2006)
A. Factor X deficiency
B. von Willebrand Disease

C. Glanzman Thromboasthenia

D. Bernard Soulier Syndrome

Ans: A. Factor X deficiency [Most Probable]

110. Which scientific principle is the basis for Thermodilution method used in measurement of cardiac output by Pulmonary Catheter?

A.B.C.D.

Hagen-Poiseuille Principle
Stewart-Hamilton Principle
Bernoulli's Principle
Universal Gas Equation

Ans: B. Stewart-Hamilton Principle

111.

Most common symptom of Immunoproliferative small intestinal disease
A. Malabsorption
B. Obstruction
C. Bleeding

D. Abdominal Pain

Ans: D. Abdominal Pain

112.

“Fever Blister” is due to
A. Primary HSV-1 Infection
B. Varicella Zoster
C. Reactivation of HSV-1 Infection

D. CMV

Ans: C. Reactivation of HSV-1 Infection [Not checked]

113.

An alcoholic with poor judgment and decreased in skilled motor movements. Blood alcohol level would be
A. 30-80 mg/dl
B. 80-200 mg/dl
C. 200-300 mg/dl

D. >300 mg/dl

Ans: B. 80-200 mg/dl

114. A 56 year old man presents with unilateral headache, diplopia and fever. He had difficulty in chewing. MRI of brain was normal and ESR was raised. Treatment is
A. Prednisolone
B. High Dose Aspirin

C. Coxibs

D. Valproate

Ans: A. Prednisolone [Probable, Not checked]

115.

Type of wave in Metabolic Encephalopathy
A. Alpha
B. Beta
C. Gamma

D. Delta

Ans: D. Delta [Probable, Not Checked]

116. In 2 patients with Atherosclerosis, one is diabetic and other is non-diabetic. In relation to non-diabetic, diabetic patient has 100 times increased risk of
A. MIB.
Cerebrovascular Stroke

C. Lower Limb Ischemia

D. Vertebrobasilar insufficiency

Ans: C. Lower Limb Ischemia [Not sure]

117.

In "Pneumonia Severity Scale", most important factor is
A. Age
B. Congestive Heart Failure
C. Hypothermia
D. Hyponatremia

Ans: A. Age

118.

A boy is suffering from Acute Pyelonephritis. Most specific urinary finding (Nov 2006)
A. WBC Cast
B. Gram Staining for Bacteria
C. Leucocyte Esterase positive
D. Positive Nitrite Test

Ans: A. WBC Cast

119. A lady had Meningioma with inflammatory edematous lesion. She was planned for surgery. Junior resident's mistake in writing pre-op notes is
A. Stop Steroids
B. Wash head with shampoo
C. Antibiotic Sensitivity

D. Antiepileptic

Ans: A. Stop Steroids

120.

A lady had breathlessness, arthralgia and uveitis. Diagnosis is (?)
A. Ocular Sarcoid
B. HLA B27 related Uveitis
C. Tuberculosis (?)
D. _

Ans: A. Ocular Sarcoid [Probable]

121. A 46 year old man with constipation, abdominal pain, mucous in stool and sense of incomplete evacuations since 4 years. On examination, there was left iliac fossa tenderness. Diagnosis is
A. Ca Colon
B. Diverticular disease
C. IBS

D. Ulcerative Colitis

Ans: C. IBS [Not checked myself]

122.

Hematopoietic Stem Cells differ from Committed Progenitor Cells in (?)
A. Can reconstitute Bone Marrow
B. Secrete Growth Factor
C. Terminal Cells are different

(?)

D. Nuclear Receptor present (?)

Ans: A. Can reconstitute Bone Marrow [Probable, Not checked]

123. In an ablated animal, a researcher injects Myeloid Stem Cells, after the incubation period he finds which type of cells?
A. T-Lymphocyte
B. Erythrocyte
C. Fibroblast

D. Hematopoietic Stem Cells

Ans: ??

124.

Due to decelerations, Aorta can be ruptured at places where it is fixed EXCEPT A.
At Aortic Valve
B. Behind Esophagus
C. Behind Crura of the Diaphragm
D. At Ligamentum Arteriosus

Ans: ?? [Not checked]

125. A lady with cold intolerance and hoarseness of voice was detected with cardiomegaly. Investigation to be done to know the cause is
A. Coronary Angiography
B. Left Ventricle Angiography
C. Right Ventricle Angiography

D. Echocardiography

Ans: D. Echocardiography [Dunno why]

126.

Midsystolic Click is heard in a female. Pathology seen in mitral valve is (AI 10)
(?)
A. Myxomatous degeneration
B. Aschoff Nodules
C. Sub Acute Bacterial Endocarditis
D. Ruptured Chordae Tendinae

Ans: A. Myxomatous degeneration

127.

Most significant association for Hepatocellular Carcinoma
A. Hepatitis AB.
Hepatitis BC. EBV
D. CMV

Ans: B. Hepatitis B [Not checked]

128. A patient comes with transmural thrombi. Streptokinase and Warfarin is

started. After which further test thrombolysis should be stopped (?)
A. Pericardial Friction Rub
B. Pericardial Effusion

C. Mobitz Type 2 Block

D. Leg vein thrombosis

Ans: C. Mobitz Type 2 Block [Not sure, something related to reperfusion arrhythmia]

129.

Thrombolytics can be given in treatment of AMI, if patient comes within
A. 6 hours
B. 12 hours
C. 18 hours

D. 24 hours

Ans: B or C [Not checked]

130. An old hypertensive man, on treatment with Aspirin, Sorbitrate, and Atenolol suddenly fell in bathroom. Relatives noted black stools. He presented in ER with hypotension, tachycardia. The diagnosis is (?)
A. Gastric Ulcer
B. Cerebrovascular Accident

C. _

D. _

Ans: A. Gastric Ulcer [Not sure]

131.

All are true EXCEPT

A.B.C.D.

Amyloid Angiopathy is associated with Small Vessel Disease
Alzheimer's Disease is associated with Amyloid Angiopathy
Alzheimer's Disease is related to Small Vessel Disease
Alzheimer's Disease is not related to Small Vessel Disease

Ans: D. Alzheimer's Disease is not related to Small Vessel Disease

132. A patient with Atrial Fibrillation has clot in Left Atrium. All of the following should be done in management EXCEPT? (?)
A. DC Cardioversion with Percutaneous Clot removal
B. Warfarin therapy

C. Open Commisurotomy and Clot Removal

D. _

Ans: A. DC Cardioversion with Percutaneous Clot removal [Probable]

133.

Malignant Hyperthermia , Metabolic Acidosis, Start treatment with(?)
A. Iv Dantrolene
B. Na Bicarbonate
C. _

D. _

Ans: A. Iv Dantrolene [Confirmed]

134.

Most reliable test for diagnosing spinal TB is (?)
A. MRIB. CT guided Biopsy
C. PPD

D. _ (?)

Ans: B. CT guided Biopsy [Not sure]

135.

All of the following can be seen in Massive Acute Blood loss EXCEPT (?)
A. Increase in Reticulocyte count
B. Increase in PCVC. Increase in MCV

D. Increase in Neutophils

Ans: C. Increase in MCV

136.

Which of the following is incorrectly matched
A. Neurofibromatosis – Renal Artery Stenosis
B. Moyamoya disease – Aortic Aneurysm
C. Marfan’s Syndrome – Dural Ectasia

D. Muillbrey nanism – Constrictive Pericarditis

Ans: B. Moyamoya disease – Aortic Aneurysm

SURGERY

137. Patient is tenderness in left iliac fossa. There was 3 cm stone in renal pelvis and no Hydronephrosis. Most appropriate management is
A. Percutaneous Nephrolithostomy
B. ESWL

C. Diuretics

D. Medical dissolution therapy with Potassium Citrate

Ans: A. Percutaneous Nephrolithostomy

138. A 40 year male presents with hematemesis. On examination his BP was 90/60 mmHg and Heart Rate was 120/min. Splenomegaly was also present. The most probable cause of his bleeding is (AI 2012)
A. Portal Hypertension
B. Gastric ulcer

C. Duodenal ulcer

D. Drug-induced GI injury

Ans: A. Portal Hypertension

139. After removal of the Parotid gland, patient is having sweating on cheeks while eating. Auriculotemporal nerve which contains parasympathetic secretomotor fibers to parotid gland is fused with

A. Greater Petrosal Nerve
B. Facial Nerve (?)
C. Greater Auricular Nerve

D. Buccal Nerve (?)

E. Glossopharyngeal Nerve (?)

Ans: None or B. Facial Nerve [Nowhere nerve is mentioned. Typically, Auriculotemporal fibers directly attach to sweat glands after regeneration]

140. A patient of Crohn's Disease, underwent resection anastomosis. Now presents on 7th post-op day with anastomotic site leak from a fistula. Everyday leakage volume adds up to 150-200ml. There is no intra-abdominal collection and the patient is stable without any complains. What will be the next line of management?

A. Do conservative treatment and leave him and hope for the spontaneous resolution

B. Perform Laparotomy and check for leakage site and healthy margins

C. Perform Laparotomy and completely exteriorize the fistula

D. Perform Laparotomy and place lateral drains and leave

Ans: A. Do conservative treatment and leave him and hope for the spontaneous resolution

141. A lady has dysphagia, intermittent epigastric pain. On endoscopy, Esophagus was dilated above and narrow at the bottom. Treatment is

A. Heller's Cardiomyotomy
B. Esophagectomy
C. Dilatation

D. PPIs

Ans: A. Heller's Cardiomyotomy

142.

Which jaw cyst is pre-malignant?A. Radicular CystB. Dental CystC. Odontogenic keratocyst

D. Dentigerous Cyst

Ans: D. Dentigerous Cyst [Not checked]

143.

After doing a Thoracoabdominal graft, a person developed weakness in legs. It is due toA. Lumbosacral nerve injuryB. Thoracic splanchnic nerve injuryC.

Decreased blood supply to lower limbs

D. Discontinuation of Arteria Radicularis Magna

Ans: A or D [Not checked]

144.

True about Epigastric Hernia isA. Located below the umbilicus and always in the midlineB. Located above the umbilicus and always in the midlineC. Located above the midline and on either side

D. Can be seen anywhere on abdomen

Ans: B. Located above the umbilicus and always in the midline [Confirmed]

145.

External Hemorrhoids, distal to dentate line is (?)A. PainfulB. Skin Tag is sameC. _

D. Should be ligated

Ans: A. Painful

146.

Early complication of Ileostomy (May 2010)A. DiarrhoeaB. ObstructionC. Necrosis

D. Prolapse

Ans: A. Diarrhoea [Have to verify]

147.

Ca Breast Stage 4b involves all EXCEPTA. Nipple RetractionB. Skin ulcer over the swellingC. Dermal Edema

D. Satellite Nodule

Ans: A. Nipple Retraction

148.

Due to advances in cancer treatment the prognosis of which of the following has become better?
A. Glioblastoma Multiforme
B. Esophageal Carcinoma
C. ALL in children

D. Cholangiocarcinoma

Ans: C. ALL in children [Probable, not sure , not checked]

OBSTETRICS & GYNECOLOGY

149. After full term normal vaginal delivery, lady goes to sudden collapse. What should be suspected? (Nov 2010)
A. PPHB. Amniotic fluid embolism

C. Uterine Inversion

D. Eclampsia

Ans: C. Uterine Inversion [Probably]

150.

A young lady has history of recurrent abortion. Which test should be done? (Reverse May 2011)
A. Russel Viper Venom Test
B. Prothrombin Time
C. Bleeding time

D. Clotting Time

Ans: A. Russel Viper Venom Test

151. A 20 year old average weight female complains of oligomenorrhoea along with facial hair. Preliminary investigation reveals raised free testosterone levels. On Ultrasound, ovaries were normal. Which of the following could be likely etiology? (Nov 2010)
A. Idiopathic Hirsutism

B. PCOD

C. Adrenal Hyperplasia

D. Testosterone secreting tumor

Ans: C. Adrenal Hyperplasia

152.

Which test is used to differentiate maternal and fetal blood cells? (Nov 2010)
A. Apt Test
B. Kleihauer-Betke test
C. Bubblin Test

D. Osmotic Fragility Test

Ans: A. Apt Test

153. Endometrial Cancer involving 50% of endometrium, extending to vagina,

lymph nodes negative with positive peritoneal cytology is staged as – (Nov 2010)A. Stage IIIAB. Stage IIIB

C. Stage IIIC1

D. Stage IIIC2

Ans: B. Stage IIIB

154.

Treatment of Ca Cervix IIIB include – (Nov 2010)A. Wertheims HysterectomyB. Schauta's HysterectomyC. Chemotherapy

D. Intracavity Brachytherapy followed by External Beam Radiotherapy

Ans: D. Intracavity Brachytherapy followed by External Beam Radiotherapy

155.

At which time in the pregnancy, woman has maximum cardiac strain? (?)A. 2nd TrimesterB. At the time of deliveryC. Immediately following delivery

D. _

Ans: C. Immediately following delivery

156. A Pregnant female feeling dizziness in supine position; feels better on lateral position and after getting up. This must be due to (Repeat)A. IVC CompressionB. Raised intra-abdominal pressure

C. Decreased blood flow to placenta

D. Compression of Sympathetic Chain

Ans: A. IVC Compression

157. A woman presented with carcinoma cervix FIGO STAGING II-III, which of the following treatment is recommended?A. TrichelectomyB. Radiotherapy plus HPV vaccine

C. Chemo-radiotherapy

D. Hysterectomy

Ans: ?? [Not checked]

PEDIATRICS

158.

Which of the following will favor the diagnosis of RDS in new born? (Nov 2010)A.

Receipt of antenatal steroids
B. Air bronchogram in chest X-ray
C. Manifests after 6 hours

D. Occurs after term gestation

Ans: B. Air bronchogram in chest X-ray

159.

A neonate is diagnosed with Bell's Stage 1 Necrotizing Enterocolitis and he is stable. Treatment is
A. Conservative and Antibiotics
B. IV Antibiotics and Removal of necrosed portion of Intestine
C. Drainage

D. Resection Anastomosis

Ans: A. Conservative and Antibiotics [Probable, Not sure]

160.

A Toddler has few drops of blood coming out of rectum. Probable diagnosis is
A. Juvenile Rectal Polyp
B. Adenoid Poliposis Coli
C. Rectal Ulcer

D. Piles

Ans: A. Juvenile Rectal Polyp

161.

In Juvenile Myoclonic Epilepsy, most common presentation is (Twisted Repeat)
A. Absent Seizure
B. Myoclonus
C. Generalized Tonic-Clonic Seizure on going to sleep
D. Generalized Tonic-Clonic Seizure on awakening

Ans: B. Myoclonus [Confirmed]

162. A child was taken for CECT Chest and contrast was injected; child had swelling which gradually increased. There is numbness. There is pain on passive extension of fingers. He is not allowing you to touch the arm. Pulse was present. What will you do? (?)
A. High Dose Prednisolone

B. Arterial Thrombectomy

C. Immediate Fasciotomy

D. Antihistaminics / Anticoagulants (?)

Ans: A. High Dose Prednisolone [Probable, Not sure]

163.

Recurrent URTI in 5 year old child with ear problems, mouth breathing. Treatment is (May 2007)
A. Myringotomy
B. Myringotomy with Grommet insertion
C. Adenoidectomy with Grommet insertion

D. Tonsillectomy

Ans: C. Adenoidectomy with Grommet insertion

164. A child with recurrent seizures, palpable plaques in the Ophthalmic and Maxillary distribution. Mothercomplaints, it is present since birth and not changed since then. Diagnosis is
A. Congenital Hemangioma
B. Sturge-Weber Syndrome
C. Infantile Hemangioma

D. Tuberos Sclerosis

Ans: B. Sturge-Weber Syndrome

SKIN

165.

Which of the following is characteristic of Basal Cell Carcinoma? (?)
A. Foam Cells
B. Nuclear Palisades
C. Keratin Pearls
D. _

Ans: B. Nuclear Palisades [Not checked]

166. A 24 year old man had multiple small hypopigmented patches around hair follicles on upper chest and back. Macules were with fine scaling which coalesced later. Patient has received treatment before 1 year and it was treated. Investigation to be done is
A. KOH preparation

B. Tzank test

C. Slit Skin Smear

D. Skin biopsy of coalesced lesion

Ans: A. KOH preparation [Probable]

167. A child with itchy erythematous lesion on face and palm & soles. Possible diagnosis is (AI 2006, May 2005, Nov 2002)
A. Scabies
B. _

C. _

D. _

Ans: A. Scabies

168. A patient has multiple hypoaesthetic and hypopigmented patches on lateral aspect of forearm. Abundance of Acid fast bacilli and Granulomatous inflammation is seen. Diagnosis is
A. Lepromatous Leprosy
B. Tuberculoid Leprosy

C. Indeterminate Leprosy

D. Borderline Leprosy

Ans: D. Borderline Leprosy

169.

Characteristic of Borderline Leprosy is
A. Inverted Saucer appearance
B. Erythema Nodosum Leprosum
C. Hypopigmented macules/plaques all over the body

D. Glove and Stocking Anesthesia

Ans: A. Inverted Saucer appearance [Not checked]

170.

A patient has 2 fingernails and 1 toenail tunneling since 1 year. Rapid Diagnosis is done by (?)
A. Woods Lamp Examination
B. KOH mount
C. Slit Smear Examination

D. _

Ans: A. Woods Lamp Examination [Probable]

171. A boy had itchy, excoriated papules on the forehead and the exposed parts of the arms and legs since 3 years. The disease was most severe in rainy season and improved completely in winter. The most likely diagnosis is (May 2004)
A. Insect Bite Hypersensitivity

B. Scabies

C. Urticaria

D. Atopic Dermatitis

Ans: A. Insect Bite Hypersensitivity

172.

Which of the following is related to sunlight exposure? (Repeat) (?)
A. Actinic Keratosis
B. _
C. _

D. _

Ans: A. Actinic Keratosis

173. A 23 year lady develops brownish pigmentation on cheeks and bridge of nose on exposure to sun. Diagnosis is
A. Photodermatitis
B. SLE

C. Chloasma

D. Rosacea

Ans: ?? [Probably Photodermatitis, but have to check about photosensitivity of Chloasma]

ANESTHESIA

174.

Maximum dose of Lignocaine given with Adrenaline for Occular SurgeryA. 3 mg/kgB. 5 mg/kgC. 7 mg/kg

D. 10 mg/kg

Ans: C. 7 mg/kg

175. Lady with a history of previous C Section told the anesthetist that in spite of spinal anesthesia, she was aware of the procedure. What should be done to monitor depth of anesthesia? (AI 2011, AI 2012)A. Pulse OximetryB. Train of Four

C. Bispectral Imaging

D. End Tidal CO₂

Ans: C. Bispectral Imaging

176.

During ET tube Intubation, by right handed person, Laryngoscope is held by which hand? (?)A. LeftB. RightC. Both

D. _

Ans: A. Left

177. Patient with ruptured spleen is taken for laparotomy. BP is 80/50 and HR is 125/min. Induction agent of choiceA. Sodium ThiopentoneB. Opioids

C. Ketamine

D. Halothane

Ans: C. Ketamine

178. A 25 year old primigravida has Mitral Stenosis and Regurgitation and is under labor. She says she wants natural delivery. Which would be the best way to provide analgesia in the woman?A. Neuraxial AnesthesiaB. Spinal Anesthesia

C. Inhalational Analgesia

D. Intravenous Opioids

Ans: C. Inhalational Analgesia [IMO, have to check]

179.

A Patient has severe Mitral Stenosis. Anesthetic agent of choice is
A. Etomidate
B. Propofol
C. Morphine

D. Remifentanyl

Ans: A. Etomidate

180.

All are true about "Scoline Asphyxia" EXCEPT
A. It can be inherited
B. It is due to deficiency of Cholinesterase
C. Succinylcholine can produce it

D. Patient can be saved if properly treated

Ans: B. It is due to deficiency of Cholinesterase

181.

Component of Soda-lime for CO₂ absorption in closed circuit in anesthesia is
A. NaOH
B. Ca(OH)₂
C. KOH

D. Ba(OH)₂

Ans: B. Ca(OH)₂

182. In Pregnant female, there is decreased requirement of the anesthetic agent because of all of the following EXCEPT
A. Exaggerated Lumbar Lordosis
B. Increased Congestion in Spinal Veins

C. Decreased Subarachnoid space

D. Increased Sensitivity of Nerves

Ans: A or C [Not checked]

RADIOLOGY

183.

Amifostine is (Reverse AI 2012)
A. Radio-sensitizer
B. Radio-protector
C. Radio-modifier

D. Radio-mimetic

Ans: B. Radio-protector

184.

"Bracket Calcification" on Skull X-Ray is seen in
A. Tuberous Sclerosis
B. Sturge-Weber Syndrome
C. Lipoma of Corpus Callosum

D. Meningioma

Ans: C. Lipoma of Corpus Callosum

185.

Maximum Radiation exposure occurs in
A. Bone Scan
B. CT Scan
C. X-Ray
D. MRI

Ans: B. CT Scan

186.

Non-Iodine containing Contrast is
A. Gadolinium
B. Visipaque
C. Iohexanol
D. Diatrizoate

Ans: A. Gadolinium

187.

Stereotactic Radiotherapy is used in
A. Miliary Lung Metastasis
B. Inoperable Stage 1 Lung Tumor
C. Lymphangitis Carcinomatosa
D. Tumor at the base of tongue with new Lymph Node enlargement

Ans: B. Inoperable Stage 1 Lung Tumor

PSYCHIATRY

188.

Which of the following drug is available as depot preparation?
A. Fluphenazine
B. Aripiprazole
C. Ziprosidone
D. Trifluoperzine

Ans: A. Fluphenazine

189.

All of the following are disorders of “form of thought” EXCEPT (?)
A. Loosening of Association
B. Tangentially
C. Thought Block
D. Circumferentiality / Derealisation (?)

Ans: C. Thought Block

190.

PTSD is differentiated from all other disorders by
A. Recall of events and avoidance of trauma
B. Nightmares about events
C. Autonomic arousal and anxiety
D. Depression

Ans: A. Recall of events and avoidance of trauma

191.

Brain is considered responsive because
A. It has control centers for all motor actions and sensory inputs
B. It can be profoundly affected by external environment
C. Every cell of brain has specific function

D. It acts as a closed system, responding to internal stimuli but not the external stimuli

Ans: B. It can be profoundly affected by external environment [Awesome Q]

ORTHOPEDICS

192.

Gallow's Traction is used for (Nov 2010, Nov 2011)
A. Shaft of Femur
B. Neck of Femur
C. Shaft Tibia

D. Tibial Tuberosity

Ans: A. Shaft of Femur

193. A patient met with Road Traffic Accident with injury to left knee. Dial test was positive. What could be the cause? (Nov 2010)
A. Medial Collateral Ligament Injury
B. Posterolateral Corner Injury

C. Lateral Meniscus Tear

D. Medial Meniscus Injury

Ans: B. Posterolateral Corner Injury

194. After lifting something heavy from ground, a patient complains of back pain, which is radiating to lateral leg and great toe of lower limb. Most probable diagnosis would be (AI 2012, Nov 2011)
A. L5-S1 disc prolapse
B. L4-L5 disc prolapse

C. L3-L4 disc prolapse

D. L5 fracture

Ans: B. L4-L5 disc prolapse

195. A person is able to abduct his arm, internally rotate it, place the back of hand on lumbosacral joint, but is not able to lift it from back. What is etiology? (Nov 2011)
A. Subscapularis tendon tear
B. Teres major tendon tear

C. Long head of biceps tendon tear
D. Acromioclavicular joint dislocation

Ans: A. Subscapularis tendon tear

196. A newborn child presents with inverted foot and the dorsum of the foot cannot touch the anterior tibia. The most probable diagnosis is (Nov 2010) A. Congenital Vertical Talus B. Arthrogyrosis Multiplex

C. CTEV

D. Flat Foot

Ans: A. Congenital Vertical Talus

197. 8 year old child has fever with pain and swelling in mid-thigh. [Lamellated appearance (?) and] Codman's triangle is seen on X-Ray. [(?) On aspiration pus is seen.] Histopathology shows small round cell tumor positive for MIC-2. Diagnosis is (?) A. Osteosarcoma

B. Ewing's Sarcoma

C. _

D. _

Ans: B. Ewing's Sarcoma

198. A patient comes to the emergency department after alcohol binge previous night and sleeping on armchair. In the morning he is unable to move his hand and diagnosis of ulnar nerve palsy is made. What is the next line of management? A. Wait and Watch

B. Knuckle Bender Splint

C. Immediately operate and explore the nerve

D. Do EMG study after 2 days

Ans: D. Do EMG study after 2 days [Neuropraxia me splint karte hai kay?]

199. An old lady had a history of fall in bathroom once and couldn't move. Afterwards, she had legs in externally rotated position. There was tenderness in Scarpa's triangle and limb movement could not be done due to pain. No hip fracture [line?] was seen on X-Ray. Next step? (?) A. MRI

B. Repeat X-Ray after one week

C. Joint Aspiration

D. Give analgesic and Manipulate

Ans: A. MRI [Not sure, Not checked]

