2017 alluques of the compound instruction

CHEMISTRY

Sparingly soluble silver chloride is readily soluble in methyl ainine solution

(Theory)

Full Marks: 70

Why aniline can not be prote : 21om of ten me smilled Pass Marks : 21om of ten me and V

Time: Three Hours and *Fifteen Minutes

(*15 minutes are given as extra time for reading questions)

All the Questions are compulsory.

Name the Vitamin soluble in water and its det oil it

3 and trigonal planer

R and cubical

The figures in the right margin indicate full marks for the questions.

(Q. Nos 1-10 are Very Short Answer (VSA) type of 1 mark each.)

- 1. Define Curie temperature.
- 2. Why inversion of cane sugar is called pseudo first order reaction?
- 3. What is relationship between Gold number and Protective power?

the probable co-ordination number and structural arrangement will be-

- 4. What is the cause of tailing of mercury in thermometre?
- 5. Give an example of complex compound having oxidation number zero of metal-ion.

- A compound "X" on treatment with excess of NH4SCN gives red coloured 6. precipitate and with K_2 [Fe (CN)₆] gives blue colouration. Write the possible chemical formula of the compound "X". CHICKISSING Sparingly soluble silver chloride is readily soluble in methyl amine solution. 7. (vicedi) Give reason. Full Marks : 70 Why aniline can not be prepared by Gabriel Phthalimide synthesis method? 8. Time : Phree Hours and 'Fifteen Minutes *15 minutes are given as extra time for reading questions) Name the Vitamin soluble in water and its deficiency causes scurvy. 9. All the Ouestons are compulsors. 10. Though aspirin is harmful to stomach, it is useful to prevent heart attack. Give 1 reason. O Page 1-18 are Perry Short Answer (PSA) type of I mark each.) Q. Nos. 11-14 are Objective type carrying 1 mark each. Choose and rewrite the Define Curie temperature. best answer out of the given alternatives. If the radius ratio of an ionic compound is within the range 0.414 to 0.732, 11. the probable co-ordination number and structural arrangement will be -What is relationship hetween Gold mapper and Protective power? 3 and trigonal planer Α.
 - Give an example of complex compound havinglarbahatoo bns 65cr. 2 ro of metal-ton.

What is the cause of naturng of mercury in therm

D. 8 and cubical

4 and tetrahedral

B.

V

12.	In the oxidation reaction of acidified $KMnO_4$ with $FeSO_4$, Mn^{+2} ion so
	produced act as a/an — 1
	25. Two elements A and B formed a compound. Atoms or b form CCP and at of A occupy one third of the tetrahedral voids. What will informate a compound? B. Auto-Catalyst
101-1	the notivity of the element reduced to 80% of its original value. On the notivity of the element reduced to 80% of its original value.
12	When the chamille and name of the 1000 and 1000
13,	Boiling points of alcohols are higher than those of ethers of comparable
nt to rent 2	A.b association of molecules with hydrogen bonding B. dissociation of molecules into fractions
Z	C. formation of dimers D. presence of hydroxyl groups in alcohol.
.VI 571	 Show how animonia is prepared from calcium carbide and alumina segura
14.	Denaturation of protein do not change the
2	A. Quaternary structure of protein states and two bas again and quality.
22	B. Tertiary structure of protein and the window with the structure of protein and the structure of prot
	C. Secondary structure of protein
	D. Primary structure of protein.

Q. Nos. 15-24 are Short Answer (SA-II) types of 2 marks each.

- 15. Two elements A and B formed a compound. Atoms of B form CCP and atoms of A occupy one third of the tetrahedral voids. What will be the formula of the compound?
- 16. Half life period of a radioactive element is 1.5×10¹⁰ yrs. Calculate the time for the activity of the element reduced to 80% of its original value.

(Given that $\log 80 = 1.9031$)

2

 Derive a mathematical relation between temperature and the rate constant to determine the activation energy of a reaction which occur at different temperature.

dissociation of indicentes into finations

presence of evdroxyl groups in algoholi

Dending Howest received formed blancardes were our

D. Frimary structure of moteins

Boiling points of alcohols are higher than those of ethers of comparable

18. Write the process of preparing an ultra filter from an ordinary filter paper.

2

19. Show how ammonia is prepared from calcium carbide and alumina separately.

- 20. Explain high and low spin complexes with reference to d4-complexes.
- 21. Explain the extra stability of Chlorobenzene.
- 22. What are the basic functional differences of antiseptics and disinfectants?

2

23. Predict the product A and B in the following reaction and name them.

- 24. Write a note on mutarotation and fill lamburg oised off at badW (1) 12
 - Q. Nos. 25-31 are Short Answer (SA-I) types of 3 marks each.
- 25. Write the chemical formula and name of the products in the following reactions.

(i)
$$C_6H_5N_2Cl \xrightarrow{CuCN}$$
 Pyridine a page (E) we will sup \$8-52, more work Q

(iii)
$$C_6H_5NH_2 \xrightarrow{(CH_3CO)_2O}$$
 alreads persyan to see instructions.

26. What are refractory materials and give one example each of the types of it.

(ii) 15g of a substance dissolved in 100g of water-produced a depression of

- Explain the inter conversion of chromate and dichromate ions by alteration
 of pH with the help of the suitable chemical equation.
- 28. How can you convert phenol to benzene, aniline and Picrie acid? 3
- 29. Write the chemical equation for the conversion of benzaldehyde to toluene, styrenes and hydrobenzamide.

3

3

- A symmetrical alkene [A] having molecular formula C₁₈H₂₀ on ozonolysis gives a ketone [B], which further reacts with KOH/NH₂-NH₂ to give a hydrocarbon [C]. Identify A, B, and C.
- 31. (i) What is the basic structural difference of monomers of synthetic and natural rubbers?
 - (ii) Explain the needs of vulcanization of natural rubber. How is natural rubber vulcanised?
- Q. Nos. from 32-34 are Essay (E) type of 5 marks each.
- (i) State the condition leading to reverse osmosis. Give one important practical use of reverse osmosis.
 - (ii) 15g of a substance dissolved in 100g of water produced a depression of $1\cdot 2^{\circ}C$ at freezing point. Calculate the molecular mass of the substance if k_f of water is $18\cdot 5^{\circ}C$ per 100g. 2+3=5
- 33. (i) Justify that CuSO₄ solution can be kept safely in a silver vessel while AgNO₃ can not be Kest in a copper vessel.
- (ii) SHE is known as reversible one as it can act both as cathode and anode.

 Considering this property how can you determine the standard electrode potentials of zinc and copper?

 2+3=5

- 34. (i) Describe the structure of the two crystaline sulphur alotropes.
 - (ii) Describe the manufacture of nitric acid by Ostwald's process.

3