Chemistry HL P1 TZ1

2010 May

School Level 12th IB Diploma

Programme

Board Exam

International Baccalaureate (IB

Board)

Solved

shaalaa.com





CHEMISTRY HIGHER LEVEL PAPER 1

Wednesday 12 May 2010 (afternoon)

1 hour

INSTRUCTIONS TO CANDIDATES

- · Do not open this examination paper until instructed to do so.
- · Answer all the questions.
- For each question, choose the answer you consider to be the best and indicate your choice on the answer sheet provided.
- The periodic table is provided for reference on page 2 of this examination paper.

		Oroca I	O December	Toron Server	0.20				
0	2 He 4.00	10 Ne 20.18	18 Ar 39.95	36 Kr 83.80	54 Xe 131.30	86 Rn (222)			
7		9 F 19.00	17 CI 35.45	35 Br 79.90	53 1 126.90	85 At (210)		71 Lu 174.97	103 Lr (260)
9		8 O 16.00	16 S 32.06	34 Se 78.96	52 Te 127.60	84 Po (210)		70 Yb 173.04	102 No (259)
w		7 N 14.01	15 P 30.97	33 As 74.92	51 Sb 121.75	83 Bi 208.98		69 Tm 168.93	101 Md (258)
4		6 C 12.01	14 Si 28.09	32 Ge 72.59	50 Sn 118.69	82 Pb 207.19		68 Er 167.26	100 Fm (257)
3		5 B 10.81	13 Al 26.98	31 Ga 69.72	49 In 114.82	81 TI 204.37		67 Ho 164.93	99 Es
	,			30 Zn 65.37	48 Cd 112.40	80 Hg 200.59		66 Dy 162.50	98 Cf (251)
əle				29 Cu 63.55	47 Ag 107.87	79 Au 196.97	. /	65 Tb 158.92	97 Bk (247)
The Periodic Table				28 Ni 58.71	46 Pd 106.42	78 Pt 195.09		64 Gd 157.25	96 Cm (247)
Perio				27 Co 58.93	45 Rh 102.91	77 Ir 192.22		63 Eu 151.96	95 Am (243)
The			10	26 Fe 55.85	44 Ru 101.07	76 Os 190.21		62 Sm 150.35	94 Pu (242)
	700		(5)	25 Mn 54.94	43 Te 98.91	75 Re 186.21		61 Pm 146.92	93 Np (237)
	Number	Element omic Mass		24 Cr 52.00	42 Mo 95.94	74 W 183.85		60 Nd 144.24	92 U 238.03
	Atomic Number	Element Atomic Mass		23 V 50.94	41 Nb 92.91	73 Ta 180.95		59 Pr 140.91	91 Pa 231.04
	1			22 Ti 47.90	40 Zr 91.22	72 Hf 178.49		58 Ce 140.12	90 Th 232.04
				21 Sc 44.96	39 Y 88.91	57 † La 138.91	89 ‡ Ac (227)	+	**
7		4 Be 9.01	12 Mg 24.31	20 Ca 40.08	38 Sr 87.62	56 Ba 137.34	88 Ra (226)		
1	1 H 1.01	3 Li 6.94	11 Na 22.99	19 K 39.10	37 Rb 85.47	55 Cs 132.91	87 Fr (223)		

– 3 –

- A. 120
- B. 130
- C. 138
- D. 246


2. Which is both an empirical and a molecular formula?

- A. C₅H₁₂
- B. C₅H₁₀
- C. C₄H₈
- D. C₄H₁₀



$$2H_2(g) + O_2(g) \rightarrow 2H_2O(g)$$

The following diagram represents the mixture of reactants.




Key:

Oxygen atom


Hydrogen atom

Which diagram represents the reaction mixture when the reaction was complete?


A.




B.




C.



D.



- 4. Which describes the visible emission spectrum of hydrogen?
 - A. A series of lines converging at longer wavelength
 - B. A series of regularly spaced lines
 - C. A series of lines converging at lower energy
 - D. A series of lines converging at higher frequency
- 5. The graph represents the energy needed to remove nine electrons, one at a time, from an atom of an element. Not all of the electrons have been removed.



Which element could this be?

- A. C
- B. Si
- C. P
- D. S
- 6. An ion has the electron configuration $1s^2 2s^2 2p^6 3s^2 3p^6 3d^{10}$. Which ion could it be?
 - A. Ni²⁺
 - B. Cu+
 - C. Cu2+
 - D. Co3+

- 7. Which statements about the periodic table are correct?
 - I. Elements in period 3 have similar chemical properties.
 - II. Elements in group 7 show a gradual change in physical properties.
 - III. The position of an element in period 3 is related to the number of electrons in the highest occupied energy level.
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III
- 8. Which statements about period 3 are correct?
 - I. The oxides of the elements change from ionic to covalent across period 3.
 - II. The oxides of the elements change from basic to acidic across period 3.
 - III. First ionization energy of the elements increases linearly across period 3.
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III
- Which statements are correct for the complex ion [CuCl₄]²⁻?
 - I. The oxidation number of Cu in the complex ion is +2.
 - II. The coordination number of the copper ion is 4.
 - III. Chloride ions are behaving as ligands.
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

10. Which molecule has the shortest carbon-oxyg	en bond	l length?
---	---------	-----------

- A. CH₃COOH
- B. CH₃CH₂OH
- C. CO₂
- D. CO
- 11. Which pair of compounds is arranged in correct order of relative boiling points?

	Lower Boiling Point	Higher Boiling Point
A.	CH ₃ OCH ₃	CH ₃ CH ₂ OH
В.	CH ₃ CHO	CH ₃ CH ₂ CH ₃
C.	CH ₃ CH ₂ OH	CH ₃ CHO
D.	CH ₃ COOH	CH₃CH₂OH

12. Which intermolecular forces exist between molecules of carbon monoxide, CO?

- A. Hydrogen bonds and van der Waals' forces
- B. Dipole-dipole attractions and van der Waals' forces
- C. Van der Waals' forces only
- D. Dipole-dipole attractions only

13.	Which	statements	about C	s and π	bonds are	correct?
1.0	WILL	Statements	about	and h	DOMUS are	COLLECT:

- I. σ bonds result from the axial overlap of orbitals.
- II. σ bonds only form from s orbitals.
- III. π bonds result from the sideways overlap of parallel p orbitals.
- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III
- 14. In which substance does a carbon atom have sp² hybridization?
 - A. 2-methylbutan-1-ol
 - B. Propyne, CH₃CCH
 - C. C₆₀ fullerene
 - D. Diamond
- 15. Which types of reaction are always exothermic?
 - I. Neutralization
 - II. Decomposition
 - III. Combustion
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

- 16. Which reaction has an enthalpy change equal to a standard enthalpy change of formation, ΔH_f^{Θ} ? All reactions occur at 298 K and 1.01×10^5 Pa.
 - A. $C_4H_8(g) + H_2O(g) \rightarrow C_4H_9OH(l)$
 - B. $4CO_2(g) + 5H_2O(g) \rightarrow C_4H_9OH(l) + \frac{13}{2}O_2(g)$
 - C. $4C(s) + 5H_2(g) + \frac{1}{2}O_2(g) \rightarrow C_4H_9OH(l)$
 - D. $8C(s) + 10H_2(g) + O_2(g) \rightarrow 2C_4H_9OH(l)$
- 17. Which process has an enthalpy change that represents the lattice enthalpy of sodium chloride?
 - A. $NaCl(s) \rightarrow Na^+(g) + Cl^-(g)$
 - B. $\operatorname{NaCl}(s) \to \operatorname{Na}(s) + \frac{1}{2}\operatorname{Cl}_2(g)$
 - C. $NaCl(g) \rightarrow Na^{+}(g) + Cl^{-}(g)$
 - D. $NaCl(s) \rightarrow Na(s) + Cl(g)$
- 18. Which is the correct order of increasing magnitude of lattice enthalpy (lowest first)?
 - A. NaCl < KCl < MgS < MgO
 - B. MgO < MgS < KCl < NaCl
 - C. KCl < NaCl < MgS < MgO
 - D. MgO < NaCl < KCl < MgS

$$Co(H_2O)_6^{2+}(aq) + 4Cl^-(aq) \rightleftharpoons CoCl_4^{2-}(aq) + 6H_2O(l)$$

- A. Measure the change in pH in a given time
- B. Measure the change in mass in a given time
- C. Use a colorimeter to measure the change in colour in a given time
- D. Measure the change in volume of the solution in a given time
- 20. Powdered manganese(IV) oxide, MnO₂(s), increases the rate of the decomposition reaction of hydrogen peroxide, H₂O₂(aq). Which statements about MnO₂ are correct?
 - I. The rate is independent of the particle size of MnO₂.
 - MnO₂ provides an alternative reaction pathway for the decomposition with a lower activation energy.
 - III. All the MnO₂ is present after the decomposition of the hydrogen peroxide is complete.
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

- 11 -

Questions 21 and 22 refer to the following reaction.


Sodium thiosulfate solution, Na₂S₂O₃(aq), and hydrochloric acid, HCl(aq), react spontaneously to produce solid sulfur, S(s), according to the equation below.

$$S_2O_3^{2-}(aq) + 2H^+(aq) \rightarrow S(s) + SO_2(aq) + H_2O(l)$$

A student experimentally determined the rate expression to be:

rate =
$$k [S_2O_3^{2}(aq)]^2$$

21. Which graph is consistent with this information?



22. Which reaction could be the rate-determining step?

A.
$$S_2O_3^{2-}(aq) + H^+(aq) \rightarrow S_2O_2(aq) + OH^-(aq)$$

B.
$$S_2O_3^{2-}(aq) + 2H^+(aq) \rightarrow S_2O_2(aq) + H_2O(1)$$


C.
$$S_2O_3^{2-}(aq) \rightarrow S(s) + SO_3^{2-}(aq)$$

D.
$$2S_2O_3^{2-}(aq) \rightarrow S_4O_6^{4-}(aq)$$

2210-6107 Turn over

Visit www.shaalaa.com for more question papers.

23. Which statement is correct for a crystal of iron(II) sulfate in a state of equilibrium with a saturated solution of iron(II) sulfate?



- A. The colour of the solution darkens as the crystal continues to dissolve.
- B. The concentration of the iron(II) sulfate solution increases as the water evaporates.
- C. The shape of the iron(II) sulfate crystal does not change.
- D. The colour of the solution does not change but the shape of the crystal may change.
- 24. Consider the equilibrium between methanol, CH₃OH(l), and methanol vapour, CH₃OH(g).

$$CH_3OH(I) \rightleftharpoons CH_3OH(g)$$

What happens to the position of equilibrium and the value of K_c as the temperature decreases?

10	Position of equilibrium	Value of K _c
	shifts to the left	decreases
200	shifts to the left	increases
	shifts to the right	decreases
	shifts to the right	increases

- 25. Which statement about acids is correct?
 - A. A Brønsted-Lowry acid donates an electron pair.
 - A Lewis acid donates a proton.
 - C. A Brønsted-Lowry acid accepts a proton.
 - D. A Lewis acid accepts an electron pair.

- 26. A student has equal volumes of 1.0 mol dm⁻³ sodium hydroxide and ammonia solutions. Which statement about the solutions is correct?
 - A. Sodium hydroxide has a lower electrical conductivity than ammonia.
 - B. Sodium hydroxide has a higher hydrogen ion concentration than ammonia.
 - C. Sodium hydroxide has a higher pH than ammonia.
 - D. Sodium hydroxide has a higher hydroxide ion concentration than ammonia.
- 27. What is the K_b expression for the reaction of ethylamine with water?

A.
$$K_b = [CH_3CH_2NH_3^+][OH^-]$$

B.
$$K_b = \frac{[CH_3CH_2NH_3^+][OH^-]}{[CH_3CH_2NH_2]}$$

C.
$$K_b = \frac{[CH_3CH_2NH_3^+][H_2O]}{[CH_3CH_2NH_2]}$$

D.
$$K_b = [CH_3CH_2NH_2][H_2O]$$

28. When these 1.0 mol dm⁻³ acidic solutions are arranged in order of increasing strength (weakest first), what is the correct order?

acid in solution X
$$K_a = 1.74 \times 10^{-5}$$
 mol dm⁻³ at 298 K acid in solution Y $K_a = 1.38 \times 10^{-3}$ mol dm⁻³ at 298 K acid in solution Z $K_a = 1.78 \times 10^{-5}$ mol dm⁻³ at 298 K

$$A. \quad X < Z < Y$$

$$B, \quad X < Y < Z$$

$$D. \quad Y < X < Z$$

$$HIn (aq) \rightleftharpoons H^+(aq) + In^-(aq)$$

colour A colour B

What is the effect on this acid-base indicator when sodium hydroxide solution is added to it?

- A. Equilibrium shifts to the right and more of colour B is seen.
- B. Equilibrium shifts to the left and more of colour B is seen.
- C. Equilibrium shifts to the right and more of colour A is seen.
- D. Equilibrium shifts to the left and more of colour A is seen.
- 30. Consider the following reaction.

$$2 FeSO_{4}(aq) + H_{2}O_{2}(aq) + H_{2}SO_{4}(aq) \rightarrow Fe_{2}(SO_{4})_{3}(aq) + 2H_{2}O(l)$$

Which species is the oxidizing agent and which is the reducing agent?


	Oxidizing agent	Reducing agent
A.	$H_2O_2(aq)$	H ₂ SO ₄ (aq)
B.	H ₂ O ₂ (aq)	FeSO ₄ (aq)
C.	FeSO ₄ (aq)	H ₂ O ₂ (aq)
D.	H ₂ SO ₄ (aq)	H ₂ O ₂ (aq)

-15-

						100000	Sec. 1999		
T	A 11C 11	521	- T	1	1 0	1 1	1	C	
200	A half-cell	with an	electrode	in a	1 II mc	ol am	solution	OT IIS	ions

- II. Connection to a standard hydrogen electrode.
- III. A voltmeter between half-cells to measure potential difference.
- A. I and II only
- B. I and III only
- C. II and III only
- D. I, II and III
- 32. What condition is necessary for the electroplating of silver, Ag, onto a steel spoon?
 - The spoon must be the positive electrode.
 - The silver electrode must be the negative electrode.
 - C. The spoon must be the negative electrode.
 - D. The electrolyte must be acidified.
- 33. Which is the best definition of structural isomers?
 - A. Compounds which have atoms with the same atomic numbers but different mass numbers
 - B. Compounds which have the same general formula but differ by a CH, group
 - C. Compounds which have the same empirical formula but different molecular formulas
 - D. Compounds which have the same molecular formula but different arrangements of atoms

34. Which is the correct classification of these alcohols?



1	2	3
tertiary	secondary	primary
tertiary	primary	secondary
tertiary	tertiary	secondary
secondary	primary	secondary

- 35. Which substances are possible products of the incomplete combustion of octane?
 - A. Carbon dioxide and hydrogen gas
 - B. Carbon monoxide and water vapour
 - C. Carbon monoxide and hydrogen gas
 - D. Methane and hydrogen gas

36. What is the IUPAC name of CH₃CH₂CONH₂?

- A. Aminopropanal
- B. Ethanamide
- C. Propylamine
- D. Propanamide
- 37. What is the main organic product formed from the reaction of CH₃CH₂OH with CH₃CH₂CH₂COOH in the presence of an acid catalyst?
 - A. Ethyl butanoate
 - B. Butyl ethanoate
 - C. Ethyl propanoate
 - D. Propyl ethanoate
- 38. What are some uses of esters?
 - I. Flavouring agents
 - II. Perfumes
 - III. Solvents
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

39.	How many	isomers ca	n exist	for a co	mpound	with the	molecular	formula	C,H,C1,?	1
-----	----------	------------	---------	----------	--------	----------	-----------	---------	----------	---

- A. 1
- B. 2
- C. 3
- D. 4
- 40. Which experimental procedure is most likely to lead to a large systematic error?
 - A. Determining the concentration of an alkali by titration with a burette
 - B. Measuring the volume of a solution using a volumetric pipette
 - C. Determining the enthalpy change of neutralization in a beaker
 - D. Measuring the volume of a gas produced with a gas syringe



MARKSCHEME

May 2010

CHEMISTRY

Higher Level

Paper 1

2 pages

-2- M10/4/CHEMI/HPM/ENG/TZ1/XX/M

1.	_ <u>D</u> _	16.	<u>C</u>	31.	_ <u>D</u> _	46.	
2.	<u>A</u>	17.	<u>A</u>	32.	<u>C</u>	47.	-
3.	_A_	18.	_ <u>C</u> _	33.	_ <u>D</u> _	48.	
4.	<u>D</u>	19.	<u>C</u>	34.	<u>B</u>	49.	
5.	<u>B</u>	20.	<u>_C</u>	35.	<u>B</u>	50.	
6.	<u>B</u>	21.	<u>B</u>	36.	<u>D</u>	51.	<u>=</u>
7.	<u>C</u>	22.	<u>D</u>	37.	<u>A</u>	52.	
8.	<u>A</u>	23.	<u>D</u>	38.	<u>D</u>	53.	
9.	<u>D</u>	24.	_A_	39.	C	54.	
10.	<u>D</u>	25.	<u>D</u>	40.	<u>C</u>	55.	-
11.	_A_	26.	<u>C</u>	41.		56.	
12.	<u>B</u>	27.	<u>B</u>	42.		57.	-
13.	<u>B</u>	28.	A	43.	15	58.	
14.	_ <u>C</u> _	29.	<u>A</u>	44.	<u>//22_</u>	59.	<u> </u>
15.	_B_	30.) <u>B</u>	45.	/	60.	