

Name :

Roll No. :

Invigilator's Signature :

CS/B.Tech (CSE)/SEM-8/CS-802E/2010

2010

ADVANCED JAVA PROGRAMMING

Time Allotted : 3 Hours

Full Marks : 70

The figures in the margin indicate full marks.

*Candidates are required to give their answers in their own words
as far as practicable.*

GROUP - A

(Multiple Choice Type Questions)

1. Choose the correct alternatives for the following : $10 \times 1 = 10$

- i) The use of a DTD in XML development is
 - a) required when validating XML documents
 - b) no longer necessary after the XML editor has been customized
 - c) used to direct conversion using an XSLT processor
 - d) a good guide to populating a templates to be filled in when generating an XML document automatically.

- ii) Which of the following is not a transaction isolation level in EJB ?
 - a) Transaction _ read _ uncommitted
 - b) Transaction _ read _ committed
 - c) Transaction _ repeatable _ read
 - d) Transaction _ synchronous.

CS/B.Tech (CSE)/SEM-8/CS-802E/2010

- iii) **DOM stands for**
- a) **Domain Object Model**
 - b) **Document Object Model**
 - c) **Document Oriented Methodology**
 - d) **Domain Oriented Markup.**
- iv) **What is the initial contact point for handling a web request in a Page-centric architecture ?**
- a) **A JSP Page**
 - b) **A JavaBean**
 - c) **A Servlet**
 - d) **A session Manager.**
- v) **Entity beans that have container-managed relationships with other entity beans, must be accessed in the same scope as those related beans to provide a local client view.**
- a) **local**
 - b) **global**
 - c) **logical**
 - d) **physical.**
- vi) **Scaling of an application to increase availability and throughput is called**
- a) **Mapping**
 - b) **Transforming**
 - c) **Clustering**
 - d) **Optimizing.**
- vii) **Main purpose of XML is**
- a) **to reuse data**
 - b) **to save and transport data**
 - c) **to make connection between data**
 - d) **none of these.**

viii) Which of the following is true ?

- a) doGet () has higher data transfer capacity than doPost ()
 - b) doPost () and doGet () has same data transfer capacity
 - c) doPost () has unlimited data transfer capacity whereas doGet () has limited data transfer capacity
 - d) doGet() has unlimited data transfer capacity whereas doPost () has limited data transfer capacity.
- ix) Stub is a member to which of the following technologies ?
- a) JINI
 - b) JDO
 - c) JAXB
 - d) RMI.
- x) Which of the following JDBC driver types is called "native" ?
- a) Type 2
 - b) Type 1
 - c) Type 4
 - d) Type 1.

GROUP - B

(Short Answer Type Questions)

Answer any *three* of the following, $3 \times 5 = 15$

2. What is Servlet ? How is it different from CGI technology ?
2 + 3
3. Critically compare between JSP and Servlet. Discuss the main features of the life cycle of JSP.
2 + 3
4. What is the difference between Message Driven beans and Stateless Session beans ?
5. Explain layer architecture of RMI. Does RMI-IIOP support dynamic downloading of classes ? Justify your answer. 3 + 2
6. What is a directory service ? How to use LDAP to work with a directory service ?
2 + 3

GROUP - C

(Long Answer Type Questions)

Answer any *three* of the following. $3 \times 15 = 45$

7. a) Define HTTP Tunneling. 3
- b) Explain how servlets differ from RMI. Explain the advantages and disadvantages of each technology. 7
- c) Describe different types of servlet collaboration. 5
8. a) Explain the 3 main components of MVC architecture, i.e., Model, view and controller. 6
- b) Explain the difference between DOM and SAX. 4
- c) What is the difference between Java Bean and Enterprise Java Bean ? 5
9. a) What makes J2EE suitable for distributed multitiered Applications ? 5
- b) Explain JTA and JTS in brief. 5
- c) What are implicit objects in JSP ? What is the difference between forward and send Redirect ? 5
10. a) What is JDO ? How is it different from Value Object ? 5
- b) What is the difference between Bean Factory and Application context ? 5
- c) How does EJB invocation happen ? 5
11. Write short notes on any *three* of the following : 3×5
 - a) JAXP and JAXB
 - b) JNDI
 - c) Significance of JINI in web Application
 - d) n-tier architecture
 - e) FAT controller.