# **Computer Application Question Paper**

## 2007

#### **General Instructions:**

- 1. This Paper is divided into two Sections.
- 2. Attempt all questions from Section A and any four questions from Section B.
- 3. The intended marks for questions or parts of questions are given in brackets.

## **SECTION A (40 Marks)**

Attempt all questions

## **Question 1** [10]

- (a) Name two types of Java programs.
- (b) Define Instance Variable. Give an example of the same.
- (c) Differentiate between Binary Search and Linear Search.
- (d) Assign the value of pie (i.e. 3.142) to a variable with requisite data type.
- (e) Explain with an example the if-else-if construct.

# **Question 2** [10]

- (a) Differentiate between Formal Parameter and Actual Parameter.
- (b) Why do we need a constructor as a class member?
- (c) Explain the term type casting.
- (d) Name the following:-
- i. A package that is invoked by default.
- ii. A key word, to use the classes defined in a package.
- (e) Name the class that is used for different mathematical functions. Give an example of a mathematical function.

#### **Ouestion 3**

```
(a) State the difference between = and = = [2]
```

- (b) Write an equivalent Java syntax for the following expression:-  $a = 0.05 2y_3 / x y$  [2]
- (c) Rewrite the following using Ternary operator

```
if (income \leq 10000)
tax = 0;
```

else

$$tax = 12$$
; [2]

- (d) Write a statement for each of the following:-
- i. Store a number 275 as a String
- ii. Convert the string to a numeric value
- iii. Add it to the existing total of 1000 to update the total. [3]
- (e) (i) What is the role of the keyword void in declaring functions?
- (ii) If a function contains several return statements, how many of them will be executed?
- (iii) Which OOP principle implements function overloading? [3]
- (f) What is the output of the following:-
- i. System.out.println ("four:" +4+2);

System.out.println (" four : "+(2+2)); [2]

ii. String S1 = "Hi";

```
String S2 = "Hi"; String S3 = "there";
```

String S4 = "HI":

System.out.println(S1 + "equals" + S2 + " $\rightarrow$ " + S1.equals(S2));

System.out.println(S1 + "equals" + S3 + " $\rightarrow$ " + S1 .equals(S3));

System.out.println(S1 + "equals" + S4 + " $\rightarrow$ " + S1 .equals(S4));

System.out.println(S1 + "EqualIgnoreCase" +S4 + "→" +

S1.EqualIgnoreCase(S4)); [4]

(g) Evaluate the following expressions, if the values of the variables are a = 2, b=3 and c=9

# **SECTION B (60 Marks)**

#### **Ouestion 4**

Define a class salary described as below:-

Data Members: Name, Address, Phone, Subject Specialization, Monthly

Salary, Income Tax.

Member methods: (i) To accept the details of a teacher including the monthly salary.

(ii) To display the details of the teacher.

(iii) To compute the annual Income Tax as 5% of the annual salary above Rs.1,75,000/-.

Write a main method to create object of a class and call the above member method. [15]

### **Ouestion 5**

Write a program to compute and display the sum of the following series:- [15]

1+2  $1 \times 2$  + 1+2+3  $1 \times 2 \times 3$ 

+.....+

1 + 2 + 3 + 4....n $1 \times 2 \times 3 \times 4....n$ 

#### **Ouestion 6**

Write a program to initialize the given data in an array and find the minimum and maximum values along with the sum of the given elements.

Numbers: 25413

Output: Minimum value: 1

Maximum value: 5

Sum of the elements: [15]

### **Ouestion 7**

Write a program to enter a sentence from the keyboard and count the number of times a particular word occurs in it. Display the frequency of the search word. Example:

#### INPUT:

Enter a sentence: the quick brown fox jumps over the lazy dog.

Enter a word to be searched: the

**OUTPUT**:

Searched word occurs: 2 times. [15]

#### **Ouestion 8**

Using a switch statement, write a menu driven program to convert a given temperature from Fahrenheit to Celsius and vice versa. For an incorrect choice, an appropriate error message should be displayed. [15]

(HINT :  $C = 5.9 \times (F - 32)$  and  $F = 1.8 \times C + 32$ 

# **Question 9**

Write a program using a method Palin(), to check whether a string is a Palindrome or not. A Palindrome is a string that reads the same from left to right and vice versa. E.g. MADAM, ARORA, ABBA, etc. [15]